



Purity Laboratories, Inc.

17387 SW 63rd St.
Lake Oswego, OR 97035
Phone: 503.297.3636 Fax: 503.297.3738

www.puritylabsinc.com

Page 1 of 1

For: Lead Safe Mama, LLC
7933 SE 15th Avenue
Portland, Oregon, 97202
United States
415-609-3182

Case#: 2506205

Received Date: 06/11/2025

Tested Date: 06/12/2025

Completed Date: 06/13/2025



ATTN: Tamara Elise Rubin
tamararubin@mac.com
415-609-3182/

Purchase Order:
Product Tested:
Arm & Hammer — "The Standard of Purity", Enamel Defense Toothpaste in Crisp Mint Flavor

Case Notes: RUSH

Sample#: 2506205-01		Sample Description: Mint Toothpaste Lot# 2025-131	
Test	Unit	Result	Method
Arsenic -	ppb	19.91	ICP-MS
Cadmium -	ppb	< 5.00	ICP-MS
Lead -	ppb	135.1	ICP-MS
Mercury -	ppb	9.46	ICP-MS

Reviewed By

Date

13 Jun 2025

Test Report

All reported results relate only to the items tested. All reported results apply to the samples as received by Purity Laboratories, Inc.

Note: All products are sent to the lab by Lead Safe Mama, LLC (LSM) with anonymized sample description language & a LSM internal lot number for identification — to avoid any real or perceived potential bias from the lab. Once reports are received back from the lab they are annotated by LSM staff with the actual product description detail (in blue) and a thumbnail of the product image. Reports are then published on LeadSafeMama.com