

CLIENT INFORMATION

Client: *****
Requested On: Jun 25, 2025
Phone: *****
Email: *****

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
hello@gosimplelab.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Metals Food Test - 5A
Matrix: Food
Testing / Report ID: RRD7WP
Testing Facility: SGS North America Inc
Facility Location: 931 N 7th St
Harrisburg, Pennsylvania 17102

SAMPLE INFORMATION

Collection Date: Jul 7, 2025
Collected By: *****
Received Date: Jul 9, 2025
Reported On: Jul 30, 2025
Sample Location: Redmond Real Salt
Sample Address: *****
Sample Description: Redmond Real Salt, Ancient Fine
Sea Salt

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
Aluminum	mg/Kg	150	5	5	AOAC 2015.01
Arsenic	ug/Kg	16	12	12	AOAC 2015.01
Cadmium	ug/Kg	NOT DETECTED	12	12	AOAC 2015.01
Lead	ug/Kg	132	12	12	AOAC 2015.01
Mercury	ug/Kg	NOT DETECTED	12	12	AOAC 2015.01

CLIENT INFORMATION

Client: *****
Requested On: Jun 25, 2025
Phone: *****
Email: *****

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
hello@gosimplelab.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Microplastics Food Test
Matrix: Food
Testing / Report ID: QHECK3
Testing Facility: EMSL Analytical Inc
Facility Location: 200 Route 130 North
 Cinnaminson, New Jersey 08077

SAMPLE INFORMATION

Collection Date: Jul 7, 2025
Collected By: *****
Received Date: Jul 8, 2025
Reported On: Jul 23, 2025
Sample Location: Redmond Real Salt
Sample Address: *****
Sample Description: Redmond Real Salt, Ancient Fine
 Sea Salt

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
Microplastics (1000-5000 um)	Count/g	NOT DETECTED	0.0304	0.0304	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (100-500 um)	Count/g	NOT DETECTED	0.0304	0.0304	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (10-50 um)	Count/mL	NOT DETECTED	0.0304	0.0304	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (<10 um)	P/A	NOT DETECTED			Microplastics - Fluorescence Microscopy (FLM)
Microplastics (500-1000 um)	Count/g	NOT DETECTED	0.0304	0.0304	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (50-100 um)	Count/g	NOT DETECTED	0.0304	0.0304	Microplastics - Fluorescence Microscopy (FLM)