

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/8/2026  
 Date Tested: 4/13/2026  
 Date Reported: 4/13/2026

Lab Number: 14640  
 Project Manager: Patty Vine

## Analytical Results

Sample Number: 14640-01  
 Description: Good Bacteria Week 1 Red  
 Lot Number: 0326072

| Test              | Result   | Units  | Specification | Method       |
|-------------------|----------|--------|---------------|--------------|
| Coliform          | <10      | cfu/g  | <100          | AOAC 991.14  |
| E.coli            | <10      | cfu/g  | <10           | AOAC 991.14  |
| Staph A.          | <10      | cfu/g  | <10           | FDA/BAM      |
| Salmonella        | Negative | 25g    | Negative      | FDA/BAM      |
| Yeast             | <100     | cfu/g  | <1,000        | FDA/BAM      |
| Mold              | <100     | cfu/g  | <1,000        | FDA/BAM      |
| † Probiotic Count | 8B       | cfu/g  | ≥7 Bil        | USP Modified |
| † Gluten          | <5       | ppm    | <5            | AOAC 061403  |
| Arsenic           | 0.21     | mcg/4g | <10           | ICP-MS       |
| Arsenic           | 0.05     | ppm    | N/A           | ICP-MS       |
| Cadmium           | <0.01    | mcg/4g | <4.1          | ICP-MS       |
| Cadmium           | <0.01    | ppm    | N/A           | ICP-MS       |
| Lead              | 0.05     | mcg/4g | <0.5          | ICP-MS       |
| Lead              | 0.01     | ppm    | N/A           | ICP-MS       |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.


† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



PJLA  
 Testing  
 Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/8/2026

Date Tested: 4/13/2026

Date Reported: 4/13/2026

Lab Number: 14640

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14640-01  
 Description: Good Bacteria Week 1 Red  
 Lot Number: 0326072

| Test    | Result | Units  | Specification | Method |
|---------|--------|--------|---------------|--------|
| Mercury | <0.01  | mcg/4g | <0.3          | ICP-MS |
| Mercury | <0.01  | ppm    | N/A           | ICP-MS |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/10/2026

Date Tested: 4/15/2026

Date Reported: 4/15/2026

Lab Number: 14674

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14674-03  
 Description: Good Bacteria Week 4 Blue  
 Lot Number: 0326075


| Test              | Result   | Units  | Specification | Method       |
|-------------------|----------|--------|---------------|--------------|
| Coliform          | <10      | cfu/g  | <100          | AOAC 991.14  |
| E.coli            | <10      | cfu/g  | <10           | AOAC 991.14  |
| Staph A.          | <10      | cfu/g  | <10           | FDA/BAM      |
| Salmonella        | Negative | 25g    | Negative      | FDA/BAM      |
| Yeast             | <100     | cfu/g  | <1,000        | FDA/BAM      |
| Mold              | <100     | cfu/g  | <1,000        | FDA/BAM      |
| † Probiotic Count | 12B      | cfu/g  | ≥12 Bil       | USP Modified |
| † Gluten          | <5       | ppm    | <5            | AOAC 061403  |
| Arsenic           | <0.01    | mcg/4g | <10           | ICP-MS       |
| Arsenic           | <0.01    | ppm    | N/A           | ICP-MS       |
| Cadmium           | <0.01    | mcg/4g | <4.1          | ICP-MS       |
| Cadmium           | <0.01    | ppm    | N/A           | ICP-MS       |
| Lead              | 0.06     | mcg/4g | <0.5          | ICP-MS       |
| Lead              | 0.01     | ppm    | N/A           | ICP-MS       |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



PJLA  
 Testing  
 Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/10/2026

Date Tested: 4/15/2026

Date Reported: 4/15/2026

Lab Number: 14674

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14674-03  
 Description: Good Bacteria Week 4 Blue  
 Lot Number: 0326075

| Test    | Result | Units  | Specification | Method |
|---------|--------|--------|---------------|--------|
| Mercury | <0.01  | mcg/4g | <0.3          | ICP-MS |
| Mercury | <0.01  | ppm    | N/A           | ICP-MS |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



PJLA  
 Testing  
 Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/10/2026

Date Tested: 4/16/2026

Date Reported: 4/16/2026

Lab Number: 14674

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14674-02  
 Description: Good Bacteria Week 3 Green  
 Lot Number: 0326074

| Test              | Result   | Units  | Specification | Method       |
|-------------------|----------|--------|---------------|--------------|
| Coliform          | <10      | cfu/g  | <100          | AOAC 991.14  |
| E.coli            | <10      | cfu/g  | <10           | AOAC 991.14  |
| Staph A.          | <10      | cfu/g  | <10           | FDA/BAM      |
| Salmonella        | Negative | 25g    | Negative      | FDA/BAM      |
| Yeast             | <100     | cfu/g  | <1,000        | FDA/BAM      |
| Mold              | <100     | cfu/g  | <1,000        | FDA/BAM      |
| † Probiotic Count | 15B      | cfu/g  | ≥15 Bil       | USP Modified |
| † Gluten          | <5       | ppm    | <5            | AOAC 061403  |
| Arsenic           | <0.01    | mcg/4g | <10           | ICP-MS       |
| Arsenic           | <0.01    | ppm    | N/A           | ICP-MS       |
| Cadmium           | 0.01     | mcg/4g | <4.1          | ICP-MS       |
| Cadmium           | <0.01    | ppm    | N/A           | ICP-MS       |
| Lead              | 0.07     | mcg/4g | <0.5          | ICP-MS       |
| Lead              | 0.02     | ppm    | N/A           | ICP-MS       |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



PJLA  
 Testing  
 Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/10/2026

Date Tested: 4/16/2026

Date Reported: 4/16/2026

Lab Number: 14674

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14674-02  
 Description: Good Bacteria Week 3 Green  
 Lot Number: 0326074

| Test    | Result | Units  | Specification | Method |
|---------|--------|--------|---------------|--------|
| Mercury | <0.01  | mcg/4g | <0.3          | ICP-MS |
| Mercury | <0.01  | ppm    | N/A           | ICP-MS |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



PJLA  
 Testing  
 Accreditation #105605

# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/8/2026  
 Date Tested: 4/13/2026  
 Date Reported: 4/13/2026

Lab Number: 14640  
 Project Manager: Patty Vine

## Analytical Results

Sample Number: 14640-02  
 Description: Good Bacteria Week 2 Yellow  
 Lot Number: 0326073

| Test              | Result   | Units  | Specification | Method       |
|-------------------|----------|--------|---------------|--------------|
| Coliform          | <10      | cfu/g  | <100          | AOAC 991.14  |
| E.coli            | <10      | cfu/g  | <10           | AOAC 991.14  |
| Staph A.          | <10      | cfu/g  | <10           | FDA/BAM      |
| Salmonella        | Negative | 25g    | Negative      | FDA/BAM      |
| Yeast             | <100     | cfu/g  | <1,000        | FDA/BAM      |
| Mold              | <100     | cfu/g  | <1,000        | FDA/BAM      |
| † Probiotic Count | 12B      | cfu/g  | ≥12 Bil       | USP Modified |
| † Gluten          | <5       | ppm    | <5            | AOAC 061403  |
| Arsenic           | 0.04     | mcg/4g | <10           | ICP-MS       |
| Arsenic           | 0.01     | ppm    | N/A           | ICP-MS       |
| Cadmium           | <0.01    | mcg/4g | <4.1          | ICP-MS       |
| Cadmium           | <0.01    | ppm    | N/A           | ICP-MS       |
| Lead              | 0.04     | mcg/4g | <0.5          | ICP-MS       |
| Lead              | 0.01     | ppm    | N/A           | ICP-MS       |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



# ANALYTICAL REPORT

PPI Business Services  
 3804 Airport Road  
 Ogden, UT 84405

Date Received: 4/8/2026

Date Tested: 4/13/2026

Date Reported: 4/13/2026

Lab Number: 14640

Project Manager: Patty Vine

## Analytical Results

Sample Number: 14640-02  
 Description: Good Bacteria Week 2 Yellow  
 Lot Number: 0326073

| Test    | Result | Units  | Specification | Method |
|---------|--------|--------|---------------|--------|
| Mercury | <0.01  | mcg/4g | <0.3          | ICP-MS |
| Mercury | <0.01  | ppm    | N/A           | ICP-MS |

These results apply only to the submitted sample and not to the material from which it was taken. This report is confidential and is for the sole use of the addressee. This report shall not be reproduced, except in its entirety, without the written approval from Nutri-Biome.

† Test is not part of ISO/IEC 17025:2017 scope

‡ Test is conducted by a contract laboratory

Approved By: \_\_\_\_\_



Toby Skelton  
 Quality Manager



Accreditation #105605