

CLIENT INFORMATION

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Client: *****

Requested On: Mar 23, 2026

Phone: *****

Email: *****

Questions? For fastest assistance:

support@mytap score.com

Do not contact facility technicians directly.

TESTING PERFORMED
Testing Requested: Advanced Home Water Test

Matrix: Drinking Water

Testing / Report ID: EDLVNY

Testing Facility: Microbac Laboratories

Facility Location: 5680 West End Road
Arcata, California 95521

SAMPLE INFORMATION
Collection Date: Mar 30, 2026

Collected By: *****

Received Date: Apr 1, 2026

Reported On: Apr 8, 2026

Sample Location: Bottle

Sample Address: *****

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytap score.com

SUMMARY ANALYSIS

ANALYTE	UNIT	RESULT	METHOD	EVALUATION
pH	pH	7.7	EPA 150.1	OK
Total Dissolved Solids	mg/L	68.9	SM 2510 B	No benchmark available
Turbidity	NTU	0.15	EPA 180.1	No benchmark available
Hardness	mg/L	24.3	SM 2340 B	No benchmark available
Expanded Hardness	mg/L	24.29	Calculation	No benchmark available
Grains per gallon	Grains	1.42	Calculation	No benchmark available
Alkalinity (as CaCO ₃)	mg/L	30	SM 2320 B	No benchmark available
Langelier Saturation Index		-1.6	Calculation	No benchmark available
Sodium Adsorption Ratio		0.97	Calculation	No benchmark available
Total THMs	µg/L	NOT DETECTED	Calculation	No evaluation possible

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EVALUATION
1,1,1,2 Tetrachloroethane	µg/L	NOT DETECTED	0.35	0.5	EPA 524.2	No evaluation possible
1,1,1 Trichloroethane	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	No evaluation possible
1,1,2,2 Tetrachloroethane	µg/L	NOT DETECTED	0.37	0.5	EPA 524.2	No evaluation possible
1,1,2 Trichloroethane	µg/L	NOT DETECTED	0.36	0.5	EPA 524.2	No evaluation possible
1,1 Dichloroethane	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

1,1 Dichloroethylene	µg/L	NOT DETECTED	0.32	0.5	EPA 524.2	No evaluation possible
1,1 Dichloropropene	µg/L	NOT DETECTED	0.31	0.5	EPA 524.2	No evaluation possible
1,2,3 Trichlorobenzene	µg/L	NOT DETECTED	0.36	0.5	EPA 524.2	No evaluation possible
1,2,3 Trichloropropane	µg/L	NOT DETECTED	0.31	0.5	EPA 524.2	No evaluation possible
1,2,4 Trichlorobenzene	µg/L	NOT DETECTED	0.34	0.5	EPA 524.2	No evaluation possible
1,2,4 Trimethylbenzene	µg/L	NOT DETECTED	0.36	0.5	EPA 524.2	No evaluation possible
1,2 Dichlorobenzene	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2	No evaluation possible
1,2 Dichloroethane	µg/L	NOT DETECTED	0.3	0.5	EPA 524.2	No evaluation possible
1,2 Dichloropropane	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2	No evaluation possible
1,3,5 Trimethylbenzene	µg/L	NOT DETECTED	0.41	0.5	EPA 524.2	No evaluation possible
1,3 Dichlorobenzene	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2	No evaluation possible
1,3 Dichloropropane	µg/L	NOT DETECTED	0.31	0.5	EPA 524.2	No evaluation possible
1,4 Dichlorobenzene	µg/L	NOT DETECTED	0.25	0.5	EPA 524.2	No evaluation possible
2,2 Dichloropropane	µg/L	NOT DETECTED	0.41	0.5	EPA 524.2	No evaluation possible
Aluminum	mg/L	NOT DETECTED	0.03	0.05	EPA 200.7	No evaluation possible
Antimony	mg/L	NOT DETECTED	0.0003	0.005	EPA 200.8	No evaluation possible
Arsenic	mg/L	Below Reporting Limit	0.0016	0.002	EPA 200.8	No evaluation possible
Barium	mg/L	0.00109*	0.00037	0.005	EPA 200.8	No evaluation possible
Benzene	µg/L	NOT DETECTED	0.3	0.5	EPA 524.2	No evaluation possible
Beryllium	mg/L	NOT DETECTED	0.00013	0.001	EPA 200.8	No evaluation possible
Bicarbonate	mg/L	36.38			Calculation	No benchmark available
Boron	mg/L	0.00739*	0.0026	0.02	EPA 200.7	No evaluation possible
Bromobenzene	µg/L	NOT DETECTED	0.31	0.5	EPA 524.2	No evaluation possible
Bromochloromethane	µg/L	NOT DETECTED	0.32	0.5	EPA 524.2	No evaluation possible
Bromodichloromethane	µg/L	NOT DETECTED	0.42	0.5	EPA 524.2	No evaluation possible
Bromoform	µg/L	NOT DETECTED	0.43	0.5	EPA 524.2	No evaluation possible
Bromomethane	µg/L	NOT DETECTED	0.33	0.5	EPA 524.2	No evaluation possible
Cadmium	mg/L	NOT DETECTED	0.00011	0.001	EPA 200.8	No evaluation possible
Calcium	mg/L	6	0.05	1	EPA 200.7	No benchmark available
Carbonate	mg/L	0.084			Calculation	No benchmark available
Carbon Tetrachloride	µg/L	NOT DETECTED	0.36	0.5	EPA 524.2	No evaluation possible
Chloride	mg/L	12.4	0.14	0.5	EPA 300.0	No benchmark available
Chloride-to-Sulfate Mass Ratio		3.75			Calculation	No benchmark available
Chlorobenzene	µg/L	NOT DETECTED	0.24	0.5	EPA 524.2	No evaluation possible
Chloroethane	µg/L	NOT DETECTED	0.3	0.5	EPA 524.2	No evaluation possible
Chloroform	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	No evaluation possible
Chloromethane	µg/L	NOT DETECTED	0.28	0.5	EPA 524.2	No evaluation possible
Chlorotoluene 2	µg/L	NOT DETECTED	0.39	0.5	EPA 524.2	No evaluation possible
Chlorotoluene 4	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2	No evaluation possible
Chromium (Total)	mg/L	NOT DETECTED	0.002	0.005	EPA 200.8	No evaluation possible
cis 1,2 Dichloroethylene	µg/L	NOT DETECTED	0.25	0.5	EPA 524.2	No evaluation possible
cis 1,3 Dichloropropene	µg/L	NOT DETECTED	0.32	0.5	EPA 524.2	No evaluation possible
Cobalt	mg/L	NOT DETECTED	0.00031	0.005	EPA 200.8	No evaluation possible
Copper	mg/L	NOT DETECTED	0.0011	0.005	EPA 200.8	No evaluation possible
Dibromochloromethane	µg/L	NOT DETECTED	0.21	0.5	EPA 524.2	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Dibromochloropropane	µg/L	NOT DETECTED	0.074	0.2	EPA 524.2	No evaluation possible
Dibromomethane	µg/L	NOT DETECTED	0.26	0.5	EPA 524.2	No evaluation possible
Dichlorodifluoromethane	µg/L	NOT DETECTED	0.41	0.5	EPA 524.2	No evaluation possible
Dichloromethane	µg/L	NOT DETECTED	0.25	0.5	EPA 524.2	No evaluation possible
E. coli	P/A	NOT DETECTED			SM 9223B	No evaluation possible
Ethylbenzene	µg/L	NOT DETECTED	0.33	0.5	EPA 524.2	No evaluation possible
Ethylene dibromide	µg/L	NOT DETECTED	0.0097	0.05	EPA 524.2	No evaluation possible
Fluoride	mg/L	0.043*	0.041	0.1	EPA 300.0	No evaluation possible
Hexachlorobutadiene	µg/L	NOT DETECTED	0.33	0.5	EPA 524.2	No evaluation possible
Iron	mg/L	NOT DETECTED	0.016	0.05	EPA 200.7	No evaluation possible
Isopropylbenzene	µg/L	NOT DETECTED	0.31	0.5	EPA 524.2	No evaluation possible
Lead	mg/L	NOT DETECTED	0.00016	0.001	EPA 200.8	No evaluation possible
Lithium	mg/L	0.00751*	0.0029	0.05	EPA 200.7	No evaluation possible
Magnesium	mg/L	2.26	0.0061	1	EPA 200.7	No benchmark available
Manganese	mg/L	NOT DETECTED	0.0013	0.005	EPA 200.8	No evaluation possible
Mercury	mg/L	NOT DETECTED	0.0001	0.001	EPA 200.8	No evaluation possible
Methyl Tertiary Butyl Ether	µg/L	NOT DETECTED	0.46	3	EPA 524.2	No evaluation possible
Molybdenum	mg/L	NOT DETECTED	0.002	0.005	EPA 200.8	No evaluation possible
m,p Xylene	µg/L	NOT DETECTED	0.39	0.5	EPA 524.2	No evaluation possible
Naphthalene	µg/L	NOT DETECTED	0.49	0.5	EPA 524.2	No evaluation possible
n Butylbenzene	µg/L	NOT DETECTED	0.45	0.5	EPA 524.2	No evaluation possible
Nickel	mg/L	NOT DETECTED	0.0007	0.005	EPA 200.8	No evaluation possible
Nitrate (as N)	mg/L	NOT DETECTED	0.027	0.1	EPA 300.0	No evaluation possible
Nitrite (as N)	mg/L	NOT DETECTED	0.027	0.1	EPA 300.0	No evaluation possible
n Propylbenzene	µg/L	NOT DETECTED	0.3	0.5	EPA 524.2	No evaluation possible
o Xylene	µg/L	NOT DETECTED	0.34	0.5	EPA 524.2	No evaluation possible
Phosphorus	mg/L	0.0286	0.01	0.02	EPA 200.7	No benchmark available
p Isopropyltoluene	µg/L	NOT DETECTED	0.43	0.5	EPA 524.2	No evaluation possible
Potassium	mg/L	0.743*	0.182	1	EPA 200.7	No evaluation possible
sec Butylbenzene	µg/L	NOT DETECTED	0.43	0.5	EPA 524.2	No evaluation possible
Selenium	mg/L	NOT DETECTED	0.0044	0.005	EPA 200.8	No evaluation possible
Silica	mg/L	17.4	0.16	0.235	EPA 200.7	No benchmark available
Silver	mg/L	NOT DETECTED	0.00063	0.001	EPA 200.8	No evaluation possible
Sodium	mg/L	11	0.22	1	EPA 200.7	No benchmark available
Specific Conductivity	umhos/cm	116	2	2	SM 2510 B	No benchmark available
Strontium	mg/L	0.00399	0.00011	0.001	EPA 200.7	< HGL
Styrene	µg/L	NOT DETECTED	0.26	0.5	EPA 524.2	No evaluation possible
Sulfate	mg/L	3.31	0.29	1	EPA 300.0	< HGL
tert Butylbenzene	µg/L	NOT DETECTED	0.39	0.5	EPA 524.2	No evaluation possible
Tetrachloroethylene	µg/L	NOT DETECTED	0.32	0.5	EPA 524.2	No evaluation possible
Thallium	mg/L	NOT DETECTED	0.00012	0.001	EPA 200.8	No evaluation possible
Tin	mg/L	0.000344*	0.00022	0.005	EPA 200.8	No evaluation possible
Titanium	mg/L	NOT DETECTED	0.00061	0.005	EPA 200.7	No evaluation possible
Toluene	µg/L	NOT DETECTED	0.25	0.5	EPA 524.2	No evaluation possible
Total Coliform	P/A	NOT DETECTED			SM 9223B	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

trans 1,3 Dichloropropene	µg/L	NOT DETECTED	0.37	0.5	EPA 524.2	No evaluation possible
Trichloroethylene	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2	No evaluation possible
Trichlorofluoromethane	µg/L	NOT DETECTED	0.27	0.5	EPA 524.2	No evaluation possible
Uranium	mg/L	NOT DETECTED	3.0E-5	0.001	EPA 200.8	No evaluation possible
Vanadium	mg/L	0.0167	0.00053	0.005	EPA 200.8	< HGL
Vinyl Chloride	µg/L	NOT DETECTED	0.34	0.5	EPA 524.2	No evaluation possible
Zinc	mg/L	NOT DETECTED	0.0012	0.01	EPA 200.7	No evaluation possible

How To Read Your SimpleLab PDF Report

Your results are being evaluated against the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

*Analyte was detected below the reporting limit. The value shown is an estimate.

How To Read Your SimpleLab PDF Report

Your results are being evaluated against the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team are configured to measure.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

Sample Info / Chain of Custody

Report ID: EDLVNY | 100% COMPLETE | CHANGES SAVED AUTOMATICALLY



Date & Time

: :

Sample collection date and time Hour Minute

Timezone

Use current time zone

Sampled By

Sampling Address

Sampling Location



Upload Photo

Photo of Sampling Location (Optional)

Water Source

Bottled Water Brand

Prepared For

Customer: Oasis
 Email: cormac@live-oasis.com
 Phone:
 Address:

Lab Contact

Name: Lev Spivak-Birndorf
 Email: lev@lightlabs.com
 Phone: (737) 237-8951
 Address: 600 South Wagner Road, #400
 Ann Arbor, MI 48103

General Information

Name: Icelandic - plastic, Default
 Lot: 1
 Notes:

Date Received: 2026-04-17
 Date Tested: 2026-04-14
 Test: 63120
 Order: 7517

Assay: PFAS
 Method: FDA CAM LCMSMS version C-010.02 Mod
 Location: Outsourced
 Serving Size: 1,000 mL

Analyte	LOQ	Specification	Result	Status
10:2 FTS	0.05 ppb	-	ND	-
11CI-PF3OUdS	0.05 ppb	-	ND	-
4:2FTS	0.15 ppb	-	ND	-
6:2FTS	0.15 ppb	-	ND	-
8:2FTS	0.05 ppb	-	ND	-
9CI-PF3ONS	0.05 ppb	-	ND	-
ADONA	-	-	-	-
DONA	0.05 ppb	-	ND	-
FOSA	0.05 ppb	-	ND	-
HFPO-DA	0.05 ppb	-	ND	-
NEtFOSAA	-	-	-	-
NMeFOSAA	-	-	-	-
PFBA	1 ppb	-	ND	-
PFBS	0.05 ppb	-	ND	-
PFDA	0.05 ppb	-	ND	-
PFDS	0.05 ppb	-	ND	-
PFDoA	0.05 ppb	-	ND	-
PFDoS	0.15 ppb	-	ND	-
PFHpA	0.05 ppb	-	ND	-
PFHpS	0.05 ppb	-	ND	-

Results Approved By



Lev Spivak-Birndorf
 Lab Director

Date Generated: 2026-04-21

Analyte	LOQ	Specification	Result	Status
PFHxA	0.15 ppb	-	ND	-
PFHxS	0.15 ppb	-	ND	-
PFNA	0.15 ppb	-	ND	-
PFNS	0.05 ppb	-	ND	-
PFOA	0.15 ppb	-	ND	-
PFOS	0.05 ppb	-	ND	-
PFPeA	0.15 ppb	-	ND	-
PFPeS	0.15 ppb	-	ND	-
PFTA	-	-	-	-
PFTeDA	0.05 ppb	-	ND	-
PFTTrDA	0.15 ppb	-	ND	-
PFTTrDS	0.05 ppb	-	ND	-
PFUnA	0.05 ppb	-	ND	-
PFUnDS	0.05 ppb	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-04-21

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.