

## Prepared For

Customer Mavi Goods  
Email jason.mpabst@gmail.com  
Phone -  
Address -

## Lab Contact

Name Lev Spivak-Birndorf  
Email lev@lightlabs.com  
Phone (737) 237-8951  
Address 600 South Wagner Road, #400  
Ann Arbor, MI 48103

## General Information

Name Mavi Goods Ritual Java  
Lot -  
Notes -

Date Received 2025-12-15  
Date Tested 2025-12-18  
Test 37955  
Order 3257


Assay Method Glyphosate / AMPA  
Location LC-MS/MS / LLMTDC  
In-house  
Serving Size 20.0 grams

Analyte	LOQ (ppb)	Limit (ppb)	Concentration (ppb)	Concentration (µg/serving)	Status
Glyphosate	17.44		ND		
AMPA	17.44		ND		

## Results Approved By



Lev Spivak-Birndorf, Lab Director  
Date Released: 12/18/2025



**Prepared For**

Customer Mavi Goods  
 Email jason.mpabst@gmail.com  
 Phone -  
 Address -

**Lab Contact**

Name Lev Spivak-Birndorf  
 Email lev@lightlabs.com  
 Phone (737) 237-8951  
 Address 600 South Wagner Road, #400  
 Ann Arbor, MI 48103

**General Information**

Name Mavi Goods Ritual Java  
 Lot -  
 Notes -

Date Received 2025-12-15  
 Date Tested 2025-12-18  
 Test 37954  
 Order 3257


Assay Method Heavy Metals  
 Location LLMTDA  
 Serving Size In-house  
 20.0 grams

Analyte	LOQ	Limit	Result	Status
Arsenic	0.67 ppb	500 ppb	24.93 ppb (0.49864 µg/serving)	In-spec
Cadmium	0.12 ppb	205 ppb	5.13 ppb (0.102542 µg/serving)	In-spec
Lead	1.91 ppb	25 ppb	11.16 ppb (0.223182 µg/serving)	In-spec
Mercury	0.73 ppb	15 ppb	0.8 ppb (0.016086 µg/serving)	In-spec

LLMTDA is a method developed at Light Labs, Ann Arbor MI to test heavy metals in food and dietary supplement products. The method is modified from FDA EAM 4.7 and uses similar sample preparation and analytical techniques to those described in EAM. Microwave assisted digestion in mineral acids is used to prepare samples for heavy metal analysis by triple quadrupole inductively coupled plasma mass spectrometry (ICP-MS/MS). LLMTDA is part of Light Labs' scope of ISO 17025 accredited methods.

**Results Approved By**


Lev Spivak-Birndorf, Lab Director  
 Date Released: 12/18/2025



**Prepared For**

Customer: Mavi Goods  
 Email: jason.mpabst@gmail.com  
 Phone:  
 Address:

**Lab Contact**

Name: Lev Spivak-Birndorf  
 Email: lev@lightlabs.com  
 Phone: (737) 237-8951  
 Address: 600 South Wagner Road, #400  
 Ann Arbor, MI 48103

**General Information**

Name: Mavi Goods , Ritual Java  
 Lot: No Lot Specified  
 Notes:

Date Received: 2025-12-15  
 Date Tested: 2025-12-22  
 Test: 37956  
 Order: 3257

Assay: Pesticides  
 Method: USDA NOP  
 Location: Outsourced  
 Serving Size: 20.0g

Analyte	LOQ	Limit	Result	Status
Acephate	-	-	ND	-
Acetamiprid	-	-	ND	-
Acetochlor	-	-	ND	-
Aldicarb	-	-	ND	-
Aldicarb Sulfone	-	-	ND	-
Aldicarb Sulfoxide	-	-	ND	-
Allethrin	-	-	ND	-
Atrazine	-	-	ND	-
Azinphos Methyl	-	-	ND	-
Azoxystrobin	-	-	ND	-
BHC-Alpha	-	-	ND	-
Bendiocarb	-	-	ND	-
Bifenazate	-	-	ND	-
Bifenthrin	-	-	ND	-
Bitertanol	-	-	ND	-
Boscalid	-	-	ND	-
Bromacil	-	-	ND	-
Buprfezin	-	-	ND	-
Captan	-	-	ND	-
Carbaryl	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf  
 Lab Director

Date Released: December 22, 2025 8:59pm

Analyte	LOQ	Limit	Result	Status
Carbendazim (MBC)	-	-	ND	-
Carbofuran	-	-	ND	-
Chlorantraniliprole	-	-	ND	-
Chlordane, cis-	-	-	ND	-
Chlordane, trans-	-	-	ND	-
Chlorfenapyr	-	-	ND	-
Chlorothalonil	-	-	ND	-
Chlorpropham	-	-	ND	-
Chlorpyrifos	-	-	ND	-
Chlorpyrifos Methyl	-	-	ND	-
Clofentezine	-	-	ND	-
Clothianidin	-	-	ND	-
Coumaphos	-	-	ND	-
Cyazofamid	-	-	ND	-
Cycloate	-	-	ND	-
Cyfluthrin	-	-	ND	-
Cyhalothrin, L-	-	-	ND	-
Cypermethrin	-	-	ND	-
Cyprodinil	-	-	ND	-
Cyromazine	-	-	ND	-
DCPA	-	-	ND	-
DDD o,p'	-	-	ND	-
DDD p,p'	-	-	ND	-
DDE o,p'	-	-	ND	-
DDE p,p'	-	-	ND	-
DDT o,p'	-	-	ND	-
DDT p,p'	-	-	ND	-
DEF (Tribufos)	-	-	ND	-
Deltamethrin (includes Tralomethrin)	-	-	ND	-
Diazinon	-	-	ND	-
Diazinon Oxygen Analog	-	-	ND	-
Dichlorvos (DDVP)	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Released: December 22, 2025 8:59pm

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.

Analyte	LOQ	Limit	Result	Status
Dicloran	-	-	ND	-
Dicofol o,p'	-	-	ND	-
Dicofol p,p' (Kelthane)	-	-	ND	-
Dieldrin	-	-	ND	-
Difenoconazole	-	-	ND	-
Diffubenzuron	-	-	ND	-
Dimethoate	-	-	ND	-
Diphenamid	-	-	ND	-
Diphenylamine (DPA)	-	-	ND	-
Disulfoton	-	-	ND	-
Disulfoton Sulfone	-	-	ND	-
Diuron	-	-	ND	-
Endosulfan I	-	-	ND	-
Endosulfan II	-	-	ND	-
Endosulfan Sulfate	-	-	ND	-
Endrin	-	-	ND	-
Esfenvalerate	-	-	ND	-
Ethion	-	-	ND	-
Ethoprop	-	-	ND	-
Ethoxyquin	-	-	ND	-
Etoxazole	-	-	ND	-
Famoxadone	-	-	ND	-
Fenamidone	-	-	ND	-
Fenamiphos	-	-	ND	-
Fenamiphos Sulfone	-	-	ND	-
Fenarimol	-	-	ND	-
Fenbuconazole	-	-	ND	-
Fenhexamid	-	-	ND	-
Fenpropathrin	-	-	ND	-
Fenpyroximate	-	-	ND	-
Fenthion	-	-	ND	-
Fenvalerate	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Released: December 22, 2025 8:59pm

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.

Analyte	LOQ	Limit	Result	Status
Fipronil	-	-	ND	-
Flonicamid	-	-	ND	-
Fludioxonil	-	-	ND	-
Fluoxastrobin	-	-	ND	-
Fluridone	-	-	ND	-
Flutolanil	-	-	ND	-
Fluvalinate	-	-	ND	-
Folpet	-	-	ND	-
Fonofos	-	-	ND	-
Formetanate Hydrochloride	-	-	ND	-
Heptachlor Epoxide	-	-	ND	-
Hexachlorobenzene (HCB)	-	-	ND	-
Hexaconazole	-	-	ND	-
Hexythiazox	-	-	ND	-
Hydroxycarbofuran, 3-	-	-	ND	-
Imazalil	-	-	ND	-
Imidacloprid	-	-	ND	-
Indoxacarb	-	-	ND	-
Iprodione	-	-	ND	-
Lindane (BHC-gamma)	-	-	ND	-
Linuron	-	-	ND	-
MGK-264	-	-	ND	-
Malathion	-	-	ND	-
Malathion Oxygen Analog	-	-	ND	-
Metalaxyl	-	-	ND	-
Methamidophos	-	-	ND	-
Methidathion	-	-	ND	-
Methiocarb	-	-	ND	-
Methomyl	-	-	ND	-
Methoxychlor Total	-	-	ND	-
Methoxyfenozone	-	-	ND	-
Metolachlor	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Released: December 22, 2025 8:59pm

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.

Analyte	LOQ	Limit	Result	Status
Metribuzin	-	-	ND	-
Mevinphos Total	-	-	ND	-
Myclobutanil	-	-	ND	-
Naled	-	-	ND	-
Naphthol, 1-	-	-	ND	-
Napropamide	-	-	ND	-
Nonachlor, cis-	-	-	ND	-
Nonachlor, trans-	-	-	ND	-
Omethoate	-	-	ND	-
Oxadixyl	-	-	ND	-
Oxamyl	-	-	ND	-
Parathion Methyl	-	-	ND	-
Pendimethalin	-	-	ND	-
Pentachloroaniline (PCA)	-	-	ND	-
Pentachlorobenzene (PCB)	-	-	ND	-
Permethrin Total	-	-	ND	-
Phenylphenol, O-	-	-	ND	-
Phorate Sulfone	-	-	ND	-
Phorate Sulfoxide	-	-	ND	-
Phosalone	-	-	ND	-
Phosmet	-	-	ND	-
Piperonyl Butoxide	-	-	ND	-
Pirimiphos Methyl	-	-	ND	-
Primicarb	-	-	ND	-
Prochloraz	-	-	ND	-
Procymidone	-	-	ND	-
Prometryn	-	-	ND	-
Pronamide	-	-	ND	-
Propargite	-	-	ND	-
Propiconazole	-	-	ND	-
Pymetrozine	-	-	ND	-
Pyraclostrobin	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Released: December 22, 2025 8:59pm

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.

Analyte	LOQ	Limit	Result	Status
Pyridaben	-	-	ND	-
Pyrimethanil	-	-	ND	-
Pyriproxyfen	-	-	ND	-
Quinoxifen	-	-	ND	-
Quintozene (PCNB)	-	-	ND	-
Resmethrin	-	-	ND	-
Simazine	-	-	ND	-
Spinetoram	-	-	ND	-
Spiromesifen	-	-	ND	-
Sulfentrazone	-	-	ND	-
Tebuconazole	-	-	ND	-
Tebufenozide	-	-	ND	-
Tetrachlorvinphos	-	-	ND	-
Tetradifon	-	-	ND	-
Tetrahydrophthalimide (THPI)	-	-	ND	-
Thiabendazole	-	-	ND	-
Thiacloprid	-	-	ND	-
Thiamethoxam	-	-	ND	-
Thiobencarb	-	-	ND	-
Thiodicarb	-	-	ND	-
Triadimefon	-	-	ND	-
Triadimenol	-	-	ND	-
Trifloxystrobin	-	-	ND	-
Triflumizole	-	-	ND	-
Trifluralin	-	-	ND	-
Vinclozolin	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Released: December 22, 2025 8:59pm

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval.