

CERTIFICATE OF ANALYSIS

Product Name:	WeNatal Egg Quality + For Her Clear Capsules (90 count)		
Customer Name:	WeNatal	Manufacturing Date:	11/14/2025
Rev. No.:	0	Exp. Date:	10/2027
Product Lot No.:	27302	Serving Size:	3 capsules
Item No.:	FG01280-90	Serving per Container	30 servings

Physical Attributes	Specifications	Test Methods	Results
Appearance	Clear capsule with light yellow to yellow powder	Visual examination	Conforms
Capsule size	Size "00"	Visual examination	Conforms
Capsule shell color	Clear veggie	Visual examination	Conforms
Net fill weight (target)	627 mg	Manufacture audit	Conforms
Capsule gross weight (avg of 20 capsules)	Range: 14.16 - 15.65 g	Gravimetry (USP <2091>)	14.95 g
Weight variation	Meets USP requirements*	USP <2091>	Conforms
Disintegration	NMT 30 minutes	USP <2040>	8 minutes


*Weight of individual capsule is within the limits of 90 % - 110 % of actual average capsule weight.

Analytical Attributes (per serving)	Specifications	Test Methods	Results
N-Acetyl L-Cysteine (NAC)	NLT 800 mg	*Manufacture Input	824 mg
Coenzyme Q10	NLT 400 mg	HPLC	422 mg
Alpha Lipoic Acid	NLT 400 mg	HPLC	403 mg
Acetyl L-Carnitine	NLT 150 mg	*Manufacture Input	155 mg
PQQ as PureQQ™ (pyrroloquinoline quinone disodium salt)	NLT 20 mg	*Manufacture Input	21 mg

*Manufacture Input/Audit including testing ingredients before use, auditing batch ingredients weighing and blending, and in-process encapsulation quality control.




Chemical Contaminants	Specifications	Test Methods	Results
Arsenic (inorganic)	≤ 10 µg/serving	ICP-MS	< 0.005 µg/serving
Cadmium	≤ 4.1 µg/serving	ICP-MS	< 0.005 µg/serving
Lead	≤ 0.5 µg/serving	ICP-MS	0.045 µg/serving
Mercury	≤ 3.0 µg/serving	ICP-MS	0.005 µg/serving

Microbial Limits	Specifications	Test Methods	Results
Total Plate Count	≤ 10,000 cfu/g	USP <2021> or equivalent	50 cfu/g
Yeast & Mold Count	≤ 1,000 cfu/g	USP <2021> or equivalent	< 10 cfu/g
<i>Escherichia coli</i>	Negative/10 g	USP <2022> or equivalent	Negative/10 g
<i>Salmonella</i> sp.	Negative/10 g	USP <2022> or equivalent	Negative/10 g
<i>Staphylococcus aureus</i>	Negative/10 g	USP <2022> or equivalent	Negative/10 g



CERTIFICATE OF ANALYSIS

Other Ingredients: Hydroxypropyl Methylcellulose.

	Title or Designation	Sign / Date
Prepared by:	Mayra Arias, Quality Control Technician	 12/19/2025
Approved by:	Umesh Thorat, Ph.D., QC Laboratory Manager	 12/19/2025

