

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

CLIENT INFORMATION

Client: *****
Requested On: Nov 1, 2024
Phone: *****
Email: *****

Questions? For fastest assistance:
hello@gosimplelab.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Pesticides + PFAS Water Test
Matrix: Drinking Water
Testing / Report ID: 4GWERY
Testing Facility: Symbio Laboratories
Facility Location: 8312 Miramar Mall
San Diego, California 92121

SAMPLE INFORMATION

Collection Date: Nov 9, 2024
Collected By: *****
Received Date: Nov 12, 2024
Reported On: Nov 27, 2024
Sample Location: [REDACTED]
Sample Address: *****

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
11-Chloroeicosafiuoro-3-oxaundecane-1-sulfonic acid	µg/L	NOT DETECTED	0.0001	0.0016	EPA 533
3 Hydroxycarbofuran	mg/L	NOT DETECTED	6.0E-5	0.00031	EPA 538
4:2 Fluorotelomer sulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
4,8-dioxa-3H-perfluorononanoic acid	µg/L	NOT DETECTED	0.0001	0.002	EPA 533
6:2 Fluorotelomer sulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
8:2 Fluorotelomer sulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	µg/L	NOT DETECTED	0.0001	0.0014	EPA 533
Acephate	mg/L	NOT DETECTED	2.0E-5	5.0E-5	EPA 538
Acetamiprid	µg/L	NOT DETECTED	0.0425	0.2125	EPA 538
Aldicarb	mg/L	NOT DETECTED	0.00016	0.00082	EPA 538
Aldicarb sulfone	mg/L	NOT DETECTED	4.0E-5	0.00021	EPA 538
Aldicarb sulfoxide	mg/L	NOT DETECTED	5.0E-5	0.00026	EPA 538
Ametryn	µg/L	NOT DETECTED	0.0059	0.0297	EPA 538
Aminocarb	µg/L	NOT DETECTED	0.0081	0.0405	EPA 538
Azoxystrobin	µg/L	NOT DETECTED	0.008	0.0402	EPA 538
Benalaxyl	µg/L	NOT DETECTED	0.0083	0.0414	EPA 538
Bendiocarb	mg/L	NOT DETECTED	3.0E-5	0.00016	EPA 538
Benzoximate	µg/L	NOT DETECTED	0.0649	0.3247	EPA 538
Bifenazate	µg/L	NOT DETECTED	0.0169	0.0843	EPA 538

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Bitertanol	µg/L	NOT DETECTED	0.0343	0.1717	EPA 538
Boscalid	µg/L	NOT DETECTED	0.0128	0.0641	EPA 538
Bupirimate	µg/L	NOT DETECTED	0.0094	0.0469	EPA 538
Buprofezin	µg/L	NOT DETECTED	0.0043	0.0217	EPA 538
Butafenacil	µg/L	NOT DETECTED	0.0895	0.4474	EPA 538
Carbaryl	mg/L	NOT DETECTED	0	2.0E-5	EPA 538
Carbendazim	mg/L	NOT DETECTED	2.0E-5	0.0001	EPA 538
Carbetamide	µg/L	NOT DETECTED	0.0319	0.1593	EPA 538
Carbofuran	mg/L	NOT DETECTED	9.0E-5	0.00046	EPA 538
Carboxin	µg/L	NOT DETECTED	0.0275	0.1374	EPA 538
Carfentrazone-Ethyl	µg/L	NOT DETECTED	0.0144	0.0722	EPA 538
Chlorantraniliprole	µg/L	NOT DETECTED	0.0116	0.0579	EPA 538
Chlorotoluron	µg/L	NOT DETECTED	0.0265	0.1325	EPA 538
Chloroxuron	µg/L	NOT DETECTED	0.0106	0.0532	EPA 538
Clethodim	mg/L	NOT DETECTED	1.0E-5	5.0E-5	EPA 538
Clofentezine	µg/L	NOT DETECTED	0.0186	0.0931	EPA 538
Clothianidin	µg/L	NOT DETECTED	0.022	0.1098	EPA 538
Cyazofamid	µg/L	NOT DETECTED	0.0102	0.0512	EPA 538
Cycluron	µg/L	NOT DETECTED	0.095	0.4751	EPA 538
Cyromazine	µg/L	NOT DETECTED	0.0069	0.0344	EPA 538
Desmedipham	µg/L	NOT DETECTED	0.0094	0.0469	EPA 538
Diclotophos	mg/L	NOT DETECTED	1.0E-5	7.0E-5	EPA 538
Diethofencarb	µg/L	NOT DETECTED	0.0169	0.0845	EPA 538
Difenoconazole	µg/L	NOT DETECTED	0.0155	0.0777	EPA 538
Diflubenzuron	mg/L	NOT DETECTED	2.0E-5	9.0E-5	EPA 538
Diisopropyl methylphosphonate	mg/L	NOT DETECTED	3.0E-5	0.00014	EPA 538
Dimethoate	mg/L	NOT DETECTED	2.0E-5	9.0E-5	EPA 538
Dimethomorph	µg/L	NOT DETECTED	0.0079	0.0394	EPA 538
Dimoxystrobin	µg/L	NOT DETECTED	0.0051	0.0254	EPA 538
Dinotefuran	µg/L	NOT DETECTED	0.0359	0.1796	EPA 538
Epoxiconazole	µg/L	NOT DETECTED	0.0118	0.0592	EPA 538
Etaconazol	µg/L	NOT DETECTED	0.0186	0.0928	EPA 538
Ethiprole	µg/L	NOT DETECTED	0.0152	0.0758	EPA 538
Ethirimol	µg/L	NOT DETECTED	0.0286	0.1432	EPA 538
Ethofumesate	µg/L	NOT DETECTED	0.014	0.07	EPA 538
Etoxazole	µg/L	NOT DETECTED	0.0217	0.1083	EPA 538
Fenamidone	µg/L	NOT DETECTED	0.006	0.0299	EPA 538
Fenamiphos sulfone	mg/L	NOT DETECTED	0	2.0E-5	EPA 538
Fenamiphos sulfoxide	mg/L	NOT DETECTED	1.0E-5	4.0E-5	EPA 538
Fenarimol	µg/L	NOT DETECTED	0.0292	0.1462	EPA 538
Fenbuconazole	µg/L	NOT DETECTED	0.0312	0.1561	EPA 538
Fenobucarb	µg/L	NOT DETECTED	0.035	0.1752	EPA 538
Fenoxycarb	µg/L	NOT DETECTED	0.0059	0.0297	EPA 538
Fenpyroximate	µg/L	NOT DETECTED	0.0221	0.1105	EPA 538
Fenuron	mg/L	NOT DETECTED	4.0E-5	0.00019	EPA 538

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Flonicamid	µg/L	NOT DETECTED	0.0496	0.2479	EPA 538
Flufenacet	µg/L	NOT DETECTED	0.0053	0.0263	EPA 538
Fluoxastrobin	µg/L	NOT DETECTED	0.0084	0.042	EPA 538
Fluquinconazole	µg/L	NOT DETECTED	0.0164	0.0819	EPA 538
Flusilazole	µg/L	NOT DETECTED	0.0244	0.1222	EPA 538
Flutolanil	µg/L	NOT DETECTED	0.0094	0.047	EPA 538
Flutriafol	µg/L	NOT DETECTED	0.0117	0.0586	EPA 538
Forchlorfenuron	µg/L	NOT DETECTED	0.0049	0.0247	EPA 538
Formetanate	µg/L	NOT DETECTED	0.0074	0.0372	EPA 538
Fuberidazole	µg/L	NOT DETECTED	0.0144	0.0718	EPA 538
Furalaxyl	µg/L	NOT DETECTED	0.0049	0.0247	EPA 538
GenX	µg/L	NOT DETECTED	0.0001	0.002	EPA 533
Hexythiazox	µg/L	NOT DETECTED	0.017	0.0849	EPA 538
Imazalil	µg/L	NOT DETECTED	0.029	0.1449	EPA 538
Imidacloprid	µg/L	NOT DETECTED	0.0312	0.1559	EPA 538
Indoxacarb (racemic)	µg/L	NOT DETECTED	0.0396	0.1979	EPA 538
Iprovalicarb	µg/L	NOT DETECTED	0.0212	0.1059	EPA 538
Isocarboxiphos	µg/L	NOT DETECTED	0.0044	0.0222	EPA 538
Isoprocab	µg/L	NOT DETECTED	0.0305	0.1523	EPA 538
Isoproturon	µg/L	NOT DETECTED	0.0039	0.0197	EPA 538
Kresoxim-Methyl	µg/L	NOT DETECTED	0.0232	0.1162	EPA 538
Linuron	mg/L	NOT DETECTED	1.0E-5	3.0E-5	EPA 538
Mandipropamid	µg/L	NOT DETECTED	0.0127	0.0634	EPA 538
Mefenacet	µg/L	NOT DETECTED	0.009	0.0448	EPA 538
Mepanipyrim	µg/L	NOT DETECTED	0.0038	0.0191	EPA 538
Mepronil	µg/L	NOT DETECTED	0.0057	0.0285	EPA 538
Metalaxyl	mg/L	NOT DETECTED	0	1.0E-5	EPA 538
Methabenzthiazuron	µg/L	NOT DETECTED	0.0059	0.0297	EPA 538
Methamidophos	mg/L	NOT DETECTED	0	2.0E-5	EPA 538
Methiocarb	mg/L	NOT DETECTED	1.0E-5	4.0E-5	EPA 538
Methomyl	mg/L	NOT DETECTED	0.00017	0.00085	EPA 538
Methoprotryne	µg/L	NOT DETECTED	0.0018	0.0091	EPA 538
Methoxyfenozide	µg/L	NOT DETECTED	0.0672	0.336	EPA 538
Metobromuron	µg/L	NOT DETECTED	0.0123	0.0614	EPA 538
Metribuzin	µg/L	NOT DETECTED	0.0525	0.2625	EPA 538
Mexacarbate	mg/L	NOT DETECTED	1.0E-5	7.0E-5	EPA 538
Monocrotophos	mg/L	NOT DETECTED	0.00022	0.00109	EPA 538
Monolinuron	µg/L	NOT DETECTED	0.0083	0.0415	EPA 538
Myclobutanil	mg/L	NOT DETECTED	3.0E-5	0.00014	EPA 538
Neburon	mg/L	NOT DETECTED	3.0E-5	0.00015	EPA 538
Novaluron	µg/L	NOT DETECTED	0.0831	0.4155	EPA 538
Nuarimol	µg/L	NOT DETECTED	0.0375	0.1874	EPA 538
Omethoate	µg/L	NOT DETECTED	0.0096	0.048	EPA 538
Oxadixyl	µg/L	NOT DETECTED	0.0231	0.1154	EPA 538
Oxydemeton methyl	mg/L	NOT DETECTED	1.0E-5	4.0E-5	EPA 538

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Penconazole	µg/L	NOT DETECTED	0.0295	0.1473	EPA 538
Pencycuron	µg/L	NOT DETECTED	0.0266	0.1331	EPA 538
Perfluoro(2-ethoxyethane)sulfonic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluoro-3,6-dioxaheptanoic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluoro-4-oxapentanoic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluoro-5-oxahexanoic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluorobutanesulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluorobutanoic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluorodecanoic acid	µg/L	NOT DETECTED	0.0001	0.002	EPA 533
Perfluorododecanoic acid	µg/L	NOT DETECTED	0.0001	0.002	EPA 533
Perfluoroheptanesulfonic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluoroheptanoic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluorohexanesulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluorohexanoic acid	µg/L	NOT DETECTED	0.0001	0.002	EPA 533
Perfluorononanoic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluorooctanesulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluorooctanoic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluoropentanesulfonic acid	µg/L	NOT DETECTED	0.0004	0.002	EPA 533
Perfluoropentanoic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Perfluoroundecanoic acid	µg/L	NOT DETECTED	0.0002	0.002	EPA 533
Picoxystrobin	µg/L	NOT DETECTED	0.0222	0.111	EPA 538
Piperonyl Butoxide	µg/L	NOT DETECTED	0.0305	0.1527	EPA 538
Pirimicarb	µg/L	NOT DETECTED	0.019	0.095	EPA 538
Prochloraz	µg/L	NOT DETECTED	0.0065	0.0323	EPA 538
Propamocarb	µg/L	NOT DETECTED	0.0127	0.0633	EPA 538
Propargite	mg/L	NOT DETECTED	2.0E-5	9.0E-5	EPA 538
Propoxur	mg/L	NOT DETECTED	9.0E-5	0.00043	EPA 538
Prothioconazole	µg/L	NOT DETECTED	0.0635	0.3175	EPA 538
Pyracarbolid	µg/L	NOT DETECTED	0.0062	0.031	EPA 538
Pyraclostrobin	µg/L	NOT DETECTED	0.0067	0.0337	EPA 538
Pyrimethanil	µg/L	NOT DETECTED	0.0269	0.1344	EPA 538
Pyriproxyfen	µg/L	NOT DETECTED	0.0036	0.0178	EPA 538
Quinoline	µg/L	NOT DETECTED	1.0E-5	6.0E-5	EPA 538
Rotenone	µg/L	NOT DETECTED	0.0293	0.1466	EPA 538
Siduron	mg/L	NOT DETECTED	0	2.0E-5	EPA 538
Simetryn	µg/L	NOT DETECTED	0.0253	0.1265	EPA 538
Spirodiclofen	µg/L	NOT DETECTED	0.0166	0.083	EPA 538
Spirotetramat	µg/L	NOT DETECTED	0.016	0.08	EPA 538
Spiroxamine	µg/L	NOT DETECTED	0.0267	0.1337	EPA 538
Tebufenozide	mg/L	NOT DETECTED	2.0E-5	0.0001	EPA 538
Tebuthiuron	µg/L	NOT DETECTED	0.0123	0.0613	EPA 538
Tetraconazole	µg/L	NOT DETECTED	0.0341	0.1704	EPA 538
Thiacloprid	µg/L	NOT DETECTED	0.0231	0.1157	EPA 538
Thiamethoxam	µg/L	NOT DETECTED	0.0152	0.0761	EPA 538
Thidiazuron	mg/L	NOT DETECTED	2.0E-5	0.0001	EPA 538

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Thiobencarb	mg/L	NOT DETECTED	1.0E-5	4.0E-5	EPA 538
Thiofanox	mg/L	NOT DETECTED	0.0001	0.0002	EPA 538
Thiofanox Sulfoxide	µg/L	NOT DETECTED	0.1	0.2	EPA 538
Thiophanate-Methyl	µg/L	NOT DETECTED	0.0231	0.1155	EPA 538
Triadimefon	µg/L	NOT DETECTED	0.0186	0.0931	EPA 538
Tricyclazole	µg/L	NOT DETECTED	0.0124	0.0621	EPA 538
Trifloxystrobin	µg/L	NOT DETECTED	0.0036	0.0178	EPA 538
Triflumizole	µg/L	NOT DETECTED	0.0096	0.0478	EPA 538
Triflumuron	µg/L	NOT DETECTED	0.017	0.0852	EPA 538
Vamidothion	µg/L	NOT DETECTED	0.0068	0.0339	EPA 538
Zoxamide	µg/L	NOT DETECTED	0.0077	0.0383	EPA 538

How To Read Your SimpleLab PDF Report

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

CLIENT INFORMATION

Client: *****
Requested On: Nov 1, 2024
Phone: *****
Email: *****

Questions? For fastest assistance:
hello@gosimplelab.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Glyphosate Water Test
Matrix: Drinking Water
Testing / Report ID: 4GWERY
Testing Facility: Pace Analytical
Facility Location: 8 East Tower Circle
Ormond Beach, Florida 32174

SAMPLE INFORMATION

Collection Date: Nov 9, 2024
Collected By: *****
Received Date: Nov 12, 2024
Reported On: Nov 18, 2024
Sample Location: [REDACTED]
Sample Address: *****

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
Glyphosate	mg/L	NOT DETECTED	0.0042	0.006	EPA 547

How To Read Your SimpleLab PDF Report

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

CLIENT INFORMATION

Client: *****
 Requested On: Nov 1, 2024
 Phone: *****
 Email: *****

Questions? For fastest assistance:
hello@gosimplelab.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: SVOC + HAA5 + Chlorate + HPC Water
 Test
 Matrix: Drinking Water
 Testing / Report ID: 4GWERY
 Testing Facility: Microbac Laboratories
 Facility Location: 600 E 17th St. S.
 Newton, Iowa 50208

SAMPLE INFORMATION

Collection Date: Nov 9, 2024
 Collected By: *****
 Received Date: Nov 12, 2024
 Reported On: Nov 21, 2024
 Sample Location: XXXXXXXXXX
 Sample Address: *****

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
1,2,4 Trichlorobenzene	µg/L	NOT DETECTED	1	10	EPA SW8270 C
1,2 Dichlorobenzene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
1,3 Dichlorobenzene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
1,4 Dichlorobenzene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
2,4,5-Trichlorophenol	µg/L	NOT DETECTED	3	50	EPA SW8270 C
2,4,6-Trichlorophenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
2,4-Dichlorophenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
2,4-Dimethylphenol	µg/L	NOT DETECTED	4	10	EPA SW8270 C
2,4-Dinitrophenol	µg/L	NOT DETECTED	3	20	EPA SW8270 C
2,4-Dinitrotoluene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
2,6-Dinitrotoluene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
2-Chloronaphthalene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
2-Chlorophenol	µg/L	NOT DETECTED	4	10	EPA SW8270 C
2-Methyl-4,6-dinitrophenol	µg/L	NOT DETECTED	4	20	EPA SW8270 C
2-Methylnaphthalene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
2-Nitroaniline	µg/L	NOT DETECTED	2	50	EPA SW8270 C
2-Nitrophenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
3,3 Dichlorobenzidine	µg/L	NOT DETECTED	3	20	EPA SW8270 C
3,4-Methylphenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
3-Nitroaniline	µg/L	NOT DETECTED	2	10	EPA SW8270 C

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

4-Bromophenyl phenyl ether	µg/L	NOT DETECTED	2	10	EPA SW8270 C
4-Chloro-3-methylphenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
4-Chlorophenylphenyl ether	µg/L	NOT DETECTED	2	10	EPA SW8270 C
4-Nitrophenol	µg/L	NOT DETECTED	7	10	EPA SW8270 C
Acenaphthene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Acenaphthylene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Aniline	µg/L	NOT DETECTED	4	10	EPA SW8270 C
Anthracene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Benzidine	µg/L	NOT DETECTED	4	50	EPA SW8270 C
Benzo(a)anthracene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Benzo(a)pyrene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Benzo(b)fluoranthene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Benzo(g,h,i)perylene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Benzo(k)fluoranthene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Benzyl alcohol	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Benzyl butyl phthalate	µg/L	NOT DETECTED	3	10	EPA SW8270 C
bis(2-Chloroethoxy)methane	µg/L	NOT DETECTED	2	10	EPA SW8270 C
bis(2-Chloroethyl) ether	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Bis(2-ethylhexyl) phthalate	µg/L	NOT DETECTED	5	10	EPA SW8270 C
Chlorate	mg/L	NOT DETECTED	0.02	0.1	EPA 300.1
Chrysene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Dibenzo(a,h)anthracene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Dibenzofuran	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Dibromoacetic Acid (DBA)	mg/L	NOT DETECTED	0.00022	0.0005	EPA 552.2
Dichloroacetic Acid (DCA)	mg/L	NOT DETECTED	0.00061	0.0015	EPA 552.2
Diethyl phthalate	µg/L	NOT DETECTED	3	30	EPA SW8270 C
Dimethyl phthalate	µg/L	NOT DETECTED	2	15	EPA SW8270 C
Di-n-butyl phthalate	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Di-n-octyl phthalate	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Fluoranthene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Fluorene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Hexachlorobenzene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Hexachlorobutadiene	µg/L	NOT DETECTED	2	20	EPA SW8270 C
Hexachlorocyclopentadiene	µg/L	NOT DETECTED	2	20	EPA SW8270 C
Hexachloroethane	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Indeno(1,2,3-cd)pyrene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Isophorone	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Monobromoacetic Acid (MBA)	mg/L	NOT DETECTED	0.00033	0.001	EPA 552.2
Monochloroacetic Acid	mg/L	NOT DETECTED	0.0006	0.0015	EPA 552.2
Naphthalene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Nitrobenzene	µg/L	NOT DETECTED	4	10	EPA SW8270 C
n Nitrosodimethylamine	µg/L	NOT DETECTED	2	10	EPA SW8270 C
N-Nitrosodi-n-Propylamine	µg/L	NOT DETECTED	2	10	EPA SW8270 C
N-Nitrosodiphenylamine	µg/L	NOT DETECTED	3	10	EPA SW8270 C
o-Cresol	µg/L	NOT DETECTED	3	10	EPA SW8270 C

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

p-Chloroaniline	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Pentachlorophenol	µg/L	NOT DETECTED	5	20	EPA SW8270 C
Phenanthrene	µg/L	NOT DETECTED	2	10	EPA SW8270 C
Phenol	µg/L	NOT DETECTED	3	10	EPA SW8270 C
p-Nitroaniline	µg/L	NOT DETECTED	3	20	EPA SW8270 C
Pyrene	µg/L	NOT DETECTED	3	10	EPA SW8270 C
Total Haloacetic Acids (HAA5)	mg/L	NOT DETECTED	0.005	0.005	EPA 552.2
Total HPC	CFU/100mL	1200	200	200	SM 9215 E
Trichloroacetic Acid (TCA)	mg/L	NOT DETECTED	0.00026	0.0005	EPA 552.2

How To Read Your SimpleLab PDF Report

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

CLIENT INFORMATION

Client: *****
Requested On: Nov 1, 2024
Phone: *****
Email: *****

Questions? For fastest assistance:
hello@gosimplelab.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Advanced Home Water Test
Matrix: Drinking Water
Testing / Report ID: 4GWERY
Testing Facility: Microbac Laboratories
Facility Location: 600 E 17th St. S.
Newton, Iowa 50208

SAMPLE INFORMATION

Collection Date: Nov 9, 2024
Collected By: *****
Received Date: Nov 12, 2024
Reported On: Nov 18, 2024
Sample Location: [REDACTED]
Sample Address: *****

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

SUMMARY ANALYSIS

ANALYTE	UNIT	RESULT	METHOD
pH	pH	8.5	EPA 150.1
Total Dissolved Solids	mg/L	254	SM 2510 B
Turbidity	NTU	NOT DETECTED	SM 2130 B
Conductivity	umhos/cm	435	SM 2510 B
Hardness (Ca,Mg)	mg/L	168.99	
Hardness (Total)	mg/L	169.32	
Grains per gallon	Grains	9.89	
Alkalinity (as CaCO3)	mg/L	50	SM 2320 B
Langelier Saturation Index		-0.034	
Sodium Adsorption Ratio		0	
Total THMs	µg/L	9.02	

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
1,1,1,2 Tetrachloroethane	µg/L	NOT DETECTED	0.5	2	EPA 524.2
1,1,1 Trichloroethane	µg/L	NOT DETECTED	0.5	2	EPA 524.2
1,1,2,2 Tetrachloroethane	µg/L	NOT DETECTED	0.55	2	EPA 524.2
1,1,2 Trichloroethane	µg/L	NOT DETECTED	0.52	2	EPA 524.2

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

1,1 Dichloroethane	µg/L	NOT DETECTED	0.52	2	EPA 524.2
1,1 Dichloroethylene	µg/L	NOT DETECTED	0.52	2	EPA 524.2
1,1 Dichloropropene	µg/L	NOT DETECTED	0.46	2	EPA 524.2
1,2,3 Trichlorobenzene	µg/L	NOT DETECTED	0.4	2	EPA 524.2
1,2,3 Trichloropropane	µg/L	NOT DETECTED	0.59	2	EPA 524.2
1,2,4 Trichlorobenzene	µg/L	NOT DETECTED	0.54	2	EPA 524.2
1,2,4 Trimethylbenzene	µg/L	NOT DETECTED	0.41	2	EPA 524.2
1,2 Dichlorobenzene	µg/L	NOT DETECTED	0.47	2	EPA 524.2
1,2 Dichloroethane	µg/L	NOT DETECTED	0.68	2	EPA 524.2
1,2 Dichloropropane	µg/L	NOT DETECTED	0.55	2	EPA 524.2
1,3,5 Trimethylbenzene	µg/L	NOT DETECTED	0.42	2	EPA 524.2
1,3 Dichlorobenzene	µg/L	NOT DETECTED	0.46	2	EPA 524.2
1,3 Dichloropropane	µg/L	NOT DETECTED	0.51	2	EPA 524.2
1,4 Dichlorobenzene	µg/L	NOT DETECTED	0.45	2	EPA 524.2
2,2 Dichloropropane	µg/L	NOT DETECTED	0.5	2	EPA 524.2
Aluminum	mg/L	NOT DETECTED	0.038	0.05	EPA 200.7
Antimony	mg/L	NOT DETECTED	4.0E-5	0.001	EPA 200.8
Arsenic	mg/L	NOT DETECTED	0.0002	0.001	EPA 200.8
Barium	mg/L	NOT DETECTED	5.0E-5	0.001	EPA 200.8
Benzene	µg/L	NOT DETECTED	0.46	2	EPA 524.2
Beryllium	mg/L	NOT DETECTED	4.0E-5	0.0004	EPA 200.8
Boron	mg/L	NOT DETECTED	0.056	0.1	EPA 200.7
Bromobenzene	µg/L	NOT DETECTED	0.57	2	EPA 524.2
Bromochloromethane	µg/L	NOT DETECTED	0.61	2	EPA 524.2
Bromodichloromethane	µg/L	NOT DETECTED	0.5	2	EPA 524.2
Bromoform	µg/L	NOT DETECTED	0.48	2	EPA 524.2
Bromomethane	µg/L	NOT DETECTED	2	2	EPA 524.2
Cadmium	mg/L	NOT DETECTED	2.0E-5	0.0004	EPA 200.8
Calcium	mg/L	24.8	0.09	0.1	EPA 200.7
Carbon Tetrachloride	µg/L	NOT DETECTED	0.52	2	EPA 524.2
Chloride	mg/L	26.5	0.3	1	EPA 300.0
Chlorobenzene	µg/L	NOT DETECTED	0.51	2	EPA 524.2
Chloroethane	µg/L	NOT DETECTED	0.6	2	EPA 524.2
Chloroform	µg/L	9.02	0.56	2	EPA 524.2
Chloromethane	µg/L	NOT DETECTED	0.43	2	EPA 524.2
Chlorotoluene 2	µg/L	NOT DETECTED	0.41	2	EPA 524.2
Chlorotoluene 4	µg/L	NOT DETECTED	0.39	2	EPA 524.2
Chromium (Total)	mg/L	NOT DETECTED	0.0003	0.002	EPA 200.8
cis 1,2 Dichloroethylene	µg/L	NOT DETECTED	0.52	2	EPA 524.2
cis 1,3 Dichloropropene	µg/L	NOT DETECTED	0.48	2	EPA 524.2
Cobalt	mg/L	NOT DETECTED	0.0003	0.001	EPA 200.8
Copper	mg/L	0.0126	0.0002	0.001	EPA 200.8
Dibromochloromethane	µg/L	NOT DETECTED	0.52	2	EPA 524.2
Dibromochloropropane	µg/L	NOT DETECTED	0.58	2	EPA 524.2
Dibromomethane	µg/L	NOT DETECTED	0.52	2	EPA 524.2

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Dichlorodifluoromethane	µg/L	NOT DETECTED	0.46	2	EPA 524.2
Dichloromethane	µg/L	NOT DETECTED	0.95	2	EPA 524.2
E. coli	P/A	NOT DETECTED			SM 9223B
Ethylbenzene	µg/L	NOT DETECTED	0.44	2	EPA 524.2
Ethylene dibromide	µg/L	NOT DETECTED	0.48	2	EPA 524.2
Fluoride	mg/L	NOT DETECTED	0.02	0.1	EPA 300.0
Hexachlorobutadiene	µg/L	NOT DETECTED	0.44	2	EPA 524.2
Iron	mg/L	NOT DETECTED	0.047	0.1	EPA 200.7
Isopropylbenzene	µg/L	NOT DETECTED	0.42	2	EPA 524.2
Lead	mg/L	NOT DETECTED	3.0E-5	0.0004	EPA 200.8
Lithium	mg/L	NOT DETECTED	0.011	0.05	EPA 200.7
Magnesium	mg/L	26	0.06	0.1	EPA 200.7
Manganese	mg/L	0.0018	7.0E-5	0.001	EPA 200.8
Mercury	mg/L	NOT DETECTED	0.001	0.002	EPA 200.8
Methyl Tertiary Butyl Ether	µg/L	NOT DETECTED	1.12	2	EPA 524.2
Molybdenum	mg/L	NOT DETECTED	2.0E-5	0.001	EPA 200.8
m,p Xylene	µg/L	NOT DETECTED	1.35	2	EPA 524.2
Naphthalene	µg/L	NOT DETECTED	0.52	2	EPA 524.2
n Butylbenzene	µg/L	NOT DETECTED	0.47	2	EPA 524.2
Nickel	mg/L	NOT DETECTED	5.0E-5	0.002	EPA 200.8
Nitrate (as N)	mg/L	NOT DETECTED	0.08	0.1	EPA 300.0
Nitrite (as N)	mg/L	NOT DETECTED	0.04	0.1	EPA 300.0
n Propylbenzene	µg/L	NOT DETECTED	0.36	2	EPA 524.2
o Xylene	µg/L	NOT DETECTED	1.35	2	EPA 524.2
Phosphorus	mg/L	NOT DETECTED	0.1	1	EPA 200.7
p Isopropyltoluene	µg/L	NOT DETECTED	0.41	2	EPA 524.2
Potassium	mg/L	31	0.68	1	EPA 200.7
sec Butylbenzene	µg/L	NOT DETECTED	0.39	2	EPA 524.2
Selenium	mg/L	NOT DETECTED	0.0003	0.001	EPA 200.8
Silica	mg/L	NOT DETECTED	0.032	1	EPA 200.7
Silver	mg/L	NOT DETECTED	0.0007	0.002	EPA 200.8
Sodium	mg/L	NOT DETECTED	0.9	1	EPA 200.7
Strontium	mg/L	0.263	0.006	0.01	EPA 200.7
Styrene	µg/L	NOT DETECTED	0.47	2	EPA 524.2
Sulfate	mg/L	127	1.8	5	EPA 300.0
tert Butylbenzene	µg/L	NOT DETECTED	0.35	2	EPA 524.2
Tetrachloroethylene	µg/L	NOT DETECTED	0.47	2	EPA 524.2
Thallium	mg/L	NOT DETECTED	0.0002	0.0004	EPA 200.8
Tin	mg/L	NOT DETECTED	0.0007	0.004	EPA 200.8
Titanium	mg/L	NOT DETECTED	0.001	0.05	EPA 200.7
Toluene	µg/L	NOT DETECTED	0.51	2	EPA 524.2
Total Coliform	P/A	NOT DETECTED			SM 9223B
trans 1,3 Dichloropropene	µg/L	NOT DETECTED	0.44	2	EPA 524.2
Trichloroethylene	µg/L	NOT DETECTED	0.45	2	EPA 524.2
Trichlorofluoromethane	µg/L	NOT DETECTED	1.2	2	EPA 524.2

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Uranium	mg/L	NOT DETECTED	0.002	0.002	EPA 200.8
Vanadium	mg/L	NOT DETECTED	0.0008	0.004	EPA 200.8
Vinyl Chloride	µg/L	NOT DETECTED	0.3	2	EPA 524.2
Zinc	mg/L	NOT DETECTED	0.018	0.02	EPA 200.7

How To Read Your SimpleLab PDF Report

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.