

Compliance Designs

CLIENT: Alpine Water GMBH
Obertraun 311
4831 Obertraun, Austria

DATE OF REPORT: Quarter 2, 2025
REPORT #: 1108-020
LABORATORY ID#: 380-157459-1

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of these analytes have been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by US FDA for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)
--------------------	----------------------------	--------------	---

Primary Inorganics			
Antimony	0.006	0.001	ND
Arsenic	0.01	0.002	ND
Asbestos	7 MFL	0.177	ND
Barium	2	0.002	0.0092
Beryllium	0.004	0.0003	ND
Cadmium	0.005	0.0005	ND
Chromium	0.1	0.0009	ND
Cyanide	0.2	0.005	ND
Fluoride	See endnote ²	0.05	ND
Lead	0.005	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	0.1	0.001	ND
Nitrate – N	10	0.05	0.33
Nitrite – N	1.0	0.05	ND
Total Nitrate & Nitrite – N	10	0.05	0.33
Selenium	0.05	0.002	ND
Thallium	0.002	0.0003	ND

Secondary Inorganics			
Alkalinity	--	4	85
Aluminum	0.2	0.02	ND
Bicarbonate	--	4	85
Boron	--	0.05	ND
Bromide	--	0.005	ND
Calcium	--	0.1	20
Carbonate	--	4	ND
Chloride	250 ³	0.5	ND
Copper	1	0.001	ND
Corrosivity	--	-14	0.53
Foaming Agents	--	0.1	ND
Hardness, Calcium	--	2.5	50
Hardness, Total	--	2.9	90
Iron	0.3 ³	0.01	ND
Lithium	--	0.002	ND
Magnesium	--	0.1	9.8
Manganese	0.05 ³	0.002	ND
pH	See endnote ⁴	0.01	8.6
Phenol	0.001	0.001	ND
Potassium	--	0.1	0.12
Silver	0.1	0.0005	ND
Sodium	--	0.1	0.89
Specific Conductance	-- umho/cm	2.0	170
Sulfate	250	0.25	1.7
TDS	500 ^{3,5}	20	98
Zinc	5 ³	0.005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)
Physical			
Color	15 ³ CU	2	ND
Odor	3 ³ TON	1	2.0
Turbidity	5 NTU	0.1	0.1
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ⁵	4	ND
Radium 226/228	5 pCi/L	1 / 1	ND / ND
Uranium	0.030	0.001	ND
Volatile Organic Compounds			
EPA 524.2:			
Total Trihalomethanes	0.080	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	--	0.0005	ND
Bromochloromethane	--	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromoethane	--	0.0005	ND
Bromomethane	--	0.0005	ND
n-Butylbenzene	--	0.0005	ND
sec-Butylbenzene	--	0.0005	ND
tert-Butylbenzene	--	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.1	0.0005	ND
Chloroethane	--	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	--	0.0005	ND
2-Chlorotoluene	--	0.0005	ND
4-Chlorotoluene	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	--	0.0005	ND
1,2-Dichlorobenzene	0.6	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.075	0.0005	ND
Dichlorodifluoromethane	--	0.0005	ND
1,1-Dichloroethane	--	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethene, Total	--	0.0005	ND
1,1-Dichloroethylene	0.007	0.0005	ND
cis-1,2-Dichloroethylene	0.07	0.0005	ND
trans-1,2-Dichloroethylene	0.1	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	--	0.0005	ND
2,2-Dichloropropane	--	0.0005	ND
1,1-Dichloropropene	--	0.0005	ND
cis-1,3-Dichloropropene	--	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)	
EPA 524.2 continued:				
trans-1,3-Dichloropropene	--	0.0005		ND
Di-Isopropyl Ether	--	0.003		ND
Ethylbenzene	0.7	0.0005		ND
Hexachlorobutadiene	--	0.0005		ND
Isopropylbenzene	--	0.0005		ND
4-Isopropyltoluene	--	0.0005		ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005		ND
Methyl Ethyl Ketone (MEK)	--	0.005		ND
Methylene Chloride	0.005	0.0005		ND
Naphthalene	--	0.0005		ND
n-Propylbenzene	--	0.0005		ND
Styrene	0.1	0.0005		ND
1,1,1,2-Tetrachloroethane	--	0.0005		ND
1,1,2,2-Tetrachloroethane	--	0.0005		ND
Tetrachloroethylene	0.005	0.0005		ND
Toluene	1	0.0005		ND
1,2,3-Trichlorobenzene	--	0.0005		ND
1,2,4-Trichlorobenzene	0.07	0.0005		ND
1,1,1-Trichloroethane	0.2	0.0005		ND
1,1,2-Trichloroethane	0.005	0.0005		ND
Trichloroethylene	0.005	0.0005		ND
Trichlorofluoromethane	--	0.0005		ND
Trichlorotrifluoroethane	--	0.0005		ND
1,2,3-Trichloropropane	--	0.0005		ND
1,2,4-Trimethylbenzene	--	0.0005		ND
1,3,5-Trimethylbenzene	--	0.0005		ND
Vinyl Chloride	0.002	0.0003		ND
m+p-Xylenes	--	0.0005		ND
ortho-Xylene	--	0.0005		ND
Total Xylene	10	0.0005		ND
Add'l Organics				
EPA 504.1:				
Ethylene Dibromide	0.00005	0.00001		ND
Dibromochloropropane	0.0002	0.00001		ND
1,2,3-Trichloropropane	--	0.00002		ND
EPA 505:				
Chlordane (alpha and gamma)	0.002	0.0001		ND
Total PCBs	0.0005	0.0001		ND
PCB 1016	--	0.00007		ND
PCB 1221	--	0.0001		ND
PCB 1232	--	0.0001		ND
PCB 1242	--	0.0001		ND
PCB 1248	--	0.0001		ND
PCB 1254	--	0.0001		ND
PCB 1260	--	0.00007		ND
Toxaphene	0.003	0.0005		ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)	
EPA 515.4:				
Acifluorfen	--	0.0002		ND
Bentazon	--	0.0005		ND
2,4-D	0.07	0.0001		ND
2,4-DB	--	0.002		ND
Dalapon	0.2	0.001		ND
Dicamba	--	0.0001		ND
3,5-Dichlorobenzoic Acid	--	0.0005		ND
Dichlorprop	--	0.0005		ND
Dinoseb	0.007	0.0002		ND
Pentachlorophenol	0.001	0.00004		ND
Picloram	0.5	0.0001		ND
2,4,5-T	--	0.0002		ND
2,4,5-TP (Silvex)	0.05	0.0001		ND
EPA 525.2:				
Acenaphthene	--	0.0001		ND
Acenaphthylene	--	0.0001		ND
Acetochlor	--	0.0001		ND
Alachlor	0.002	0.00005		ND
Aldrin	--	0.00001		ND
Alpha-BHC	--	0.0001		ND
Anthracene	--	0.00002		ND
Atrazine	0.003	0.00005		ND
Benz(a)Anthracene	--	0.00005		ND
Benzo(a)Pyrene	0.0002	0.00002		ND
Benzo(b)Fluoranthene	--	0.00002		ND
Benzo(g,h,i)Perylene	--	0.00005		ND
Benzo(k)Fluoranthene	--	0.00002		ND
Beta-BHC	--	0.0001		ND
Bromacil	--	0.0001		ND
Butylbenzylphthalate	--	0.0005		ND
Butachlor	--	0.00005		ND
Chlordane (alpha)	0.002	0.00005		ND
Chlordane (gamma)	0.002	0.00005		ND
Chlorobenzilate	--	0.0001		ND
Chloroneb	--	0.0001		ND
Chlorothalonil	--	0.0001		ND
Chlorpyrifos	--	0.00005		ND
Chrysene	--	0.00002		ND
Delta-BHC	--	0.0001		ND
2,4-DDD	--	0.0001		ND
2,4-DDE	--	0.0001		ND
2,4-DDT	--	0.0001		ND
4,4-DDD	--	0.0001		ND
4,4-DDE	--	0.0001		ND
4,4-DDT	--	0.0001		ND
Dichlorvos (DDVP)	--	0.00005		ND
Di(2-ethylhexyl)Adipate	0.4	0.0006		ND
Dibenz(a,h)Anthracene	--	0.00005		ND
Di(2-ethylhexyl)Phthalate	0.006	0.0006		ND
Dieldrin	--	0.00001		ND
Diethylphthalate	--	0.0005		ND
Dimethylphthalate	--	0.0005		ND
Dimethoate	--	0.0001		ND
Di-n-Butylphthalate	--	0.001		ND
Di-n-Octylphthalate	--	0.0001		ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)	
EPA 525.2 continued:				
2,4-Dinitrotoluene	--	0.0001		ND
2,6-Dinitrotoluene	--	0.0001		ND
Endosulfan I (Alpha)	--	0.0001		ND
Endosulfan II (Beta)	--	0.0001		ND
Endosulfan Sulfate	--	0.0001		ND
Endrin	0.002	0.00001		ND
Endrin Aldehyde	--	0.0001		ND
EPTC	--	0.0001		ND
Fluoranthene	--	0.0001		ND
Fluorene	--	0.00005		ND
Heptachlor	0.0004	0.00001		ND
Heptachlor Epoxide	0.0002	0.00001		ND
Hexachlorobenzene	0.001	0.00005		ND
Hexachlorocyclopentadiene	0.05	0.00005		ND
Indeno(1,2,3-cd)Pyrene	--	0.00005		ND
Isophorone	--	0.0005		ND
Lindane	0.0002	0.00001		ND
Malathion	--	0.0001		ND
Methoxychlor	0.04	0.00005		ND
Metolachlor	--	0.00005		ND
Metribuzin	--	0.00005		ND
Molinate	--	0.0001		ND
Naphthalene	--	0.0001		ND
trans-Nonachlor	--	0.00005		ND
Parathion	--	0.0001		ND
Pendimethalin	--	0.0001		ND
Phenanthrene	--	0.00004		ND
Propachlor	--	0.00005		ND
Pyrene	--	0.00005		ND
Simazine	0.004	0.00005		ND
Terbacil	--	0.0001		ND
Terbutylazine	--	0.0001		ND
Thiobencarb	--	0.0001		ND
Trifluralin	--	0.0001		ND
EPA 531.2:				
Aldicarb (TEMIK)	--	0.0005		ND
Aldicarb sulfone	--	0.0005		ND
Aldicarb sulfoxide	--	0.0005		ND
Baygon (PROPOXUR)	--	0.0005		ND
Carbaryl	--	0.0005		ND
Carbofuran (FURADAN)	0.04	0.0005		ND
3-Hydroxycarbofuran	--	0.0005		ND
Methiocarb	--	0.0005		ND
Methomyl	--	0.0005		ND
Oxamyl (VYDATE)	0.2	0.0005		ND
EPA 547:				
Glyphosate	0.7	0.006		ND
EPA 548.1:				
Endothall	0.1	0.005		ND
EPA 549.2:				
Diquat	0.02	0.0004		ND
Paraquat	--	0.002		ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	ARTESIAN FINISHED PRODUCT (Produced from Dachstein Well Source, 750 mL Glass) 1108-020 (mg/L)
EPA 1613: 2,3,7,8-TCDD (DIOXIN)	3x10 ⁻⁸	4.8x10 ⁻⁹	ND
Disinfection Byproducts EPA 300.1: Bromate	0.010	0.001	ND
EPA 300.1B: Chlorite	1.0	0.010	ND
EPA 552.3: Dibromoacetic acid	--	0.001	ND
Dichloroacetic acid	--	0.001	ND
Monobromoacetic acid	--	0.001	ND
Monochloroacetic acid	--	0.002	ND
Trichloroacetic acid	--	0.001	ND
Haloacetic Acids, Total	0.060	0.002	ND
Disinfection Byproducts EPA 524.2: Total Trihalomethanes	0.080	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Chloroform	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Residual Disinfectants SM4500-CL G: Residual Chlorine, Free	--	0.1	ND
Residual Chlorine, Total	4.0	0.1	ND
Chloramines	4.0	0.1	ND
SM4500-CIO2-D: Chlorine Dioxide	0.8	0.24	ND
Miscellaneous EPA 331.0: Perchlorate	--	0.0005	ND
Miscellaneous EPA 521.1: N-Nitrosodimethylamine (NDMA)	--	0.0021	ND
EPA (SM 5310C): Total Organic Carbon	--	0.30	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² Fluoride MCL is determined by annual average of maximum daily air temperatures where the bottled water is sold. Refer to tables found in 21 CFR 165. The MCL for bottled water to which Fluoride has been added is 0.7 mg/L.

³ Mineral water is exempt from allowable levels per 21 CFR 165.110(b)(3) and (4). The exemptions are aesthetically based allowable levels and do not relate to a health concern.

⁴ MCL established by US FDA for waters that meet the US FDA definition of "Purified" is 5-7 pH Units per the USP XXIII Standards, as referenced in 21 CFR 165.

⁵ The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (= 50 pCi/L).

ANALYTICAL REPORT

PREPARED FOR

Attn: (1108) Water Quality Manager
Alpine Water GMBH
Obertraun 311
4831 Obertraun, Austria
Generated 7/22/2025 10:39:24 AM

JOB DESCRIPTION

1108-020
Alpine Water GMBH - Obertraun - Artesian FP

JOB NUMBER

380-157459-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
7/22/2025 10:39:24 AM

Authorized for release by
Michelle Do, Project Manager
Michelle.Do@et.eurofinsus.com
(626)386-1102

Case Narrative

Client: Alpine Water GMBH
Project: 1108-020

Job ID: 380-157459-1

Job ID: 380-157459-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-157459-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 6/20/2025 10:16 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 7 coolers at receipt time were 21.5°C, 22.9°C, 23.0°C, 23.1°C, 23.3°C, 23.4°C and 23.7°C.

Subcontract Work

Method Asbestos: This method was subcontracted to Eurofins CEI Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

Method Deuterium - dD & d18O: This method was subcontracted to Isotech Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Herbicides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.8 SDWA: The continuing calibration blank (CCB) for analytical batch 380-160521 contained Chromium above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

Case Narrative

Client: Alpine Water GMBH
Project: 1108-020

Job ID: 380-157459-1

Job ID: 380-157459-1 (Continued)

Eurofins Eaton Analytical Pomona

General Chemistry

Methylene Blue Active Substances (MBAS) concentrations are calculated as Linear Alkylbenzene Sulphonate (LAS), using a molecular weight of 320.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

Method 903.0: Radium 226 Batch 726128

160-726128

Based upon client request, Ra-226 is reported without the standard 21-day waiting period which ensures short-lived alpha-emitting radium isotopes (e.g. Ra-224) have decayed out. The Ra-226 result should be considered to be potentially high biased. Associated samples have activity below the RL 1108-020 Artesian FP (380-157459-1), (LCS 160-726128/2-A), (MB 160-726128/1-A), (380-158089-G-1-A) and (380-158089-F-1-A DU)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Sample Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-157459-1	1108-020 Artesian FP	Bottled Water	06/19/25 08:00	06/20/25 10:16

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50		ug/L		06/28/25 05:16	1	KP

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1,1-Trichloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1,2-Trichloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1-Dichloroethylene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1-Dichloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,1-Dichloropropene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2,3-Trichlorobenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2,3-Trichloropropane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2,4-Trichlorobenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2,4-Trimethylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2-Dichloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2-Dichloroethene, Total	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,2-Dichloropropane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,3,5-Trimethylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
1,3-Dichloropropane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
2,2-Dichloropropane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
2-Butanone (MEK)	ND		5.0		ug/L		06/28/25 05:16	1	N4CJ
Benzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromobenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromochloromethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromodichloromethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromoethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromoform	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Bromomethane (Methyl Bromide)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Carbon disulfide	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Carbon tetrachloride	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Chlorobenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Chloroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Chloroform (Trichloromethane)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Chloromethane (methyl chloride)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
cis-1,2-Dichloroethylene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
cis-1,3-Dichloropropene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Dibromochloromethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Dibromomethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Dichlorodifluoromethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Dichloromethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Diisopropyl ether	ND		3.0		ug/L		06/28/25 05:16	1	N4CJ
Ethylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Hexachlorobutadiene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Isopropylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
m,p-Xylenes	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
m-Dichlorobenzene (1,3-DCB)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Methyl-tert-butyl Ether (MTBE)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Naphthalene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
n-Butylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
N-Propylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
o-Chlorotoluene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
o-Dichlorobenzene (1,2-DCB)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
o-Xylene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
p-Chlorotoluene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
p-Dichlorobenzene (1,4-DCB)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
p-Isopropyltoluene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
sec-Butylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Styrene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Tert-amyl methyl ether	ND		3.0		ug/L		06/28/25 05:16	1	N4CJ
Tert-butyl ethyl ether	ND		3.0		ug/L		06/28/25 05:16	1	N4CJ
tert-Butylbenzene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Tetrachloroethene (PCE)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Toluene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
trans-1,2-Dichloroethylene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
trans-1,3-Dichloropropene	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Trichloroethylene (TCE)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Trichlorofluoromethane (Freon 11)	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Trichlorotrifluoroethane	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ
Vinyl Chloride (VC)	ND		0.30		ug/L		06/28/25 05:16	1	N4CJ
Xylenes, Total	ND		0.50		ug/L		06/28/25 05:16	1	N4CJ

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	104		70 - 130	06/28/25 05:16	1	N4CJ
4-Bromofluorobenzene (Surr)	103		70 - 130	06/28/25 05:16	1	N4CJ
Toluene-d8 (Surr)	100		70 - 130	06/28/25 05:16	1	N4CJ

Method: 521.1 - Nitrosoamines (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
N-Nitrosodimethylamine (NDMA)	ND		2.1		ng/L		06/30/25 20:54	1	GH6R

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
N-Nitrosodimethylamine-d6 (Surr)	86		70 - 130	06/30/25 20:54	1	GH6R

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4'-DDD	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
2,4'-DDE	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
2,4'-DDT	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
2,4-Dinitrotoluene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
2,6-Dinitrotoluene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
4,4'-DDD	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
4,4'-DDE	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
4,4'-DDT	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Acenaphthene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Acenaphthylene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Acetochlor	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Alachlor (Alanex)	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Aldrin	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
alpha-BHC	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
alpha-Chlordane	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Anthracene	ND		0.020		ug/L		06/29/25 21:16	1	Q8LA
Atrazine	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Benz(a)anthracene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Benzo[a]pyrene	ND		0.020		ug/L		06/29/25 21:16	1	Q8LA
Benzo[b]fluoranthene	ND		0.020		ug/L		06/29/25 21:16	1	Q8LA
Benzo[g,h,i]perylene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Benzo[k]fluoranthene	ND		0.020		ug/L		06/29/25 21:16	1	Q8LA
beta-BHC	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Bis(2-ethylhexyl) phthalate	ND		0.59		ug/L		06/29/25 21:16	1	Q8LA
Bromacil	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Butachlor	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Butylbenzylphthalate	ND		0.49		ug/L		06/29/25 21:16	1	Q8LA
Chlorobenzilate	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Chloroneb	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Chlorothalonil (Draconil, Bravo)	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Chlorpyrifos	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Chrysene	ND		0.020		ug/L		06/29/25 21:16	1	Q8LA
delta-BHC	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Di(2-ethylhexyl)adipate	ND		0.59		ug/L		06/29/25 21:16	1	Q8LA
Dibenz(a,h)anthracene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Diclorvos (DDVP)	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Dieldrin	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
Diethylphthalate	ND		0.49		ug/L		06/29/25 21:16	1	Q8LA
Dimethoate	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Dimethylphthalate	ND		0.49		ug/L		06/29/25 21:16	1	Q8LA
Di-n-butyl phthalate	ND		0.99		ug/L		06/29/25 21:16	1	Q8LA
Di-n-octyl phthalate	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Endosulfan I (Alpha)	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Endosulfan II (Beta)	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Endosulfan sulfate	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Endrin	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
Endrin aldehyde	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
EPTC	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Fluoranthene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Fluorene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
gamma-Chlordane	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Heptachlor	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
Heptachlor epoxide (isomer B)	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
Hexachlorobenzene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Hexachlorocyclopentadiene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Indeno[1,2,3-cd]pyrene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Isophorone	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Lindane	ND		0.0099		ug/L		06/29/25 21:16	1	Q8LA
Malathion	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Methoxychlor	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Metolachlor	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Metribuzin	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Molinate	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Naphthalene	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Parathion	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Pendimethalin (Penoxaline)	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Phenanthrene	ND		0.039		ug/L		06/29/25 21:16	1	Q8LA
Propachlor	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Pyrene	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Simazine	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Terbacil	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Terbutylazine	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Thiobencarb	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
trans-Nonachlor	ND		0.049		ug/L		06/29/25 21:16	1	Q8LA
Trifluralin	ND		0.099		ug/L		06/29/25 21:16	1	Q8LA
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	94		70 - 130				06/29/25 21:16	1	Q8LA
Perylene-d 12	95		70 - 130				06/29/25 21:16	1	Q8LA
Triphenylphosphate	112		70 - 130				06/29/25 21:16	1	Q8LA

Method: 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	ND		5.0		ug/L		07/03/25 12:02	1	X8AA

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.020		ug/L		06/27/25 19:36	1	GVC6
1,2-Dibromo-3-Chloropropane	ND		0.0099		ug/L		06/27/25 19:36	1	GVC6
1,2-Dibromoethane	ND		0.0099		ug/L		06/27/25 19:36	1	GVC6
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
1,2-Dibromopropane (Surr)	103		60 - 140				06/27/25 19:36	1	GVC6

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1016	ND		0.069		ug/L		06/27/25 21:34	1	DR5R
PCB-1221	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1232	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1242	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1248	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1254	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
PCB-1260	ND		0.069		ug/L		06/27/25 21:34	1	DR5R
Polychlorinated biphenyls, Total	ND		0.099		ug/L		06/27/25 21:34	1	DR5R
Toxaphene	ND		0.49		ug/L		06/27/25 21:34	1	DR5R
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	98		70 - 130				06/27/25 21:34	1	DR5R

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20		ug/L		07/01/25 19:23	1	LZ8Q
2,4,5-TP (Silvex)	ND		0.10		ug/L		07/01/25 19:23	1	LZ8Q

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 515.4 - Herbicides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4-D	ND		0.10		ug/L		07/01/25 19:23	1	LZ8Q
2,4-DB	ND		2.0		ug/L		07/01/25 19:23	1	LZ8Q
3,5-Dichlorobenzoic acid	ND		0.50		ug/L		07/01/25 19:23	1	LZ8Q
Acifluorfen	ND		0.20		ug/L		07/01/25 19:23	1	LZ8Q
Bentazon	ND		0.50		ug/L		07/01/25 19:23	1	LZ8Q
Dalapon	ND		1.0		ug/L		07/01/25 19:23	1	LZ8Q
Dicamba	ND		0.10		ug/L		07/01/25 19:23	1	LZ8Q
Dichlorprop	ND		0.50		ug/L		07/01/25 19:23	1	LZ8Q
Dinoseb	ND		0.20		ug/L		07/01/25 19:23	1	LZ8Q
Pentachlorophenol	ND		0.040		ug/L		07/01/25 19:23	1	LZ8Q
Picloram	ND		0.10		ug/L		07/01/25 19:23	1	LZ8Q

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	94		70 - 130	07/01/25 19:23	1	LZ8Q
2,4-Dichlorophenylacetic acid (Surr)	102		70 - 130	07/01/25 19:23	1	LZ8Q

Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromochloroacetic acid	ND		1.0		ug/L		06/30/25 23:05	1	KF9K
Dibromoacetic acid	ND		1.0		ug/L		06/30/25 23:05	1	KF9K
Dichloroacetic acid	ND		1.0		ug/L		06/30/25 23:05	1	KF9K
Monobromoacetic acid	ND		1.0		ug/L		06/30/25 23:05	1	KF9K
Monochloroacetic acid	ND		2.0		ug/L		06/30/25 23:05	1	KF9K
Trichloroacetic acid	ND		1.0		ug/L		06/30/25 23:05	1	KF9K

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,3-Dibromopropionic acid	98		70 - 130	06/30/25 23:05	1	KF9K

Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	ND		2.0		ug/L		06/30/25 23:05	1	WE3W

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	ND		0.50		mg/L		06/30/25 16:56	1	DXD4
Chlorite	ND		10		ug/L		06/30/25 21:33	1	UNJR
Nitrate as N	0.33		0.050		mg/L		06/30/25 16:56	1	DXD4
Bromide	ND		5.0		ug/L		06/30/25 21:33	1	UNJR
Nitrite as N	ND		0.050		mg/L		06/30/25 16:56	1	DXD4
Sulfate	1.7		0.25		mg/L		06/30/25 16:56	1	DXD4

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	0.33		0.050		mg/L		06/30/25 16:56	1	C4WQ

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		1.0		ug/L		07/12/25 02:07	1	XLG4

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Aldicarb	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Aldicarb sulfone	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Aldicarb sulfoxide	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Baygon	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Carbaryl	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Carbofuran	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Methiocarb	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Methomyl	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Oxamyl	ND		0.50		ug/L		06/28/25 02:28	1	Q6XM
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
BDMC	109		70 - 130				06/28/25 02:28	1	Q6XM

Method: 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	ND		6.0		ug/L		07/02/25 22:06	1	UD4M

Method: 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	ND		0.40		ug/L		07/01/25 16:49	1	UD4M
Paraquat	ND		2.0		ug/L		07/01/25 16:49	1	UD4M

Method: 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Perchlorate	ND		0.50		ug/L		06/27/25 09:38	1	R6YA

Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	ND		4.8		pg/L		07/01/25 17:12	1	X8AA
Isotope Dilution	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
13C-2,3,7,8-TCDD	79		31 - 137				07/01/25 17:12	1	X8AA

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Boron	ND		0.050		mg/L		06/30/25 11:34	1	MF7S
Calcium	20		0.10		mg/L		06/30/25 11:34	1	MF7S
Iron	ND		0.010		mg/L		06/30/25 11:34	1	MF7S
Magnesium	9.8		0.10		mg/L		06/30/25 11:34	1	MF7S
Potassium	0.12		0.10		mg/L		06/30/25 11:34	1	MF7S
Sodium	0.89		0.10		mg/L		06/30/25 11:34	1	MF7S

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	ND		0.20		ug/L		06/30/25 14:01	1	T8BB

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	ND		20		ug/L		06/30/25 14:01	1	T8BB
Antimony	ND		1.0		ug/L		06/30/25 14:01	1	T8BB
Arsenic	ND		2.0		ug/L		06/30/25 14:01	1	T8BB

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

Method: 200.8 - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Barium	9.2		2.0		ug/L		06/30/25 14:01	1	T8BB
Beryllium	ND		0.30		ug/L		06/30/25 14:01	1	T8BB
Cadmium	ND		0.50		ug/L		06/30/25 14:01	1	T8BB
Chromium	ND		0.90		ug/L		06/30/25 14:01	1	T8BB
Copper	ND		1.0		ug/L		06/30/25 14:01	1	T8BB
Lead	ND		0.50		ug/L		06/30/25 14:01	1	T8BB
Manganese	ND		2.0		ug/L		06/30/25 14:01	1	T8BB
Nickel	ND		1.0		ug/L		06/30/25 14:01	1	T8BB
Selenium	ND		2.0		ug/L		06/30/25 14:01	1	T8BB
Silver	ND		0.50		ug/L		06/30/25 14:01	1	T8BB
Thallium	ND		0.30		ug/L		06/30/25 14:01	1	T8BB
Uranium	ND		1.0		ug/L		06/30/25 14:01	1	T8BB
Zinc	ND		5.0		ug/L		06/30/25 14:01	1	T8BB
Lithium	ND		2.0		ug/L		06/30/25 14:01	1	T8BB
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67		pCi/L		06/30/25 14:01	1	T8BB

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	90		2.9		mg/L		06/30/25 22:31	1	C4WQ
Calcium hardness as CaCO3	50		2.5		mg/L		06/30/25 22:31	1	C4WQ
Magnesium hardness as calcium carbonate	40		0.41		mg/L		06/30/25 22:31	1	C4WQ

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Analyzed	Dil Fac	Analyst
Corrosivity (SM 2330B)	0.53				LangSU		06/30/25 10:47	1	UWAH
Langelier Index (SM 2330B)	0.53				LangSU		06/30/25 10:47	1	UWAH
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	0.10		0.10		NTU		06/28/25 15:41	1	DN4H
Cyanide, Total (335.4)	ND		0.0050		mg/L		06/30/25 14:25	1	MH2L
Phenols, Total (420.4)	ND		1.0		ug/L		07/01/25 16:26	1	LQ3M
Alkalinity as CaCO3 (SM 2320B)	85		4.0		mg/L		07/02/25 16:54	1	PK4Q
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	85		4.0		mg/L		07/02/25 16:54	1	PK4Q
Carbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		07/02/25 16:54	1	PK4Q
Hydroxide Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		07/02/25 16:54	1	PK4Q
Specific Conductance (SM 2510B)	170		2.0		umhos/cm		07/02/25 16:54	1	PK4Q
Total Dissolved Solids (SM 2540C)	98		20		mg/L		07/02/25 09:55	1	UJRF
Chlorine, Total Residual (SM 4500 Cl G)	ND		0.10		mg/L		06/27/25 15:16	1	V7DE
Chloramines, Total (SM 4500 Cl G)	ND		0.10		mg/L		06/27/25 15:16	1	V7DE
Chlorine, free (SM 4500 Cl G)	ND		0.10		mg/L		06/27/25 15:16	1	V7DE
Fluoride (SM 4500 F C)	ND		0.050		mg/L		07/02/25 19:52	1	PK4Q
Total Organic Carbon (SM 5310C)	ND		0.30		mg/L		06/27/25 17:58	1	MIA8
Methylene Blue Active Substances (SM 5540C)	ND		0.10		mg/L		07/01/25 15:48	1	ZJ2C
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlorine dioxide (4500 ClO2 D)	ND		0.24		mg/L		06/27/25 15:16	1	V7DE

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Date Collected: 06/19/25 08:00

Matrix: Bottled Water

Date Received: 06/20/25 10:16

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Color, Apparent (SM 2120B)	ND		2.0		Color Units		06/28/25 16:09	1	DN4H
Odor (SM 2150B)	2.0		1.0		T.O.N.		06/28/25 15:25	1	DN4H
pH (SM 4500 H+ B)	8.6		0.01		SU		07/01/25 12:55	1	PK4Q

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Gross Alpha	0.453	U	0.938	0.939	3.00	1.02	pCi/L	07/13/25 19:33	1	SWS
Gross Beta	0.474	U	0.508	0.511	4.00	0.488	pCi/L	07/13/25 19:33	1	SWS

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Radium-226	0.0488	U	0.153	0.153	1.00	0.185	pCi/L	07/17/25 17:59	1	SWS
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Analyzed</i>	<i>Dil Fac</i>	<i>Analyst</i>
<i>Ba Carrier</i>	<i>90.4</i>		<i>30 - 110</i>					<i>07/17/25 17:59</i>	<i>1</i>	<i>SWS</i>

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Radium-228	0.0492	U	0.261	0.261	1.00	0.290	pCi/L	07/17/25 11:37	1	SWS
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Analyzed</i>	<i>Dil Fac</i>	<i>Analyst</i>
<i>Ba Carrier</i>	<i>90.4</i>		<i>30 - 110</i>					<i>07/17/25 11:37</i>	<i>1</i>	<i>SWS</i>
<i>Y Carrier</i>	<i>85.2</i>		<i>30 - 110</i>					<i>07/17/25 11:37</i>	<i>1</i>	<i>SWS</i>

Method: Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Combined Radium 226 + 228	0.0980	U	0.303	0.303	5.00	0.290	pCi/L	07/18/25 12:57	1	FLC

Action Limit Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP

Lab Sample ID: 380-157459-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Trihalomethanes, Total	ND		ug/L	80		0.50	524.2	Total/NA
1,1,1-Trichloroethane	ND		ug/L	200		0.50	524.2	Total/NA
1,1,2-Trichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,1-Dichloroethylene	ND		ug/L	7		0.50	524.2	Total/NA
1,2,4-Trichlorobenzene	ND		ug/L	70		0.50	524.2	Total/NA
1,2-Dichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,2-Dichloropropane	ND		ug/L	5		0.50	524.2	Total/NA
Benzene	ND		ug/L	5		0.50	524.2	Total/NA
Carbon tetrachloride	ND		ug/L	5		0.50	524.2	Total/NA
Chlorobenzene	ND		ug/L	100		0.50	524.2	Total/NA
cis-1,2-Dichloroethylene	ND		ug/L	70		0.50	524.2	Total/NA
Dichloromethane	ND		ug/L	5		0.50	524.2	Total/NA
Ethylbenzene	ND		ug/L	700		0.50	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		ug/L	600		0.50	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		ug/L	75		0.50	524.2	Total/NA
Styrene	ND		ug/L	100		0.50	524.2	Total/NA
Tetrachloroethene (PCE)	ND		ug/L	5		0.50	524.2	Total/NA
Toluene	ND		ug/L	1000		0.50	524.2	Total/NA
trans-1,2-Dichloroethylene	ND		ug/L	100		0.50	524.2	Total/NA
Trichloroethylene (TCE)	ND		ug/L	5		0.50	524.2	Total/NA
Vinyl Chloride (VC)	ND		ug/L	2		0.30	524.2	Total/NA
Xylenes, Total	ND		ug/L	10000		0.50	524.2	Total/NA
Alachlor (Alanex)	ND		ug/L	2		0.049	525.2	Total/NA
Atrazine	ND		ug/L	3		0.049	525.2	Total/NA
Benzo[a]pyrene	ND		ug/L	0.2		0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	ND		ug/L	6		0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		ug/L	400		0.59	525.2	Total/NA
Endrin	ND		ug/L	2		0.0099	525.2	Total/NA
Heptachlor	ND		ug/L	0.4		0.0099	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2		0.0099	525.2	Total/NA
Hexachlorobenzene	ND		ug/L	1		0.049	525.2	Total/NA
Hexachlorocyclopentadiene	ND		ug/L	50		0.049	525.2	Total/NA
Lindane	ND		ug/L	0.2		0.0099	525.2	Total/NA
Methoxychlor	ND		ug/L	40		0.049	525.2	Total/NA
Simazine	ND		ug/L	4		0.049	525.2	Total/NA
Endothall	ND		ug/L	100		5.0	548.1	Total/NA
1,2-Dibromo-3-Chloropropane	ND		ug/L	0.2		0.0099	504.1	Total/NA
1,2-Dibromoethane	ND		ug/L	0.05		0.0099	504.1	Total/NA
Chlordane	ND		ug/L	2		0.099	505	Total/NA
Polychlorinated biphenyls, Total	ND		ug/L	0.5		0.099	505	Total/NA
Toxaphene	ND		ug/L	3		0.49	505	Total/NA
2,4,5-TP (Silvex)	ND		ug/L	50		0.10	515.4	Total/NA
2,4-D	ND		ug/L	70		0.10	515.4	Total/NA
Dalapon	ND		ug/L	200		1.0	515.4	Total/NA
Dinoseb	ND		ug/L	7		0.20	515.4	Total/NA
Pentachlorophenol	ND		ug/L	1		0.040	515.4	Total/NA
Picloram	ND		ug/L	500		0.10	515.4	Total/NA
Total Haloacetic Acids 5	ND		ug/L	60		2.0	6251B	Total/NA

Eurofins Eaton Analytical Pomona

Action Limit Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Client Sample ID: 1108-020 Artesian FP (Continued)

Lab Sample ID: 380-157459-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Chloride	ND		mg/L		250	0.50	300.0	Total/NA
Chlorite	ND		ug/L	1000		10	300.0	Total/NA
Nitrate as N	0.33		mg/L	10		0.050	300.0	Total/NA
Nitrite as N	ND		mg/L	1		0.050	300.0	Total/NA
Sulfate	1.7		mg/L		250	0.25	300.0	Total/NA
Nitrate Nitrite as N	0.33		mg/L	10		0.050	300.0	Total/NA
Bromate	ND		ug/L	10		1.0	317	Total/NA
Aldicarb	ND		ug/L	3		0.50	531.2	Total/NA
Aldicarb sulfone	ND		ug/L	2		0.50	531.2	Total/NA
Aldicarb sulfoxide	ND		ug/L	4		0.50	531.2	Total/NA
Carbofuran	ND		ug/L	40		0.50	531.2	Total/NA
Oxamyl	ND		ug/L	200		0.50	531.2	Total/NA
Glyphosate	ND		ug/L	700		6.0	547	Total/NA
Diquat	ND		ug/L	20		0.40	549.2	Total/NA
2,3,7,8-TCDD	ND		pg/L	30		4.8	1613B	Total/NA
Iron	ND		mg/L		0.3	0.010	200.7	Total/NA
Hg	ND		ug/L	2		0.20	200.8	Total/NA
Aluminum	ND		ug/L		50	20	200.8	Total/NA
Antimony	ND		ug/L	6		1.0	200.8	Total/NA
Arsenic	ND		ug/L	10		2.0	200.8	Total/NA
Barium	9.2		ug/L	2000		2.0	200.8	Total/NA
Beryllium	ND		ug/L	4		0.30	200.8	Total/NA
Cadmium	ND		ug/L	5		0.50	200.8	Total/NA
Chromium	ND		ug/L	100		0.90	200.8	Total/NA
Copper	ND		ug/L		1000	1.0	200.8	Total/NA
Lead	ND		ug/L	15.000		0.50	200.8	Total/NA
Manganese	ND		ug/L		50	2.0	200.8	Total/NA
Selenium	ND		ug/L	50		2.0	200.8	Total/NA
Silver	ND		ug/L		100	0.50	200.8	Total/NA
Thallium	ND		ug/L	2		0.30	200.8	Total/NA
Uranium	ND		ug/L	30		1.0	200.8	Total/NA
Uranium	ND		pCi/L	20		0.67	200.8	Total/NA
Zinc	ND		ug/L		5000	5.0	200.8	Total/NA
Cyanide, Total	ND		mg/L	0.2		0.0050	335.4	Total/NA
Chlorine dioxide	ND		mg/L	0.8		0.24	4500 ClO2 D	Total/NA
Color, Apparent	ND		Color Units		15	2.0	SM 2120B	Total/NA
Odor	2.0		T.O.N.		3	1.0	SM 2150B	Total/NA
Total Dissolved Solids	98		mg/L		500	20	SM 2540C	Total/NA
Chlorine, Total Residual	ND		mg/L	4		0.10	SM 4500 Cl G	Total/NA
Fluoride	ND		mg/L	4	2	0.050	SM 4500 F C	Total/NA
pH	8.6		SU		6.5	0.01	SM 4500 H+ B	Total/NA
Methylene Blue Active Substances	ND		mg/L		0.5	0.10	SM 5540C	Total/NA
Gross Alpha	0.453	U	pCi/L	15		3.00	900.0	Total/NA
Gross Beta	0.474	U	pCi/L	50		4.00	900.0	Total/NA
Combined Radium 226 + 228	0.0980	U	pCi/L	5		5.00	Ra226_Ra228 Pos	Total/NA

Accreditation/Certification and Definitions Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	09-30-25
Alabama	State	41060	06-18-26
Arizona	State	AZ0833	02-27-26
Arkansas (DW)	State	CA00006	01-31-26
California	State	2813	06-18-27
Colorado	State	CA00006	01-31-26
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-26
Florida	NELAP	E871024	06-30-26
Georgia (DW)	State	947	01-31-26
Guam	State	25-02R	03-31-26
Hawaii	State	CA00006	01-31-26
Hawaii (Micro)	State	CA00006	01-31-26
Idaho (DW)	State	CA00006	01-31-26
Idaho (Micro)	State	CA00006	03-31-26
Illinois	NELAP	200033	03-31-26
Indiana	State	C-CA-01	06-18-25 *
Kansas	NELAP	E-10268	04-30-26
Kentucky (DW)	State	KY90107	12-31-25
Louisiana (DW)	State	LA008	12-31-25
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-31-26
Massachusetts	State	M-CA006	07-13-25
MI - RadChem Recognition	State	9906	06-18-25 *
Michigan	State	9906	06-18-25 *
Mississippi	State	CA2813	06-18-25 *
Montana (DW)	State	CERT0035	01-01-26
Nebraska	State	NE-OS-21-13	01-31-26
Nevada	State	CA00006	07-31-25
New Hampshire	NELAP	2959	03-29-26
New Jersey	NELAP	CA008	06-30-26
New Mexico	State	CA00006	01-31-26
New York	NELAP	11320	04-01-26
North Carolina (DW)	State	06701	07-31-25
North Dakota	State	R-009	01-31-24 *
Northern Mariana Islands (DW)	State	CA00006	01-31-26
Ohio	State	87786	01-31-26
Oregon	NELAP	4034	01-29-26
Pennsylvania	NELAP	68-00565	10-31-25
Puerto Rico	State	CA00006	03-31-26
Rhode Island	State	LAO00381	12-30-25
South Dakota (DW)	State	CA11320	06-18-27
Tennessee	State	TN02839	01-31-25 *
Texas	NELAP	T104704230	09-30-25
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-26
Vermont	State	VT-0114	12-28-25
Virginia	NELAP	460260	06-14-26
Washington	State	C838	03-13-26
Wyoming	State	8-TMS-L	06-18-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-27
ANAB	Dept. of Defense ELAP	L2305	04-06-27
ANAB	Dept. of Energy	L2305.01	04-06-27
ANAB	ISO/IEC 17025	L2305	04-06-27
Arizona	State	AZ0813	12-08-25
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-25 *
Connecticut	State	PH-0241	03-31-27
Florida	NELAP	E87689	06-30-26
HI - RadChem Recognition	State	n/a	06-30-25 *
Illinois	NELAP	200023	11-30-25
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-25
Kentucky (DW)	State	KY90125	12-31-25
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-25
Louisiana (All)	NELAP	106151	06-30-26
Louisiana (DW)	State	LA011	12-31-25
Maryland	State	310	09-30-25
Massachusetts	State	M-MO054	06-30-26
MI - RadChem Recognition	State	9005	06-30-25 *
Missouri	State	780	06-30-25 *
Nevada	State	MO00054	07-31-25
New Jersey	NELAP	MO002	06-30-26
New Mexico	State	MO00054	06-30-25 *
New York	NELAP	11616	03-31-26
North Carolina (DW)	State	29700	08-02-25
North Dakota	State	R-207	06-30-25 *
Oklahoma	NELAP	9997	08-31-25
Oregon	NELAP	4157	09-01-25
Pennsylvania	NELAP	68-00540	02-28-26
South Carolina	State	85002	06-30-25 *
Texas	NELAP	T104704193	07-31-25
US Fish & Wildlife	US Federal Programs	058448	07-31-25
USDA	US Federal Programs	525-23-138-94730	05-18-26
Utah	NELAP	MO00054	07-31-25
Virginia	NELAP	460230	06-14-26
Washington	State	C592	08-30-25
West Virginia DEP	State	381	10-31-25

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification and Definitions Summary

Client: Alpine Water GMBH
Project/Site: 1108-020

Job ID: 380-157459-1
SDG: Alpine Water GMBH - Obertraun - Artesian FP

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

July 07, 2025

Michelle Do
Eurofins Eaton Analytical, LLC - Pomona
941 Corporate Center Drive
Pomona, CA 91768

CLIENT PROJECT: 1108-020, 38008392, 380-157459-1
LAB CODE: 669963-1


Dear Michelle,

Enclosed are asbestos analysis results for TEM water samples received at our laboratory on June 30, 2025. The samples were analyzed for asbestos using transmission electron microscopy (TEM) per the US EPA 100.2 Method.

The current EPA regulatory limit for asbestos in water is 7 million fibers per liter (MFL, > 10 μm in length). The analytical sensitivity for the EPA 100.2 method is 0.2 MFL.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Tianbao Bai, Ph.D., CIH
Laboratory Director



Built Environment Testing

ASBESTOS ANALYTICAL REPORT
By: Transmission Electron Microscopy

Prepared for


Eurofins Eaton Analytical, LLC - Pomona

CLIENT PROJECT: 1108-020, 38008392, 380-157459-1

LAB CODE: 669963-1

TEST METHOD: EPA 100.2

REPORT DATE: 07/07/25





ASBESTOS IN WATER ANALYSIS

By: Transmission Electron Microscopy

Client: Eurofins Eaton Analytical, LLC - Pomona
941 Corporate Center Drive
Pomona, CA 91768

Lab Code: 669963-1
Date Received: 06/30/25
Date Analyzed: 07/07/25
Date Reported: 07/07/25

Project: 1108-020, 38008392, 380-157459-1

Method: TEM EPA 100.2 (DRINKING WATER)

Client ID	Date Collected	Date Filtered	Sample Volume Filtered (mL)	Dilution Factor	Effective Filter Area (mm ²)	# of Grids Openings Analyzed	Total Area Of Filter Examined	Analytical Sensitivity (MFL)	Asbestos Type	>10µm	Concentration (MFL)	Confidence Limit Lower	Confidence Limit Upper
1108-020	06/19/25	07/02/25	100	1	1060	6	0.06	0.177	None	0	<0.177	0	<0.65
Artesian FP (380-157459-1) 3508535	08:00	16:00							Detected				



LEGEND: MFL = million fibers per liter, > 10 µm in length

METHOD: EPA 100.2

AVERAGE GRID OPENING SIZE: 0.010 mm²

ANALYTICAL SENSITIVITY: 0.2 MFL

MAXIMUM CONTAMINANT LEVEL: 7 MFL

Eurofins Built Environment Testing East, LLC makes no warranty representation regarding the accuracy of client submitted information in preparing and presenting analytical results. Interpretation of the analytical results is the sole responsibility of the client. This report relates only to the samples tested or analyzed and may not be reproduced, except in full, without written approval by Eurofins Built Environment Testing East, LLC. Estimated measurement of uncertainty is available on request. Samples were received in acceptable condition unless otherwise noted.

Information provided by customer includes customer sample ID, location, volume and area as well as date and time of sampling.

Sample bottle was not provided by Eurofins Built Environment Testing East, LLC.

For the current states of certification please refer to the website: www.eurofinsus.com/environment-testing/built-environment/locations/eurofins-cei/



Kamila Reichert
Analyst

DATA QA:



Brunilda Gjoka
7/7/2025

APPROVED BY:



Tianbao Bai, Ph.D., CIH
Laboratory Director



SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Eurofins Eaton Analytical, LLC - Pomona Address: 941 Corporate Center Drive Pomona, CA 91768	Company: Eurofins Eaton Analytical, LLC - Pomona Address: 941 Corporate Center Drive Pomona, CA 91768	Contact: Michelle Do Phone: (626) 386-1100 Fax: Cell:	-1 TEM Standard
Project Number and/or P.O. #: None Given Project Description/Location: 1108-020, 38008392, 380-157459-1	Project Zip Code:	Final Data Deliverable Email Address: michelle.do@et.eurofinsus.com (+ 2 ADDNL. CONTACTS)	

ASBESTOS LABORATORY	REQUESTED ANALYSIS						VALID MATRIX CODES			LAB NOTES
PLM / PCM / TEM DTL RUSH PRIORITY STANDARD							Air = A	Bulk = B	BW	
CHEMISTRY LABORATORY							Dust = D	Food = F		
Dust RUSH PRIORITY STANDARD							Paint = P	Soil = S		
Metals RUSH PRIORITY STANDARD *PRIOR NOTICE REQUIRED FOR SAME DAY TAT							Surface = SU	Swab = SW		
Organics* SAME DAY RUSH PRIORITY STANDARD							Tape = T	Wipe = W		
MICROBIOLOGY LABORATORY							Drinking Water = DW			
Medical Device Analysis RUSH STANDARD							Waste Water = WW			
Mold Analysis RUSH PRIORITY STANDARD							**ASTM E1792 approved wipe media only**			
Special Instructions: W10030										
Client Sample ID Number (Sample ID's must be unique)	ASBESTOS	CHEMISTRY	MICROBIOLOGY	ICO						Laboratory Analysis Instructions
1 1108-020 Artesian FP (380-157459-1)	X					Sample Volume (L) / Area	Matrix Code	# of Containers	Date Collected mm/dd/yy	
							DW		06/19/25	08:00

Eurofins Built Environment Testing East, LLC establishes a unique Lab Sample ID, for each sample, by preceding each unique Client Sample ID with the laboratory RES Job Number.

Eurofins Built Environment Testing East, LLC will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of NET 30 days. Failure to comply with payment terms may result in a 1.5% monthly interest surcharge.

Relinquished By:	Date/Time: 06/30/2025 16:01:51	Sample Condition: Acceptable
Received By:	Cassidy Garner Date/Time: 06/30/2025 16:38:58	Carrier: Fed-Ex

Eurofins Eaton Analytical Pomona
 941 Corporate Center Drive
 Pomona, CA 91768-2642
 Phone: 626-386-1100

6699163

Chain of Custody Record



W10030
 eurofins
 Environment Testing

Client Information (Sub Contract Lab)
 Client Contact: N/A
 Shipping/Receiving: N/A
 Company: Eurofins CEI Inc
 Address: 730 SE Maynard Road
 City: Cary
 State: Z/N
 Zip: NC, 27511
 Phone: N/A
 Email: N/A
 Project Name: 1108-020
 Site: N/A

Sampler: N/A
 Lab P/N: Do, Michelle
 E-Mail: Michelle.Do@eurofins.com
 Carrier Tracking No: N/A
 State of Origin: Austria
 COC No: 380-226494-1
 Page: Page 1 of 1
 Job #: 380-157459-1
 Preservation Codes: N/A

Due Date Requested: 7/24/2025
 TAT Requested (days): N/A
 Analysis Requested
 Field Filtered Sample (Yes or No)
 Perform MS/MSD (Yes or No)
 SUB - 100.2 - Asbestos
 Total Number of containers: 2
 Special Instructions/Note: See Attached Instructions

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Metal, Organic, Inorganic, etc.)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Total Number of containers	Special Instructions/Note
1108-020 Artesian FP (380-157459-1)	6/19/25	08:00 Central	G	Bottled Water		X			2	See Attached Instructions
										QC certified call Accept Samples CV 6/30/25 10:05

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontracted laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/retention being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify)
 Primary Deliverable Rank: 1
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: [Signature]
 Date: [Date]
 Relinquished by: [Signature]
 Date/Time: [Date/Time]
 Company: [Company]
 Relinquished by: [Signature]
 Date/Time: [Date/Time]
 Company: [Company]
 Custody Seals Intact: Yes No
 Custody Seal No.: [Number]
 Cooler Temperature(s) °C and Other Remarks:



Environment Testing

Shipping Order Form



Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 386-1100

Shipping Order ID: 90254

Ship Via: FedEx

Due On: 6/27/2025 11:59:00PM

Ship To Information

Project Manager:
Company Name: Eurofins CEI Inc
Attention: Shipping/Receiving
Address 1: 730 SE Maynard Road
Address 2:
Address 3:
City: Cary
State: NC
Zip: 27511
Phone #: 27511
Project Ref:

Notes to Bottle/Shipping Department

- Shipping Method: **Standard packing**
- Ready to Fill
 - Preprinted COC
 - Number of COC Copies
 - Seals on Bottle
 - Seals on Coolers
 - Priority
 - Return Shipment Labels
 - Prepaid Return
 - Eurofins Eaton Analytical Pomona
 - Short Hold Times
 - Temperature Control
 - Rush

Min Due Date: 7/24/2025
11:59:00PM

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

Lab Name	Eurofins Built Environment Testing East, LLC	Client	Eurofins Eaton Analytical, LLC - Pomona	Analyzed By	KMR
Primary Scope	JEM-1200EX	Sample Type	Water	Analysis Date	07/07/2025
Voltage	100KV	Vol/Area		Prep Method	Indirect
Magnification	20000	Lab Code	669963-1	Date Received	06/30/2025
Primary Filter Area (mm²)		Sec. Filter Area (mm²)	1060	Grid Opening Area (mm²)	0.01
Sample ID	1108-020 Artesian FP (380-157459-1)	Method	EPA 100.2	Scope Align	07/07/2025
Suspension		Aliquot	100	Grid Openings	6

Grid	GO	Type	Count	Total	Length	Width	ID	Mineral Class	Comments	Photo	EDS
2H20509											
A7	F3-6	ND									
	G5-4	ND									
2H20509											
A6	F3-6	ND									
	B4-4	ND									
2H20509											
A8	E4-6	ND									
	E2-3	ND									



1308 Parkland Court
Champaign, IL 61821

P 217-398-3490
isotechlabs.com

Lab #: 974228

Job #: 62942

Sample Name: 1108-020 Artesian FP

Co. Lab#: 380-157459-1

Company: Eurofins Eaton Analytical

Container: Glass Bottle

Field/Site Name: 1108-020 / 38008392

Date Sampled: 06/19/2025 08:00

Date Received: 07/01/2025

Date Reported: 07/15/2025

δ D of water	-90.3‰ relative to VSMOW
δ^{18} O of water	-12.85‰ relative to VSMOW
Tritium content of water	na
δ^{13} C of DIC	na
14 C content of DIC	na
δ^{15} N of nitrate	na
δ^{18} O of nitrate	na
δ^{34} of sulfate	na
δ^{18} O of sulfate	na
Vacuum Distilled? *	No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

CHAIN OF CUSTODY RECORD

1108-020-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Alpine Water GmbH Obertraun 311 4831 Obertraun Austria		LAB USED: Eurofins -Pomona ORDER # 38008392 TURNAROUND TIME: STND/BUT ASAP PWS #:
PROJECT NAME: 2025 Annual		PROJECT #: 1108		ANALYSIS REQUIRED
SAMPLE NUMBER 1108-020	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE		
		Artesian FP		50-BAT1-FP, Plus PFAS (537.1)*
		Produced From: Dachstein Well Source		Deuterium, Lithium, NDMA, TOC
		Size: 750 mL Glass shipments if multiple shipments indicate shipment ___ of		 380-157459 COC
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: _____ Line: _____		
SAMPLER'S SIGNATURE: 		PLEASE PRINT BELOW: Jose Arzola		COMPLIANCE CRITERIA:
RELINQUISHED BY	DATE/TIME	ACCEPTED BY 	DATE/TIME 06/20/25 10:16	NOTES TO LABORATORY
				*PLEASE PUT PFAS ON A SEPARATE REPORT (FSA) 21.5-Q.0: 21.5 NOISE UPJ-12 3A9 288 03 0858 3063



CHAIN OF CUSTODY RECORD

1108-020-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Alpine Water GmbH Obertraun 311 4831 Obertraun Austria		LAB USED: Eurofins -Pomona ORDER # 38008392 TURNAROUND TIME: STND/BUT ASAP PWS #:
PROJECT NAME: 2025 Annual		PROJECT #: 1108		ANALYSIS REQUIRED
SAMPLE NUMBER 1108-020	DATE & TIME OF SAMPLE COLLECTION 1	SAMPLE DESCRIPTION AND PRODUCTION CODE Artesian FP	NUMBER OF CONTAINERS	
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Produced From: Dachstein Well Source Size: 750 mL Glass if multiple shipments indicate shipment _ of		50-BAT1-FP, Plus PFAS (537.1)* Deuterium, Lithium, NDMA, TOC (ADDITIONAL SAMPLE REQUESTED)
SAMPLER'S SIGNATURE: 		PLEASE PRINT BELOW: Jose Arreola		COMPLIANCE CRITERIA
RELINQUISHED BY	DATE/TIME	ACCEPTED BY 	DATE/TIME 06/26/25 10:03	NOTES TO LABORATORY *PLEASE PUT PFAS ON A SEPARATE REPORT (151A) 23.0°-0.0°=23.0° NOISE UPS-R 3A9 2F8 03 2909 2296



CHAIN OF CUSTODY RECORD

1108-020-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Alpine Water GMBH Obertraun 311 4831 Obertraun Austria		LAB USED: Eurofins -Pomona ORDER # 38008392 TURNAROUND TIME: STND/BUT ASAP PWS #:	
PROJECT NAME: 2025 Annual		PROJECT #: 1108		ANALYSIS REQUIRED	
SAMPLE NUMBER		DATE & TIME OF SAMPLE COLLECTION		SAMPLE DESCRIPTION AND PRODUCTION CODE	
1108-020				Artesian FP	
				Produced From: Dachstein Well Source	
				Size: 750 mL Glass shipments indicate shipment __ of	
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: _____ Line: _____		 380-157459 COC	
SAMPLER'S SIGNATURE: 		PLEASE PRINT BELOW: Jose Arceola		COMPLIANCE CRITERIA:	
RELINQUISHED BY		DATE/TIME		ACCEPTED BY	
					
				DATE/TIME: 06/20/25 10:16	
				NOTES TO LABORATORY	
				*PLEASE PUT PFAS ON A SEPARATE REPORT (FSTA) 21.5-0.0: 21.5 NOISE UP)-1Z 3A9 2R8 03 0858 3063	

Co/lor) 60725
4/12



CHAIN OF CUSTODY RECORD

1108-020-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Alpine Water GmbH Obertraun 311 4831 Obertraun Austria		LAB USED: Eurofins -Pomona ORDER # 38008392 TURNAROUND TIME: STND/BUT ASAP PWS #:
PROJECT NAME: 2025 Annual		PROJECT #: 1108		ANALYSIS REQUIRED
SAMPLE NUMBER 1108-020	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE		
		Artesian FP		50-BAT1-FP, Plus PFAS (537.1)*
		Produced From: Dachstein Well Source		Deuterium, Lithium, NDMA, TOC
		Size: 750 mL Glass shipments indicate shipment __ of		(ADDITIONAL SAMPLE REQUESTED)
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: _____ Line: _____		
SAMPLER'S SIGNATURE: 		PLEASE PRINT BELOW: Joe Arreola		COMPLIANCE CRITERIA:
RELINQUISHED BY	DATE/TIME	ACCEPTED BY 	DATE/TIME 06/26/25 10:03	NOTES TO LABORATORY
				*PLEASE PUT PFAS ON A SEPARATE REPORT (ASTA) 23.0°-0.0°=23.0° NOISE UPS-R 3A9 2R8 032909 2296



View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.

2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a scheduled Pickup

- Your driver will pickup your shipment(s) as usual.

Customers without a scheduled Pickup


- Schedule a Pickup on ups.com to have a UPS driver pickup all of your packages.
- Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. To find the location nearest you, please visit the 'Locations' Quick link at ups.com.

UPS Access Point™
 CVS STORE # 9727
 2456 S GROVE AVE
 ONTARIO CA 91761-6224

UPS Access Point™
 THE UPS STORE
 2910 S ARCHIBALD AVE
 ONTARIO CA 91761-7358

UPS Access Point™
 THE UPS STORE
 1849 E 4TH ST
 ONTARIO CA 91764-2601

FOLD HERE

<p>GPA ONTARIO 9093494789 1600 SOUTH BAKER AVENUE ONTARIO CA 91761</p> <p>21 LBS DWT: 13,11,8</p> <p>2 OF 6</p> <p>SHIP TO: EUROFINS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>CA 917 9-11</p> 	<p>UPS GROUND</p> <p>TRACKING #: 1Z 3A9 2R8 03 2078 3109</p> 	<p>BILLING: P/P</p> <p>RECEIVED BY: <i>AA</i> EEAR</p> <p>(757A) 23.1°-0.0°=23.1° NOISE</p> <p>Reference #1: 1108-020 06/26/25 10:03 </p> <p><small>XOL 25.06.01 NV-95 26.04.06/2025*</small></p>
--	---	--	---



View/Print Label

1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.

2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a scheduled Pickup

- Your driver will pickup your shipment(s) as usual.

Customers without a scheduled Pickup


- Schedule a Pickup on [ups.com](https://www.ups.com) to have a UPS driver pickup all of your packages.
- Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. To find the location nearest you, please visit the 'Locations' Quick link at [ups.com](https://www.ups.com).

UPS Access Point™
CVS STORE # 9727
2456 S GROVE AVE
ONTARIO CA 91761-6224

UPS Access Point™
THE UPS STORE
2910 S ARCHIBALD AVE
ONTARIO CA 91761-7358

UPS Access Point™
THE UPS STORE
1849 E 4TH ST
ONTARIO CA 91764-2601

FOLD HERE

<p>GPA ONTARIO 9093494769 1600 SOUTH BAKER AVENUE ONTARIO CA 91761</p> <p>SHIP TO: EUROFINS (EEA LABS) B41 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>21 LBS DWT: 13,11,8</p> <p>3 OF 6</p>	<p>CA 917 9-11</p> 	<p>UPS GROUND</p> <p>TRACKING #: 1Z 3A9 2R8 03 3932 7513</p>		<p>BILLING: P/P RECEIVED BY: <i>MAF X BEAR</i> (751A) 22.9°-0.0°-22.9° NOICE 06/26/25 10:03 </p> <p>Reference #1: 1108-020</p> <p style="font-size: small;">XOL 23.06.01 NV45 26.0A 06/2025*</p>
--	--	---	---	--	---



View/Print Label

1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.

2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a scheduled Pickup

- Your driver will pickup your shipment(s) as usual.

Customers without a scheduled Pickup


- Schedule a Pickup on ups.com to have a UPS driver pickup all of your packages.
- Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. To find the location nearest you, please visit the 'Locations' Quick link at ups.com.

UPS Access Point™
 CVS STORE # 9727
 2456 S GROVE AVE
 ONTARIO CA 91761-6224

UPS Access Point™
 THE UPS STORE
 2910 S ARCHIBALD AVE
 ONTARIO CA 91761-7358


UPS Access Point™
 THE UPS STORE
 1849 E 4TH ST
 ONTARIO CA 91764-2601

FOLD HERE

<p>GPA ONTARIO 9093494769 1600 SOUTH BAKER AVENUE ONTARIO CA 91761</p> <p>21 LBS DWT: 13,11,8</p> <p>4 OF 6</p> <p>SHIP TO: EURÓFINS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>CA 917 9-11</p> 	<p>UPS GROUND</p> <p>TRACKING #: 1Z 3A9 2R8 03 2274 1525</p> 	<p>BILLING: P/P</p> <p>RECEIVED BY: <i>AA</i> <i>BY EEAR</i></p> <p>(A51A) 23.4°-0.0°=23.4° NO ICE</p> <p>Reference #1: 1108-020 06/26/25 10:03</p>  <p>XOL 25.06.01 NV45 26.0A.06/2025*</p>
--	---	--	---



View/Print Label



1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.

2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a scheduled Pickup

- Your driver will pickup your shipment(s) as usual.

Customers without a scheduled Pickup

- Schedule a Pickup on [ups.com](https://www.ups.com) to have a UPS driver pickup all of your packages.
- Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. To find the location nearest you, please visit the 'Locations' Quick link at [ups.com](https://www.ups.com).

UPS Access Point™
 CVS STORE # 9727
 2456 S GROVE AVE
 ONTARIO CA 91761-6224

UPS Access Point™
 THE UPS STORE
 2910 S ARCHIBALD AVE
 ONTARIO CA 91761-7358

UPS Access Point™
 THE UPS STORE
 1849 E 4TH ST
 ONTARIO CA 91764-2610

FOLD HERE

<p>21 LBS DWT: 13.11.8</p> <p>5 OF 6</p> <p>SHIP TO: EUROFINS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p> <p>GPA ONTARIO 90934194769 1600 SOUTH BAKER AVENUE ONTARIO CA 91761</p>	<p>CA 9179-11</p> 	<p>UPS GROUND</p> <p>TRACKING #: 1Z 3A9 2R8 03 3800 1134</p> 	<p>BILLING: P/P</p> <p>RECEIVED BY: <i>AAJ</i> <i>EEA</i></p> <p>(751A) 233-000-23.3- NOICE</p> <p>Reference #1: 1108-020 06/26/25 10:03</p>  <p><small>XGL 25.06.01 NV45 26.0A 09/2025*</small></p>
---	---	--	---

View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.

2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a scheduled Pickup

- Your driver will pickup your shipment(s) as usual.

Customers without a scheduled Pickup

- Schedule a Pickup on ups.com to have a UPS driver pickup all of your packages.
- Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. To find the location nearest you, please visit the 'Locations' Quick link at ups.com.

UPS Access Point™
 CVS STORE # 9727
 2456 S GROVE AVE
 ONTARIO CA 91761-6224

UPS Access Point™
 THE UPS STORE
 2910 S ARCHIBALD AVE
 ONTARIO CA 91761-7358

UPS Access Point™
 THE UPS STORE
 1849 E 4TH ST
 ONTARIO CA 91764-2601

FOLD HERE

<p>SHIP TO: EUROFTNS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>SHIP TO: EUROFTNS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>SHIP TO: EUROFTNS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>	<p>SHIP TO: EUROFTNS (EEA LABS) 941 CORPORATE CENTER DRIVE POMONA CA 91768</p>
<p>21 LBS DWT: 13,11,8</p>	<p>6 OF 6</p>	<p>CA 9179-11</p> 	<p>UPS GROUND</p> <p>TRACKING #: 1Z 3A9 2R8 03 3864 2344</p> 
<p>BILLING: PAR RECEIVED BY: A J BEAR (951) 237-0000 23.7.10.15 06/26/25 10:00 Reference # 1: 1108-020</p> 			

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Do, Michelle	Carrier Tracking No(s): N/A	COC No: 380-226492.1
Client Contact: Shipping/Receiving		Phone: N/A	E-Mail: Michelle.Do@et.eurofins.com	State of Origin: Austria	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): N/A		Job #: 380-157459-1	Preservation Codes:
Address: 13715 Rider Trail North, Earth City, MO, 63045		Due Date Requested: 7/24/2025		Analysis Requested:	
City: Earth City		TAT Requested (days): N/A		900.0/Evap/Standard Target Let	
State, Zip: MO, 63045		PO #: N/A		903.0/PreSep_7903.0 Radium 226 7day Ig	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		WO #: N/A		904.0/PreSep_0904.0 Radium 228	
Email: N/A		Project #: 38008392		Raz26_228GFPC_P	
Project Name: 1108-020		SSOW#: N/A		Perform MS/MSD (Yes or No)	
Site: N/A		Sample Date		Field Filtered Sample (Yes or No)	
Sample Identification - Client ID (Lab ID)		Sample Time		Preservation Code	
1108-020 Artesian FP (380-157459-1)		6/19/25		G Bottled Water	
		08:00 Central		X X X X X	
				Total Number of Containers	
				4	
				Special Instructions/Note:	
				extend count times to meet gross alpha MDC, if not met, please contact PM to log	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/leas/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.</p>					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 1					
Special Instructions/QC Requirements:					
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Method of Shipment:					
Empty Kit Relinquished by:					
Relinquished by: <i>Coutney</i>		Date: 6/27/25		Time: 9:08	
Relinquished by:		Date/Time:		Company: Company	
Relinquished by:		Date/Time:		Company: Company	
Relinquished by:		Date/Time:		Company: Company	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler: Temperature(s) °C and Other Remarks:	