




500 Capitol Mall • Suite 2350
Sacramento, CA • 95814
[address](#)
(415) 549-7339
[phone](#)
[labdoor.com](#)
[site](#)

SAMPLE		CERTIFICATIONS
Manufacturer Name	MyoActivo	
Product Name	Magnesium 5-Complex	
Product Lot	2407015-1	
Expiration Date	01/2028	
Sample Tested	May 2025	
Serving Size	2 Capsules	

ANALYSIS				
Tested for Accuracy PASS				
Substance Active Ingredients	Unit	Claimed	Found	Status
Magnesium	mg/serving	180	253	●

Tested for Purity PASS				
Substance Heavy Metals	Unit	Limit [†]	Found	Status
Arsenic	µg/serving	15*	Undetected	●
Cadmium	µg/serving	5*	Undetected	●
Mercury	µg/serving	15*	Undetected	●
Lead	µg/serving	5*	Undetected	●

[†]Daily Limit | *USP | **LOQ = Limit of Quantitation

Substance Microbiology	Unit	Limit	Found	Status
Total Plate Count	cfu/g	1000*	<100	●
Yeast/Mold	cfu/g	100*	<10	●
Coliforms	cfu/g	-	<10	●
E. Coli	cfu/g	-	<10	●
Staphylococcus aureus	cfu/g	-	<10	●
Salmonella	cfu/g	-	Undetected	●
Shigella	cfu/g	-	Undetected	●

*USP

● Pass ● Fail ● Greater than 120% Label Claim ● Tested; Not Used in Grading

RELEASE DATE	RELEASED BY	LABORATORY
May 15, 2025	Labdoor	Anresco

