

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

CLIENT INFORMATION

Client: Cormac Hayden
Requested On: Aug 22, 2025
Phone:
Email: cormac@live-oasis.com

Questions? For fastest assistance:
support@mytapscore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Advanced Home Water Test
Matrix: Drinking Water
Testing / Report ID: WE78NX
Testing Facility: Microbac Laboratories
Facility Location: 5680 West End Road
 Arcata, California 95521

SAMPLE INFORMATION

Collection Date: Aug 28, 2025
Collected By: Oasis
Received Date: Sep 2, 2025
Reported On: Sep 9, 2025
Sample Location: Elevate Hydrogen Water Can
Sample Address: 815 Hampton Dr, Unit 7, venice, CA
 90401, United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapscore.com

SUMMARY ANALYSIS

ANALYTE	UNIT	RESULT	METHOD	EVALUATION
pH	pH	5.7	EPA 150.1	Out of EPA Range
Total Dissolved Solids	mg/L	NOT DETECTED	SM 2510 B	
Turbidity	NTU	0.24	EPA 180.1	
Hardness (Ca,Mg)	mg/L	NOT DETECTED		
Hardness (Total)	mg/L	0.0025		
Grains per gallon	Grains	0.00015		
Alkalinity (as CaCO3)	mg/L	1.5	SM 2320 B	
Total THMs	µg/L	NOT DETECTED		

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EVALUATION
1,1,1,2 Tetrachloroethane	µg/L	NOT DETECTED	0.19	0.5	EPA 524.2	
1,1,1 Trichloroethane	µg/L	NOT DETECTED	0.24	0.5	EPA 524.2	
1,1,2,2 Tetrachloroethane	µg/L	NOT DETECTED	0.13	0.5	EPA 524.2	
1,1,2 Trichloroethane	µg/L	NOT DETECTED	0.11	0.5	EPA 524.2	
1,1 Dichloroethane	µg/L	NOT DETECTED	0.2	0.5	EPA 524.2	
1,1 Dichloroethylene	µg/L	NOT DETECTED	0.11	0.5	EPA 524.2	
1,1 Dichloropropene	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

1,2,3 Trichlorobenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
1,2,3 Trichloropropane	µg/L	NOT DETECTED	0.18	0.5	EPA 524.2	
1,2,4 Trichlorobenzene	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
1,2,4 Trimethylbenzene	µg/L	NOT DETECTED	0.14	0.5	EPA 524.2	
1,2 Dichlorobenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
1,2 Dichloroethane	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	
1,2 Dichloropropane	µg/L	NOT DETECTED	0.11	0.5	EPA 524.2	
1,3,5 Trimethylbenzene	µg/L	NOT DETECTED	0.13	0.5	EPA 524.2	
1,3 Dichlorobenzene	µg/L	NOT DETECTED	0.11	0.5	EPA 524.2	
1,3 Dichloropropane	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
1,4 Dichlorobenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
2,2 Dichloropropane	µg/L	NOT DETECTED	0.19	0.5	EPA 524.2	
Aluminum	mg/L	NOT DETECTED	0.046	0.05	EPA 200.7	
Antimony	mg/L	NOT DETECTED	0.0027	0.005	EPA 200.8	
Arsenic	mg/L	NOT DETECTED	0.0016	0.002	EPA 200.8	
Barium	mg/L	NOT DETECTED	0.00068	0.005	EPA 200.8	
Benzene	µg/L	NOT DETECTED	0.21	0.5	EPA 524.2	
Beryllium	mg/L	NOT DETECTED	0.00013	0.001	EPA 200.8	
Bicarbonate	mg/L	1.95			Bicarbonate	
Boron	mg/L	NOT DETECTED	0.0076	0.02	EPA 200.7	
Bromobenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
Bromochloromethane	µg/L	NOT DETECTED	0.2	0.5	EPA 524.2	
Bromodichloromethane	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
Bromoform	µg/L	NOT DETECTED	0.17	0.5	EPA 524.2	
Bromomethane	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	
Cadmium	mg/L	NOT DETECTED	0.00011	0.001	EPA 200.8	
Calcium	mg/L	NOT DETECTED	0.16	1	EPA 200.7	
Carbonate	mg/L	4.5E-5			Carbonate	
Carbon Tetrachloride	µg/L	NOT DETECTED	0.21	0.5	EPA 524.2	
Chloride	mg/L	NOT DETECTED	0.14	0.5	EPA 300.0	
Chloride-to-Sulfate Mass Ratio		NOT DETECTED			CSMR	
Chlorobenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
Chloroethane	µg/L	NOT DETECTED	0.29	0.5	EPA 524.2	
Chloroform	µg/L	NOT DETECTED	0.2	0.5	EPA 524.2	
Chloromethane	µg/L	NOT DETECTED	0.25	0.5	EPA 524.2	
Chlorotoluene 2	µg/L	NOT DETECTED	0.18	0.5	EPA 524.2	
Chlorotoluene 4	µg/L	NOT DETECTED	0.17	0.5	EPA 524.2	
Chromium (Total)	mg/L	NOT DETECTED	0.002	0.005	EPA 200.8	
cis 1,2 Dichloroethylene	µg/L	NOT DETECTED	0.24	0.5	EPA 524.2	
cis 1,3 Dichloropropene	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
Cobalt	mg/L	NOT DETECTED	0.00031	0.005	EPA 200.8	
Copper	mg/L	0.0016	0.0013	0.005	EPA 200.8	< HGL
Dibromochloromethane	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
Dibromochloropropane	µg/L	NOT DETECTED	0.074	0.2	EPA 524.2	
Dibromomethane	µg/L	NOT DETECTED	0.18	0.5	EPA 524.2	

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Dichlorodifluoromethane	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
Dichloromethane	µg/L	NOT DETECTED	0.21	0.5	EPA 524.2	
E. coli	P/A	NOT DETECTED			SM 9223B	
Ethylbenzene	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
Ethylene dibromide	µg/L	NOT DETECTED	0.0097	0.05	EPA 524.2	
Fluoride	mg/L	NOT DETECTED	0.058	0.1	EPA 300.0	
Hexachlorobutadiene	µg/L	NOT DETECTED	0.21	0.5	EPA 524.2	
Iron	mg/L	NOT DETECTED	0.011	0.05	EPA 200.7	
Isopropylbenzene	µg/L	NOT DETECTED	0.13	0.5	EPA 524.2	
Lead	mg/L	NOT DETECTED	0.00043	0.001	EPA 200.8	
Lithium	mg/L	NOT DETECTED	0.0029	0.05	EPA 200.7	
Magnesium	mg/L	NOT DETECTED	0.0058	0.1	EPA 200.7	
Manganese	mg/L	NOT DETECTED	0.0018	0.005	EPA 200.8	
Mercury	mg/L	NOT DETECTED	0.0001	0.001	EPA 200.8	
Methyl Tertiary Butyl Ether	µg/L	NOT DETECTED	0.17	3	EPA 524.2	
Molybdenum	mg/L	NOT DETECTED	0.002	0.005	EPA 200.8	
m,p Xylene	µg/L	NOT DETECTED	0.3	0.5	EPA 524.2	
Naphthalene	µg/L	NOT DETECTED	0.17	0.5	EPA 524.2	
n Butylbenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
Nickel	mg/L	NOT DETECTED	0.00079	0.005	EPA 200.8	
Nitrate (as N)	mg/L	NOT DETECTED	0.05	0.1	EPA 300.0	
Nitrite (as N)	mg/L	NOT DETECTED	0.044	0.1	EPA 300.0	
n Propylbenzene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
o Xylene	µg/L	NOT DETECTED	0.14	0.5	EPA 524.2	
Phosphorus	mg/L	NOT DETECTED	0.01	0.02	EPA 200.7	
p Isopropyltoluene	µg/L	NOT DETECTED	0.15	0.5	EPA 524.2	
Potassium	mg/L	NOT DETECTED	0.18	1	EPA 200.7	
sec Butylbenzene	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
Selenium	mg/L	0.0046	0.0044	0.005	EPA 200.8	< HGL
Silica	mg/L	NOT DETECTED	0.075	0.11	EPA 200.7	
Silver	mg/L	NOT DETECTED	0.00063	0.001	EPA 200.8	
Sodium	mg/L	NOT DETECTED	0.12	1	EPA 200.7	
Specific Conductivity	umhos/cm	10	1.77	1	SM 2510 B	
Strontium	mg/L	NOT DETECTED	0.00011	0.001	EPA 200.7	
Styrene	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
Sulfate	mg/L	NOT DETECTED	0.5	1	EPA 300.0	
tert Butylbenzene	µg/L	NOT DETECTED	0.12	0.5	EPA 524.2	
Tetrachloroethylene	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
Thallium	mg/L	NOT DETECTED	0.00012	0.001	EPA 200.8	
Tin	mg/L	NOT DETECTED	0.00063	0.005	EPA 200.8	
Titanium	mg/L	NOT DETECTED	0.00061	0.005	EPA 200.7	
Toluene	µg/L	NOT DETECTED	0.17	0.5	EPA 524.2	
Total Coliform	P/A	NOT DETECTED			SM 9223B	
trans 1,3 Dichloropropene	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2	
Trichloroethylene	µg/L	NOT DETECTED	0.26	0.5	EPA 524.2	

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Trichlorofluoromethane	µg/L	NOT DETECTED	0.23	0.5	EPA 524.2
Uranium	mg/L	NOT DETECTED	0.00014	0.001	EPA 200.8
Vanadium	mg/L	NOT DETECTED	0.00053	0.005	EPA 200.8
Vinyl Chloride	µg/L	NOT DETECTED	0.16	0.5	EPA 524.2
Zinc	mg/L	NOT DETECTED	0.0043	0.005	EPA 200.7

How To Read Your SimpleLab PDF Report

Your results are being evaluated with the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

How To Read Your SimpleLab PDF Report

Your results are being evaluated with the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team are configured to measure.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

gosimplelab.com/signin