

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: (1265) Water Quality Manager
Wilderness Asset Holdings, LLC
1593 Wilderness Road
Bland, Virginia 24315

Generated 3/16/2026 9:21:45 PM

JOB DESCRIPTION

Wilderness Asset - Bland - 1265-343 [PFAS]
Sparkling FP

JOB NUMBER

380-199337-2

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
3/16/2026 9:21:45 PM

Authorized for release by
Michelle Do, Project Manager
Michelle.Do@et.eurofinsus.com
(626)386-1102

Case Narrative

Client: Wilderness Asset Holdings, LLC
Project: 1265-343 [PFAS]

Job ID: 380-199337-2

Job ID: 380-199337-2

Eurofins Pomona

Job Narrative 380-199337-2

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 2/20/2026 10:14 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 16.8°C.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Sample Summary

Client: Wilderness Asset Holdings, LLC
Project/Site: 1265-343 [PFAS]

SDG: Wilderness Asset - Bland -

Job ID: 380-199337-2
Sparkling FP

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>	<u>Sample Origin</u>	
380-199337-1	1265-343	Sparkling FP	Bottled Water	02/06/26 06:33	02/20/26 10:14	Virginia

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Client Sample Results

Client: Wilderness Asset Holdings, LLC
 Project/Site: 1265-343 [PFAS]

Job ID: 380-199337-2
 Sparkling FP
 SDG: Wilderness Asset - Bland -

Client Sample ID: 1265-343

Sparkling FP

Lab Sample ID: 380-199337-1

Date Collected: 02/06/26 06:33

Matrix: Bottled Water

Date Received: 02/20/26 10:14

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorooctanesulfonic acid (PFOS)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluoroundecanoic acid (PFUnA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorohexanoic acid (PFHxA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorododecanoic acid (PFDoA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorooctanoic acid (PFOA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorodecanoic acid (PFDA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorobutanesulfonic acid (PFBS)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluoroheptanoic acid (PFHpA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorononanoic acid (PFNA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorotetradecanoic acid (PFTA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
Perfluorotridecanoic acid (PFTrDA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
9-Chlorohexadecafluoro-3-oxanonane-sulfonic acid(9Cl-PF3ONS)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0		ng/L		02/25/26 15:38	1	M7ML

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
d5-NEtFOSAA	105		70 - 130	02/25/26 15:38	1	M7ML
13C2 PFHxA	104		70 - 130	02/25/26 15:38	1	M7ML
13C2 PFDA	102		70 - 130	02/25/26 15:38	1	M7ML
13C3-GenX	104		70 - 130	02/25/26 15:38	1	M7ML

Action Limit Summary

Client: Wilderness Asset Holdings, LLC
Project/Site: 1265-343 [PFAS]

Job ID: 380-199337-2
SDG: Wilderness Asset - Bland - Sparkling FP

Client Sample ID: 1265-343

Sparkling FP

Lab Sample ID: 380-199337-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	ND		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	ND		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	ND		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	ND		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Accreditation/Certification and Definitions Summary

Client: Wilderness Asset Holdings, LLC
 Project/Site: 1265-343 [PFAS]

SDG: Wilderness Asset - Bland -

Job ID: 380-199337-2
 Sparkling FP

Laboratory: Eurofins Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-27
Alabama	State	41060	06-18-26
Arizona	State	AZ0833	02-26-26
Arkansas (DW)	State	CA00006	01-31-27
California	State	2813	03-04-26
Colorado	State	CA00006	01-31-27
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-27
Florida	NELAP	E871024	06-30-26
Georgia (DW)	State	947	01-31-26 *
Guam	State	25-02R	03-31-26
Hawaii	State	CA00006	01-31-26 *
Hawaii (Micro)	State	CA00006	01-31-27
Idaho (DW)	State	CA00006	01-31-27
Idaho (Micro)	State	CA00006	03-31-26
Illinois	NELAP	200033	03-02-26
Indiana	State	C-CA-01	06-18-27
Kansas	NELAP	E-10268	04-30-26
Kentucky (DW)	State	KY90107	12-31-26
Louisiana (DW)	State	LA008	12-31-26
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-10-26
Massachusetts	State	M-CA006	06-30-26
MI - RadChem Recognition	State	9906	03-17-26
Michigan	State	9906	03-17-26
Mississippi	State	CA00006	03-09-26
Montana (DW)	State	CERT0035	01-01-27
Nebraska	State	NE-OS-21-13	01-31-27
Nevada	State	CA00006	07-31-26
New Hampshire	NELAP	2959	03-29-26
New Jersey	NELAP	CA008	06-30-26
New Mexico	State	CA00006	01-31-27
New York	NELAP	11320	04-01-26
North Carolina (DW)	State	06701	07-31-26
North Dakota	State	R-009	01-31-26 *
Northern Mariana Islands (DW)	State	CA00006	01-31-27
Ohio	State	87786	01-31-27
Oregon	NELAP	4034	01-29-27
Pennsylvania	NELAP	68-00565	10-31-26
Puerto Rico	State	CA00006	03-03-26
Rhode Island	State	LAO00381	12-30-26
South Dakota (DW)	State	CA11320	06-18-27
Tennessee	State	TN02839	06-18-26
Texas	NELAP	T104704230	09-30-26
Utah	NELAP	CA00006	01-31-27
Vermont	State	VT-0114	01-22-27
Virginia	NELAP	460260	06-14-26
Washington	State	C838	03-11-26
Wyoming	State	8-TMS-L	06-18-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification and Definitions Summary

Client: Wilderness Asset Holdings, LLC
Project/Site: 1265-343 [PFAS]

SDG: Wilderness Asset - Bland -

Job ID: 380-199337-2
Sparkling FP

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.