



Corporate Headquarters  
6571 Wilson Mills Road  
Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 55 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (7 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (6 pages)
- Pace Analytical Services, Inc.- Greensburg, PA (18 pages)
- EMSL Analytical, Inc. (1 page)
- Eurofins Eaton Analytical, Inc. (8 pages)
- Pace Analytical Services, LLC – East Longmeadow, MA (14 pages)

NELAP accredited #E87753



**ANALYTICAL REPORTS**

**SAMPLE CODE: 478978**

**5/30/2025**

**Customer:** Tribeca Beverages  
 Michael Zonin  
 23 Carol St  
 Clifton, NJ 07014

**Source:** Indian Spring  
**Source Type:** Spring Water  
**Brand Name:** Tribeca Spring Water  
**Production Code:** 032725-S  
**Container Size:** 5 Gallon

**Date/Time Received:** 3/28/2025 09:30

**Collected by:** M. Zonin

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

**"ND"** This contaminant was not detected at or above our lower reporting limit (LRL)

**"NA"** Not Analyzed

**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

**"DF"** This column indicates the contaminant dilution factor.

**Report Notes:**

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	4/22/2025 16:12		5/29/2025
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	4/22/2025 16:12		4/29/2025
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	4/22/2025 16:12		4/29/2025
1010	Barium	200.7	2	mg/L	0.10	ND	1	4/22/2025 16:12		5/29/2025
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	4/22/2025 16:12		5/29/2025
1079	Boron	200.7	--	mg/L	0.10	ND	1	4/22/2025 16:12		5/29/2025
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	4/22/2025 16:12		5/29/2025
1016	Calcium	200.7	--	mg/L	2.0	13.0	1	4/22/2025 16:12		5/29/2025
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	4/22/2025 16:12		5/29/2025
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	4/22/2025 16:12		5/29/2025
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	4/22/2025 16:12		5/29/2025
1030	Lead	200.8	0.010	mg/L	0.001	ND	1	4/22/2025 16:12		4/29/2025
1031	Magnesium	200.7	--	mg/L	0.10	2.80	1	4/22/2025 16:12		5/29/2025
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	4/22/2025 16:12		5/29/2025
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	4/22/2025 16:12		4/29/2025
1036	Nickel	200.7	--	mg/L	0.005	ND	1	4/22/2025 16:12		5/29/2025
1042	Potassium	200.7	--	mg/L	1.0	ND	1	4/22/2025 16:12		5/29/2025
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	4/22/2025 16:12		4/29/2025
1049	Silica	200.7	--	mg/L	0.05	6.00	1	4/22/2025 16:12		5/29/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 478978

5/30/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
1050	Silver	200.7	0.10	mg/L	0.002	ND	1	4/22/2025 16:12		5/29/2025
1052	Sodium	200.7	--	mg/L	1	12	1	4/22/2025 16:12		5/29/2025
1085	Thallium	200.8	0.002	mg/L	0.001	ND	1	4/22/2025 16:12		4/29/2025
4006	Uranium	200.8	0.030	mg/L	0.001	ND	1	4/22/2025 16:12		4/29/2025
1095	Zinc	200.7	5.000	mg/L	0.004	ND	1	4/22/2025 16:12		5/29/2025
<b>Physical Factors</b>										
1927	Alkalinity (Total as CaCO <sub>3</sub> )	2320B	--	mg/L	20	42	1	4/22/2025 16:12		4/28/2025
1905	Apparent Color	2120B	15	CU	3	ND	1	4/22/2025 16:12		4/23/2025 16:30
1910	Corrosivity	2330B	--	SI		-1.86 R <sub>2</sub>	1	4/22/2025 16:12		5/29/2025
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	1	4/22/2025 16:12		4/23/2025 12:55
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole										
1915	Hardness	2340B	--	mg/L	5.0	44	1	4/22/2025 16:12		5/29/2025
1920	Odor Temperature	2150B	--	Deg, C		18	1	4/22/2025 16:12		4/23/2025 13:00
1920	Odor Threshold	2150B	3	ton	1	ND	1	4/22/2025 16:12		4/23/2025 13:00
1925	pH	150.1	6.5-8.5	pH Units		6.8	1	4/22/2025 16:12		4/23/2025 15:50
4254	pH Temperature	150.1	--	Deg, C		22	1	4/22/2025 16:12		4/23/2025 15:50
1064	Specific Cond. @ 25 deg. C	2510B	--	umhos/cm	1	160	1	4/22/2025 16:12		4/28/2025
1930	Total Dissolved Solids	2540C	500	mg/L	5	84	1	4/22/2025 16:12		4/24/2025
0100	Turbidity	2130B	1	NTU	0.1	0.1	1	4/22/2025 16:12		4/23/2025 16:10
<b>Inorganic Analytes - Other</b>										
1011	Bromate	300.1	0.010	mg/L	0.005	ND	1	4/22/2025 16:12		5/1/2025
1004	Bromide	300.1	--	mg/L	0.005	0.012	1	4/22/2025 16:12		5/1/2025
1006	Chloramine as Cl <sub>2</sub>	4500Cl-G	4.0	mg/L	0.05	ND	1	4/22/2025 16:12		4/28/2025 14:19
1017	Chloride	300.0	250	mg/L	1.0	17.0	1	4/22/2025 16:12		4/23/2025 13:04
1012	Chlorine as Cl <sub>2</sub>	4500Cl-G	4.0	mg/L	0.05	ND	1	4/22/2025 16:12		4/28/2025 14:16
1008	Chlorine Dioxide as ClO <sub>2</sub>	4500ClO <sub>2</sub> D	0.8	mg/L	0.1	ND	1	4/22/2025 16:12		4/28/2025 14:24
1009	Chlorite	300.1	1.0	mg/L	0.005	ND	1	4/22/2025 16:12		5/1/2025
1025	Fluoride	300.0	4.0	mg/L	0.10	ND	1	4/22/2025 16:12		4/23/2025 13:04
1040	Nitrate as N	300.0	10	mg/L	0.05	0.74	1	4/22/2025 16:12		4/23/2025 13:04
1041	Nitrite as N	300.0	1	mg/L	0.05	ND	1	4/22/2025 16:12		4/23/2025 13:04
1044	Ortho Phosphate	300.0	--	mg/L	2.0	ND	1	4/22/2025 16:12		4/23/2025 13:04
1055	Sulfate	300.0	250	mg/L	5.0	7.4	1	4/22/2025 16:12		4/23/2025 13:04
<b>Organic Analytes - Trihalomethanes</b>										
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

**SAMPLE CODE: 478978**

**5/30/2025**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Organic Analytes - Haloacetic Acids</b>										
2454	Dibromoacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2451	Dichloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2453	Monobromoacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2450	Monochloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2452	Trichloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2456	Total HAAs	552.2 HAAs 60		ug/L	1.0	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
<b>Organic Analytes - Volatiles</b>										
2986	1,1,1,2-Tetrachloroethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2981	1,1,1-Trichloroethane	524.2 0.2		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2988	1,1,2,2-Tetrachloroethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2985	1,1,2-Trichloroethane	524.2 0.005		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2978	1,1-Dichloroethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2977	1,1-Dichloroethene	524.2 0.007		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2410	1,1-Dichloropropene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2420	1,2,3-Trichlorobenzene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2414	1,2,3-Trichloropropane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2378	1,2,4-Trichlorobenzene	524.2 0.07		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2418	1,2,4-Trimethylbenzene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2968	1,2-Dichlorobenzene	524.2 0.6		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2980	1,2-Dichloroethane	524.2 0.005		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2983	1,2-Dichloropropane	524.2 0.005		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2424	1,3,5-Trimethylbenzene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2967	1,3-Dichlorobenzene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2412	1,3-Dichloropropane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2969	1,4-Dichlorobenzene	524.2 0.075		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2416	2,2-Dichloropropane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2965	2-Chlorotoluene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2966	4-Chlorotoluene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2030	4-Isopropyltoluene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2990	Benzene	524.2 0.005		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2993	Bromobenzene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2430	Bromochloromethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2214	Bromomethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2982	Carbon Tetrachloride	524.2 0.005		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2989	Chlorobenzene	524.2 0.1		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2216	Chloroethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2210	Chloromethane	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2380	cis-1,2-Dichloroethene	524.2 0.07		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2228	cis-1,3-Dichloropropene	524.2 --		mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 478978

5/30/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2247	Methyl-Ethyl Ketone	524.2	--	mg/L	0.005	ND	R2 1	4/22/2025 16:12		4/30/2025
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2963	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	1	4/22/2025 16:12		4/30/2025
Due to the limitation of EPA Method 524.2, p and m isomers of Xylene are reported as aggregate.										
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	4/22/2025 16:12		4/30/2025
<b>Organic Analytes - Others</b>										
2414	1,2,3-Trichloropropane	504.1	0.00003	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2066	3-Hydroxycarbofuran	531.2	--	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2051	Alachlor	525.2	2	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2356	Aldrin	505	--	mg/L	0.00007	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2050	Atrazine	525.2	3	ug/L	0.1	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2625	Bentazon	515.4	--	ug/L	1	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.02	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2076	Butachlor	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 478978

5/30/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2021	Carbaryl	531.2	--	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2031	Dalapon	515.4	200	ug/L	1	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2440	Dicamba	515.4	--	ug/L	1	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2933	Dichloran	505	--	mg/L	0.001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2070	Dieldrin	505	--	mg/L	0.00002	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2032	Diquat	549.2	20	ug/L	0.4	ND	1	4/22/2025 16:12	4/29/2025	4/30/2025
2033	Endothall	548.1	100	ug/L	9	ND	1	4/22/2025 16:12	4/28/2025	5/9/2025
2005	Endrin	505	0.002	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2034	Glyphosate	547	700	ug/L	6	ND	1	4/22/2025 16:12		4/29/2025
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2010	Lindane	505	0.0002	mg/L	0.00002	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2022	Methomyl	531.2	--	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2045	Metolachlor	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2595	Metribuzin	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2626	Molinate	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2036	Oxamyl	531.2	200	ug/L	1.0	ND	1	4/22/2025 16:12		4/30/2025
2934	Pentachloronitrobenzene	505	--	mg/L	0.0001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2040	Picloram	515.4	500	ug/L	0.1	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2077	Propachlor	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND	1	4/22/2025 16:12	4/24/2025	4/29/2025
2037	Simazine	525.2	4	ug/L	0.07	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2627	Thiobencarb	525.2	--	ug/L	0.2	ND	1	4/22/2025 16:12	5/1/2025	5/23/2025
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2910	Total Phenols	420.4	--	mg/L	0.001	ND	R2 1	4/22/2025 16:12		4/23/2025
2020	Toxaphene	505	0.003	mg/L	0.001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025
2055	Trifluralin	505	--	mg/L	0.001	ND	1	4/22/2025 16:12	4/28/2025	4/28/2025

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

**National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 478978**

**5/30/2025**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	----------------	----	-------------------	--------------	--------------------



Christine MacMillan, Technical Director

Analyst	Tests
ZSC	200.7,2330B,2340B
DMJ	200.8
SP	2320B,2120B,5540C,2150B,150.1,2510B,2130B
CF	2540C
SG	300.1,300.0
DHG	4500CI-G,4500CI02D,420.4
SB	524.2 THMs,524.2,547
BNF	552.2 HAAs,504.1,515.4,505
JB	531.2
JLF	525.2,548.1
JF	549.2

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

**ANALYTICAL REPORTS**

**SAMPLE CODE: 478977**

**5/30/2025**

**Customer:** Tribeca Beverages  
 Michael Zonin  
 23 Carol St  
 Clifton, NJ 07014

**Source:** Indian Spring  
**Source Type:** Spring Water  
**Brand Name:** Tribeca Spring Water  
**Production Code:** 032725-S  
**Container Size:** 5 Gallon

**Date/Time Received:** 3/28/2025 09:30

**Collected by:** M. Zonin

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

**"ND"** This contaminant was not detected at or above our lower reporting limit (LRL)

**"NA"** Not Analyzed

**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.


**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

**"DF"** This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Microbiologicals</b>										
3114	E. Coli	9223B	1	MPN/100 mL	1	ND	1	4/22/2025 16:12		4/22/2025 17:38
3000	Total Coliform	9223B	1	MPN/100 mL	1	ND	1	4/22/2025 16:12		4/22/2025 17:38

Analyst	Tests
GK	9223B



Sarah Buchanan, Project Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

**Report Prepared for:**

National Laboratories  
National Testing Laboratories  
6571 Wilson Mills Road  
Cleveland OH 44143

**REPORT OF  
LABORATORY  
ANALYSIS FOR  
2,3,7,8-TCDD**

**Report Summary:**

Enclosed are analytical results of one drinking water sample analyzed for 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613B by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

The results reported for this sample and the associated quality control samples were all within the criteria described in Method 1613B. If you have any questions or concerns regarding these results, please contact Joanne Richardson, your Pace Project Manager.

**Pace Project Number:**

10732104


**Report Prepared Date:**

May 5, 2025

**Finished Product**

Sample ID: 478978  
Source Name: Indian Spring  
Source Location: Pine Bush  
PWS ID: N/A  
Date & Time Opened: N/A  
Opened By:  
Laboratory Sample ID: 10732104001  
Date Sampled: 04/22/2025 @ 16:12  
Date Received: 04/24/2025 @ 09:35

**This report has been reviewed by:**



May 05, 2025

Joanne Richardson, Project Manager  
(612) 607-6453  
(612) 607-6444 (fax)



**Report of Laboratory Analysis**

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



Pace Analytical Services, LLC  
 1700 Elm Street SE  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444  
 www.pacelabs.com

## Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Missouri	10100
Alaska-DW	MN00064	Montana	CERT0092
Alaska-UST	17-009	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN00064
Arkansas - WW	88-0680	New Hampshire	2081
Arkansas-DW	MN00064	New Jersey	MN002
California	2929	New York	11647
Colorado	MN00064	North Carolina-DW	27700
Connecticut	PH-0256	North Carolina-WW	530
Florida	E87605	North Dakota	R-036
Georgia	959	Ohio-DW	41244
Hawaii	MN00064	Ohio-VAP (1700)	CL101
Idaho	MN00064	Ohio-VAP (1800)	CL110
Illinois	200011	Oklahoma	9507
Indiana	C-MN-01	Oregon-Primary	MN300001
Iowa	368	Oregon-Secondary	MN200001
Kansas	E-10167	Pennsylvania	68-00563
Kentucky-DW	90062	Puerto Rico	MN00064
Kentucky-WW	90062	South Carolina	74003
Louisiana-DEQ	AI-84596	Tennessee	TN02818
Louisiana-DW	MN00064	Texas	T104704192
Maine	MN00064	Utah	MN00064
Maryland	322	Vermont	VT-027053137
Michigan	9909	Virginia	460163
Minnesota	027-053-137	Washington	C486
Minnesota-Ag	via MN 027-053-137	West Virginia-DEP	382
Minnesota-Petrofund	1240	West Virginia-DW	9952C
		Wisconsin	999407970
		Wyoming-UST	via A2LA 2926.01

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**Pace Analytical Services, LLC**  
1700 Elm Street, Suite 200  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444  
www.pacelabs.com

## Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**NZ National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3350

**Beverage - Finished Product**

Order Number: 2261156

Order Date: 3/25/2025

Sample Number:

Product: FDATABASE GDRX & PFAS **478978**

Paid: No Method: P.O.:

TSR: SBV

Clifton

NJ 07014

If this product is submitted to laboratory containing, complete the following information:

Date Opened: \_\_\_/\_\_\_/\_\_\_ Time Opened: \_\_\_:\_\_\_:\_\_\_

AM  PM

Check Time Zone:  EST  CST  MST  PST

PWS ID# (if applicable):

Source Type:  Spring  Well  Municipal  
 Other

Source Name: Indian Spring  
(Source information is REQUIRED for All Finished Products)

City/State: Pine Bush NY 4/2/25  
(If Different than Above)

Product Collected By: [Signature]  
(Signature)

Product Collected By: Michael Zwin  
Please Print

Brand Name/Product Type: Tribeca Spring Water  
e.g., XYZ Spring Water or XYZ Distilled Water

Container Size: 5 GAL.

Production Code/Lot Number: 032725 - 5

Form Completed By: Michael Zwin

Additional Comments:

**For Laboratory Use ONLY**

Lab Accounting Information

Payment \$: \_\_\_\_\_

Check #: \_\_\_\_\_

Lab Comments/Special Instructions:

Spring Product:

Dixie

State Forms: NY

---

Lab Sample Information:

Date Received: 03/28/2025

Time Received: 09:30

Received By: AB

Date Opened: 04/22/2025

Time Opened: 11:12

Opened By: A. Bonemier

Sample receipt criteria checked & acceptable

Deviations from acceptable sample receipt criteria noted on PWS form

**RECEIVED**

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.7 LITERS, PLEASE PROVIDE THE FOLLOWING:

Penn. PWS ID#: \_\_\_\_\_

Location: \_\_\_\_\_

Rev. SRT 10/2/20 - INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

# ENV-FRM-MIN4-0150 v19 Sample Condition Upon Receipt

Person Examining & Date: AR 9/24/25

PROJECT #:

WO#: **10732104**

PM: JMR

Due Date: 05/08/25

CLIENT: NTL

Client Name: National Testing Labs

Custody Seal Present:  YES  NO

Seals Intact:  YES  NO

Tracking Number: 12 ANV 931 01 7536-4897

See Exceptions form ENV-FRM-MIN4-0142.

Courier:  Client  Commercial  FedEx  Pace Courier/Field  SpeedDee  UPS  USPS

Packing Material:  Bubble Bags  Bubble Wrap  None  Other: plastic bag Biological Tissue Frozen:  YES  NO

Thermometer:  T1 (0461)  T2 (0431)  T3 (0459)  T4 (0402)  T5 (0187)  T6 (0396)  T7 (0377)  T8 (0775)  T9 (0428)  01339252 (0710)

Type of Ice:  Blue  Dry  Wet  Melted  None

Temp Blank:  YES  NO

NOTE: Temp should be  $\leq 6^{\circ}\text{C}$ , but above freezing.

Read Temp w/Temp Blank: 5.3 °C

Correction Factor: -0.5

Corrected Temp w/Temp Blank: 4.8 °C

Did Samples Originate in West Virginia:  YES  NO (list temps on exception)

Were All Container Temps Taken:  YES  NO  N/A

Average Corrected Temp (No Temp Blank Only):

See Exceptions form ENV-FRM-MIN4-0142.

1 Container

USDA Regulated Soil:  N/A - Water Sample/Other (describe): AR 9/24/25

Did Samples originate from one of the following states (check maps):  YES  NO

Circle State: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, VA

Are samples from a foreign source (international, including Hawaii and Puerto Rico):  YES  NO

NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

LOCATION (check one):	<input type="checkbox"/> DULUTH	<input checked="" type="checkbox"/> MINNEAPOLIS	<input type="checkbox"/> VIRGINIA	YES	NO	N/A	COMMENT(S)
Chain of Custody Present and Filled Out? (i.e., Analysis/ID/Date/Time)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.
If Fecal: <input type="checkbox"/> <8 hrs <input type="checkbox"/> >8 hr but <24 hr <input type="checkbox"/> >24 hr	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. <input type="checkbox"/> BOD / cBOD <input type="checkbox"/> Fecal coliform <input type="checkbox"/> Hex Chrom <input type="checkbox"/> HPC <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Ortho Phos <input type="checkbox"/> Total coliform/E. coli <input type="checkbox"/> Turbidity <input type="checkbox"/> Other: _____
Short Hold Time Analysis (<72 hr)?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. <input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 5 Day Due Date: _____
Rush Turn Around Time Requested?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7.
Sufficient Sample Volume? (If NO, list approximate volume in section 7.)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
Correct Containers Used?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
Containers Intact?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.
Field Filtered Volume Received for Dissolved Tests?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Is sediment visible in the dissolved container: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
ID/Date/Time Match? (If NO, fill out section 11.)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12. <input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0142
Matrix: <input type="checkbox"/> Oil <input type="checkbox"/> Soil <input checked="" type="checkbox"/> Water <input type="checkbox"/> Other	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
All containers needing acid/base preservation have been checked?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Sample #:  HNO3  H2SO4  NaOH  Zinc Acetate

pH Paper Lot #:  Residual Chlorine  0-6 Roll  0-6 Strip  0-14 Strip

Positive for Residual Chlorine (NaOH containers only):  YES  NO

Preserved containers in compliance with EPA recommendations? (HNO3, H2SO4, < 2 pH, NaOH > 9 Sulfide, NaOH > 10 Cyanide)  YES  NO  See Exceptions form ENV-FRM-MIN4-0142.

EXCEPTIONS (water only): VOA, Coliform, TOC/DOC, Oil & Grease, Phenols, DRO/8015, Dioxins, and PFAS  YES  NO

Extra labels present on soil VOA or WIDRO containers? (soil only)  YES  NO

Headspace in Methyl Mercury Container?  YES  NO

Headspace in VOA Vials (greater than 6mm)?  YES  NO  See Exceptions form ENV-FRM-MIN4-0140

Trip Blanks Present?  YES  NO

Trip Blank Custody Seals Present?  YES  NO

Pace Trip Blank Lot # (if purchased):

CLIENT NOTIFICATION / RESOLUTION:

Labeled By: AR Line: 3

Person Contacted & Date/Time:

PM Review & Date: Joanne Richardson 4-24-25

NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office.



**Drinking Water Analysis Results**  
**2,3,7,8-TCDD -- USEPA Method 1613B**

Sample ID.....478978 Date Collected.....04/22/2025 Spike.....200 pg  
Client..... National Testing Laborato Date Received.....04/24/2025 IS Spike.....2000 pg  
Lab Sample ID..... 10732104001 Date Extracted.....04/25/2025 CS Spike.....200 pg

	Sample 478978	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND	--	--
LOQ	5.0 pg/L	5.0 pg/L	--	--
2,3,7,8-TCDD Recovery	--	--	102%	103%
pg Recovered	--	--	203pg/L	207pg/L
Spike Recovery Limit	--	--	73-146%	73-146%
RPD				1.6%
IS Recovery	61%	100%	87%	85%
pg Recovered	1224 pg/L	2008 pg/L	1749 pg/L	1708 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	83%	96%	95%	90%
pg Recovered	166 pg/L	191 pg/L	190 pg/L	180 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	E250430B_19	E250430A_05	E250430A_03	E250430A_04
Analysis Date	04/30/2025	04/29/2025	04/29/2025	04/29/2025
Analysis Time	20:43	22:39	21:35	22:07
Analyst	JF	SMT	SMT	SMT
Volume	0.978L	0.995L	1.014L	0.988L
Dilution	NA	NA	NA	NA
ICAL Date	03/20/2025	03/20/2025	03/20/2025	03/20/2025
CCAL Filename	E250430B_01	E250430A_01	E250430A_01	E250430A_01

- ! = Outside the Control Limits
- ND = Not Detected
- LOQ = Limit of Quantitation
- Limits = Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A
- RPD = Relative Percent Difference of Lab Spike Recoveries
- IS = Internal Standard [2,3,7,8-TCDD-<sup>13</sup>C<sub>12</sub>]
- CS = Cleanup Standard [2,3,7,8-TCDD-<sup>37</sup>Cl<sub>4</sub>]

Analyst: 

Project No.....10732104



May 14, 2025

Reports  
National Testing Laboratories, Ltd.  
6571 Wilson Mills Road  
Cleveland, OH 44143

RE: Project: 2261156  
Pace Project No.: 30774116

Dear Reports:

Enclosed are the analytical results for sample(s) received by the laboratory on April 24, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carla Cmar  
carla.cmar@pacelabs.com  
(724)850-5600  
Project Manager

Enclosures

cc: Suzette Berlet-Walker, Suzette Berlet-Walker  
NTL Invoice, National Testing Laboratories, Ltd.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 2261156  
Pace Project No.: 30774116

---

### Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
ANAB DOD-ELAP Rad Accreditation #: L2417  
ANABISO/IEC 17025:2017 Rad Cert#: L24170  
Alabama Certification #: 41590  
Arizona Certification #: AZ0734  
Arkansas Certification  
California Certification #: 2950  
Colorado Certification #: PA01547  
Connecticut Certification #: PH-0694  
EPA Region 4 DW Rad  
Florida/TNI Certification #: E87683  
Georgia Certification #: C040  
Guam Certification  
Hawaii Certification  
Idaho Certification  
Illinois Certification  
Indiana Certification  
Iowa Certification #: 391  
Kansas Certification #: E-10358  
Kentucky Certification #: KY90133  
KY WW Permit #: KY0098221  
KY WW Permit #: KY0000221  
Louisiana DHH/TNI Certification #: LA010  
Louisiana DEQ/TNI Certification #: 04086  
Maine Certification #: 2023021  
Maryland Certification #: 308  
Massachusetts Certification #: M-PA1457  
Michigan/PADEP Certification #: 9991

Missouri Certification #: 235  
Montana Certification #: Cert0082  
Nebraska Certification #: NE-OS-29-14  
Nevada Certification #: PA014572023-03  
New Hampshire/TNI Certification #: 297622  
New Jersey/TNI Certification #: PA051  
New Mexico Certification #: PA01457  
New York/TNI Certification #: 10888  
North Carolina Certification #: 42706  
North Dakota Certification #: R-190  
Ohio EPA Rad Approval: #41249  
Oregon/TNI Certification #: PA200002-015  
Pennsylvania/TNI Certification #: 65-00282  
Puerto Rico Certification #: PA01457  
Rhode Island Certification #: 65-00282  
South Dakota Certification  
Tennessee Certification #: TN02867  
Texas/TNI Certification #: T104704188-22-18  
Utah/TNI Certification #: PA014572223-14  
USDA Soil Permit #: 525-23-67-77263  
Vermont Dept. of Health: ID# VT-0282  
Virgin Island/PADEP Certification  
Virginia/VELAP Certification #: 460198  
Washington Certification #: C868  
West Virginia DEP Certification #: 143  
West Virginia DHHR Certification #: 9964C  
Wisconsin Approve List for Rad

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 2261156  
Pace Project No.: 30774116

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30774116001	478978	Drinking Water	04/22/25 16:12	04/24/25 10:10

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 2261156  
Pace Project No.: 30774116

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30774116001	478978	SM 7500RnB-1996	CS2	1	PASI-PA
		EPA 900.0	REH1	2	PASI-PA
		EPA 903.1	CLM	1	PASI-PA
		EPA 904.0	VAL	1	PASI-PA
		Total Radium Calculation	JAL	1	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 2261156  
Pace Project No.: 30774116

---

**Method:** SM 7500RnB-1996  
**Description:** 7500RnB Radon  
**Client:** National Testing Laboratories, Ltd.  
**Date:** May 14, 2025

### General Information:

1 sample was analyzed for SM 7500RnB-1996 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 2261156  
Pace Project No.: 30774116

---

**Method:** EPA 900.0  
**Description:** 900.0 Gross Alpha/Beta  
**Client:** National Testing Laboratories, Ltd.  
**Date:** May 14, 2025

**General Information:**

1 sample was analyzed for EPA 900.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 2261156  
Pace Project No.: 30774116

---

**Method:** EPA 903.1  
**Description:** 903.1 Radium 226, DW  
**Client:** National Testing Laboratories, Ltd.  
**Date:** May 14, 2025

### General Information:

1 sample was analyzed for EPA 903.1 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 2261156  
Pace Project No.: 30774116

---

**Method:** EPA 904.0  
**Description:** 904.0 Radium 228, DW  
**Client:** National Testing Laboratories, Ltd.  
**Date:** May 14, 2025

**General Information:**

1 sample was analyzed for EPA 904.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 2261156  
Pace Project No.: 30774116

---

**Method:** Total Radium Calculation  
**Description:** Total Radium 228+226  
**Client:** National Testing Laboratories, Ltd.  
**Date:** May 14, 2025

### General Information:

1 sample was analyzed for Total Radium Calculation by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2261156  
 Pace Project No.: 30774116

**Sample: 478978**      **Lab ID: 30774116001**      Collected: 04/22/25 16:12      Received: 04/24/25 10:10      Matrix: Drinking Water  
 PWS:      Site ID:      Sample Type:

- Comments:
- The radon vials used for analysis had visible headspace; test results should be considered estimated. This is applicable to two of the three vials received.
  - FINISHED PRODUCT, Indian Spring, Pine Brush, NY
  - Tribeca Spring Water, Prod. code: 032725-S, Cont. size: 5 Gallon
  - sample opened 04/22/25 @ 16:12 by AB
  - The sampler's name and signature were not listed on the COC.
  - Sample collection dates and times were not present on the sample containers.
  - Upon receipt at the laboratory, 2.5 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH <2 for radiochemistry analysis, where the method requires preservation, in drinking water.
  - The samples were preserved pH <2 within the required 5 days of collection (EPA 815-R-05-004).

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
	Pace Analytical Services - Greensburg					
Radon	SM 7500RnB-1996	<b>0.7 ± 28.7 (50.1)</b> C:NA T:NA	pCi/L	04/25/25 07:47	10043-92-2	Rh
	Pace Analytical Services - Greensburg					
Gross Alpha	EPA 900.0	<b>-1.47 ± 0.739 (2.72)</b> C:NA T:NA	pCi/L	05/14/25 09:48	12587-46-1	
Gross Beta	EPA 900.0	<b>0.775 ± 0.737 (1.62)</b> C:NA T:NA	pCi/L	05/14/25 09:48	12587-47-2	
	Pace Analytical Services - Greensburg					
Radium-226	EPA 903.1	<b>0.270 ± 0.462 (0.811)</b> C:NA T:92%	pCi/L	05/08/25 14:15	13982-63-3	
	Pace Analytical Services - Greensburg					
Radium-228	EPA 904.0	<b>0.0298 ± 0.432 (0.990)</b> C:74% T:83%	pCi/L	05/08/25 13:48	15262-20-1	
	Pace Analytical Services - Greensburg					
Total Radium	Total Radium Calculation	<b>0.300 ± 0.894 (1.80)</b>	pCi/L	05/09/25 14:29	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2261156  
 Pace Project No.: 30774116

---

QC Batch: 741817	Analysis Method: SM 7500RnB-1996
QC Batch Method: SM 7500RnB-1996	Analysis Description: 7500Rn B Radon
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30774116001

---

METHOD BLANK: 3609963 Matrix: Water  
 Associated Lab Samples: 30774116001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radon	-1.9 ± 17.6 (31.0) C:NA T:NA	pCi/L	04/25/25 02:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2261156  
 Pace Project No.: 30774116

---

QC Batch: 741948	Analysis Method: EPA 903.1
QC Batch Method: EPA 903.1	Analysis Description: 903.1 Radium-226, DW
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30774116001

---

METHOD BLANK: 3610852 Matrix: Drinking Water

Associated Lab Samples: 30774116001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.231 ± 0.327 (0.556) C:NA T:90%	pCi/L	05/08/25 14:01	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2261156  
 Pace Project No.: 30774116

---

QC Batch: 741949	Analysis Method: EPA 904.0
QC Batch Method: EPA 904.0	Analysis Description: 904.0 Radium 228, DW
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30774116001

---

METHOD BLANK: 3610853 Matrix: Drinking Water  
 Associated Lab Samples: 30774116001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	-0.133 ± 0.286 (0.701) C:81% T:90%	pCi/L	05/08/25 13:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2261156  
 Pace Project No.: 30774116

---

QC Batch: 743297	Analysis Method: EPA 900.0
QC Batch Method: EPA 900.0	Analysis Description: 900.0 Gross Alpha/Beta
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30774116001

---

METHOD BLANK: 3617425 Matrix: Drinking Water  
 Associated Lab Samples: 30774116001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Gross Alpha	0.044 ± 0.584 (1.57) C:NA T:NA	pCi/L	05/12/25 10:13	
Gross Beta	-0.226 ± 0.638 (1.68) C:NA T:NA	pCi/L	05/12/25 10:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 2261156  
Pace Project No.: 30774116

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate  
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.  
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.  
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

Rh The radon vial used for analysis had visible headspace; test results should be considered estimated.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 2261156  
Pace Project No.: 30774116

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30774116001	478978	SM 7500RnB-1996	741817		
30774116001	478978	EPA 900.0	743297		
30774116001	478978	EPA 903.1	741948		
30774116001	478978	EPA 904.0	741949		
30774116001	478978	Total Radium Calculation	744760		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**Beverage - Finished Product**

Order Number: 2261156  
 Order Date: 3/25/2025  
 Sample Number:  
 Product: EDATABASE GDRX & PFAS 478978  
 P.O. #:  
 Method:  
 SR: SBW

**WO#: 30774116**  
 PM: CMC Due Date: 05/15/25  
 CLIENT: NTL

Clifton NJ 07014

Date Opened: \_\_\_/\_\_\_/\_\_\_ Time Opened: \_\_\_:\_\_\_:\_\_\_  
 AM  PM  
 Check Time Zone:  EST  CST  MST  PST

PWS ID# (if applicable) \_\_\_\_\_  
 Source Type:  Spring  Well  Municipal  
 Other \_\_\_\_\_  
 Source Name: Indian Spring  
(Source Information is REQUIRED for All Finished Products)  
 City/State: Pine Bush NY  
(If Different than Above)  
 Product Collected By: [Signature]  
(Signature)  
 Product Collected By: Michael Zwin  
Field Print  
 Brand Name Product Type: Tribeca Spring Water  
e.g. NYZ Spring Water or NYZ Distilled Water  
 Container Size: 5 GAL.  
 Production Model or Number: 032725 - S  
 Form Completed By: Michael Zwin  
 Additional Comments: \_\_\_\_\_

**For Laboratory Use ONLY**

Reporting Information  
 Payment \$: \_\_\_\_\_  
 Check #: \_\_\_\_\_

Lab Comments/Special Instructions:  
 Spring Product:  
Radon, Rad

State Forms:  
 NY

Lab Sample Information:  
 Date Received: 03/28/2025  
 Time Received: 09:30  
 Received By: AB  
 Date Opened: 04/22/2025  
 Time Opened: 14:12  
 Opened By: A. Bommstein

Sample receipt criteria checked & acceptable.  
 Deviations from acceptable sample receipt criteria noted on P&S form.

**RECEIVED**

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS PLEASE PROVIDE THE FOLLOWING:

Perin PWS ID# \_\_\_\_\_  
 Location: \_\_\_\_\_

**Pace**  
ANALYTICAL SERVICES

DC# Title: ENV-FRM-GBUR-0088 v07\_Sample Condition Upon Receipt-  
Greensburg

Effective Date: 01/04/2024

Client Name: NTL

**WO# : 30774116**

PM: CMC Due Date: 05/15/25

CLIENT: NTL

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking Number: 1ZAV9310173745014

Custody Seal on Cooler/Box Present:  Yes  No

Seals Intact:  Yes  No

Thermometer Used: \_\_\_\_\_ Type of Ice: Wet Blue (None)

Cooler Temperature: Observed Temp \_\_\_\_\_ °C Correction Factor: \_\_\_\_\_ °C Final Temp: \_\_\_\_\_ °C

Temp should be above freezing to 6°C

Initial / Date

Examined By: PS 4/24/25

Labeled By: PS 4/24/25

Temped By: \_\_\_\_\_

Comments:	Yes	No	NA	pH paper Lot# <u>1003241</u>	D.P.D. Residual Chlorine Lot #
Chain of Custody Filled Out: -Were client corrections present on COC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.	
Chain of Custody Relinquished	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.	
Sampler Name & Signature on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.	
Sample Labels match COC: -Includes date/time/ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.	<u>No date/time on bottles/vials</u>
Matrix:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6.	
Samples Arrived within Hold Time:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7.	
Short Hold Time Analysis (<72hr remaining):	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.	
Rush Turn Around Time Requested:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.	
Sufficient Volume:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.	
Correct Containers Used: -Pace Containers Used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.	
Containers Intact:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.	
Orthophosphate field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.	
Hex Cr Aqueous samples field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.	
Organic Samples checked for dichlorination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.	
Filtered volume received for dissolved tests:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.	
All containers checked for preservation: exceptions: VOA, coliform, TOC, O&G, Phenolics, <u>Radon</u> non-aqueous matrix	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<u>Added 2.5ml HNO3 to all bottles / Radon</u>
All containers meet method preservation requirements:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed <u>PS</u>	Date/Time of Preservation <u>4/24/25 13:30</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lot# of added Preservative <u>30214851</u>	
8260C/D: Headspace in VOA Vials (> 6mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.	
624.1: Headspace in VOA Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.	
Radon: Headspace in RAD Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.	<u>Headspace in 2 vials</u>
Trip Blank Present:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<u>Trip blank custody seal present? YES or NO</u>
Rad Samples Screened <.05 mrem/hr.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed <u>PS</u>	Date: <u>4/24/25</u> Survey Meter SN: <u>25014380</u>
Comments:					

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office. PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Qualtrax ID: 55680



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Phone/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042507779  
Customer ID: NTLI78  
Customer PO: 14630  
Project ID:

**Attn:** Subcontract  
National Testing Laboratories, Inc.  
6571 Wilson Mills Road  
Cleveland, OH 44143

Phone: (440) 449-2525  
Fax: (Ema) il -only  
Received: 04/24/2025  
Analyzed: 05/07/2025

**Proj:** 2261156

## Test Report: Determination of Asbestos Structures >10µm in Drinking Water Performed by the 100.2 Method (EPA 600/R-94/134)

Sample ID Client / EMSL	Sample Filtration Date/Time	Original Sample Vol. Filtered (ml)	Effective Filter Area (mm <sup>2</sup> )	Area Analyzed (mm <sup>2</sup> ) <sup>1</sup>	ASBESTOS				
					Asbestos Types	Fibers Detected	Analytical Sensitivity	Concentration MFL (million fibers per liter)	Confidence Limits
478978 042507779-0001	4/24/2025 11:27 AM	25	1336	0.2751	None Detected	ND	0.19	<0.19	0.00 - 0.72

Collection Date/Time: 04/22/2025 16:12 PM

Bottle supplied by client.

Analyst(s)  
Sarah Richey (1)

Samantha Rundstrom, Laboratory Manager  
or Other Approved Signatory

Any questions please contact Samantha Rundstrom-Cruz.

Initial report from: 05/07/2025 14:39:32

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Estimation of uncertainty is available on request. Sample collection performed by the client. Pre-cleaned sample containers are available for purchase from EMSL. Note if sample containers are provided by the client, acceptable bottle blank level is defined as ≤0.01MFL for ≥10µm fibers. ND=None Detected. No Fibers Detected: the value will be reported as less than 369% of the concentration equivalent to one fiber. 1 to 4 fibers: The result will be reported as less than the corresponding upper 95% confidence limit (Poisson), 5 to 30 fibers: Mean and 95% confidence intervals will be reported on the basis of the Poisson assumption. When more than 30 fibers are counted, both the Gaussian 95% confidence interval and the Poisson 95% confidence interval will be calculated. The large of these two intervals will be selected for data reporting. When the Gaussian 95% confidence interval is selected for data reporting, the Poisson will also be noted.



Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NELAC NYS ELAP 10872, NJ DEP 03036, FL DOH E87975, PA ID# 68-00367

# Case Narrative

Client: National Testing Laboratories, Ltd  
Project: 478978 / 2261156

Job ID: 810-146039-1

**Job ID: 810-146039-1**

**Eurofins Eaton Analytical South Bend**

## Job Narrative 810-146039-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The sample was received on 4/24/2025 10:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.2°C.

### LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Client Sample Results

Client: National Testing Laboratories, Ltd  
 Project/Site: 478978 / 2261156

Job ID: 810-146039-1

**Client Sample ID: 478978 / 2261156**

**Lab Sample ID: 810-146039-1**

Date Collected: 04/22/25 16:12

Matrix: Drinking Water

Date Received: 04/24/25 10:15

**Method: EPA 331.0 - Perchlorate (LC/MS/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	0.11		0.050		ug/L			04/29/25 04:28	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total (EPA 335.4)	<0.0050		0.0050		mg/L		04/25/25 11:33	04/25/25 12:36	1



# Definitions/Glossary

Client: National Testing Laboratories, Ltd  
Project/Site: 478978 / 2261156

Job ID: 810-146039-1

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count



# Lab Chronicle

Client: National Testing Laboratories, Ltd  
Project/Site: 478978 / 2261156

Job ID: 810-146039-1

**Client Sample ID: 478978 / 2261156**

**Lab Sample ID: 810-146039-1**

**Date Collected: 04/22/25 16:12**

**Matrix: Drinking Water**

**Date Received: 04/24/25 10:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	331.0		1	141773	GL	EA SB	04/29/25 04:28
Total/NA	Prep	Distill/CN			141513	KH	EA SB	04/25/25 11:33
Total/NA	Analysis	335.4		1	141567	KH	EA SB	04/25/25 12:36

**Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



# Accreditation/Certification Summary

Client: National Testing Laboratories, Ltd  
Project/Site: 478978 / 2261156

Job ID: 810-146039-1

## Laboratory: Eurofins Eaton Analytical South Bend

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Ohio	State	87775	06-30-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
331.0		Drinking Water	Perchlorate
335.4	Distill/CN	Drinking Water	Cyanide, Total



# Method Summary

Client: National Testing Laboratories, Ltd  
Project/Site: 478978 / 2261156

Job ID: 810-146039-1

Method	Method Description	Protocol	Laboratory
331.0	Perchlorate (LC/MS/MS)	EPA	EA SB
335.4	Cyanide, Total	EPA	EA SB
Distill/CN	Distillation, Cyanide	None	EA SB

**Protocol References:**

EPA = US Environmental Protection Agency  
None = None

**Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



# Sample Summary

Client: National Testing Laboratories, Ltd  
Project/Site: 478978 / 2261156

Job ID: 810-146039-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-146039-1	478978 / 2261156	Drinking Water	04/22/25 16:12	04/24/25 10:15



**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3300

**Beverage - Finished Product**

Order Number: 2261156

Order Date: 3/25/2025

Sample Number:

Product: FDABASE GDRX & PFAS **478978**

Paid: No Method: P.O.

TSR: SBW

Clifton

NJ 07014

If this sample is submitted in laboratory containers, complete the following information:

Date Opened: / / Time Opened: :  
 AM  PM  
 Check Time Zone:  EST  CST  MST  PST

**For Laboratory Use ONLY**

Accounting Information

Payment \$: \_\_\_\_\_  
 Check #: \_\_\_\_\_

Lab Comments/Special Instructions:

Spring Product:

**Cn, perchlorate**

State Form: NY

Lab Sample Information:

Date Received: **03/28/2025**  
 Time Received: **09:30**  
 Received By: **AB**  
 Date Opened: **04/22/2025**  
 Time Opened: **16:12**  
 Opened By: **A. Bonemain**

Sample receipt criteria checked & acceptable  
 Deviations from acceptable sample receipt criteria noted on TS form

PWS ID# (if applicable):

Source Type:  Spring  Well  Municipal  
 Other

Source Name: **Indian Spring**  
(Source Information is REQUIRED for All Finished Products)

City/County: **Pine Bush NY NY**  
(If Different than Above)

Product Collected By: **[Signature]**  
(Signature)

Product Collected By: **Michael Zinin**  
Field Rep

Brand Name Product Type: **Tribeca Spring Water**  
g. XYZ Spring Water or XYZ Distilled Water

Original Size: **5 GAL**

Production Code/Lot Number: **032725 - S**

Form Completed By: **Michael Zinin**

Additional Comments:

**RECEIVED**

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 177 LITERS PLEASE PROVIDE THE FOLLOWING:

Penn PWS ID#:

Location:

Rev. SRP 02/2008 - FOR COMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11



Pace Analytical Services, LLC - East Longmeadow, Ma

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

May 8, 2025

Christine Macmillan  
National Testing Laboratories, LTD  
6571 Wilson Mills Road  
Cleveland, OH 44143

Project Location: 2261156  
Client Job Number:  
Project Number: 2261156  
Laboratory Work Order Number: 25D1928

Enclosed are results of analyses for samples as received by the laboratory on April 24, 2025. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Karriem G. Marius  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
25D1928-01	5
25D1928-02	6
Sample Preparation Information	7
QC Data	8
Semivolatile Organic Compounds by - LC/MS-MS	8
B403816	8
B404428	9
Flag/Qualifier Summary	11
Certifications	12
Chain of Custody/Sample Receipt	13



Pace Analytical Services, LLC - East Longmeadow, Ma

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

National Testing Laboratories, LTD  
6571 Wilson Mills Road  
Cleveland, OH 44143  
ATTN: Christine Macmillan

REPORT DATE: 5/8/2025

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 2261156

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 25D1928

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - East Longmeadow, Ma, are found in this report.

PROJECT LOCATION: 2261156

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
478978	25D1928-01	Water		EPA 537.1	
478978 FB	25D1928-02	Field Blank		EPA 537.1	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA 537.1

Qualifications:

B-09

Detection in Field Blank is >1/3 MRL. Detections for this analyte in associated sample should be considered suspect.

Analyte & Samples(s) Qualified:

Perfluorohexanesulfonic acid (PFH)

25D1928-02[478978 FB]

Perfluorooctanesulfonic acid (PFO)

25D1928-02[478978 FB]

L-01

Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:

Perfluorooctanoic acid (PFOA)

25D1928-01[478978], 25D1928-02[478978 FB]

L-07

Either laboratory fortified blank/laboratory control sample or duplicate recovery is outside of control limits, but the other is within limits. RPD between the two LFB/LCS results is within method specified criteria.

Analyte & Samples(s) Qualified:

Perfluorooctanoic acid (PFOA)

B403816-BSD1

R-06

Matrix spike duplicate RPD is outside of control limits. Reduced precision is anticipated for reported result for this compound in this sample.

Analyte & Samples(s) Qualified:

Hexafluoropropylene oxide dimer

B404428-BSD1

The results of analyses reported only relate to samples submitted to Pace Analytical Services, LLC - East Longmeadow, Ma, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Meghan E. Kelley  
Reporting Specialist



Project Location: 2261156

Sample Description:

Work Order: 25D1928

Date Received: 4/24/2025

Field Sample #: 478978

Sampled: 4/22/2025 16:12

Sample ID: 25D1928-01

Sample Matrix: Water

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	RL	DL	Units	DF	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	1.8	0.47	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorohexanoic acid (PFHxA)	ND	1.8	0.59	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorohexanesulfonic acid (PFHxS)	ND	1.8	0.64	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluoroheptanoic acid (PFHpA)	ND	1.8	0.59	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorooctanoic acid (PFOA)	ND	1.8	0.58	ng/L	1	L-01	EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorooctanesulfonic acid (PFOS)	ND	1.8	0.60	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorononanoic acid (PFNA)	ND	1.8	0.54	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorodecanoic acid (PFDA)	ND	1.8	0.61	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
N-EtFOSAA (NEtFOSAA)	ND	1.8	0.57	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluoroundecanoic acid (PFUnA)	ND	1.8	0.61	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
N-MeFOSAA (NMeFOSAA)	ND	1.8	0.53	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorododecanoic acid (PFDoA)	ND	1.8	0.76	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorotridecanoic acid (PFTrDA)	ND	1.8	0.90	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Perfluorotetradecanoic acid (PFTA)	ND	1.8	0.73	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	0.64	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
11Cl-PF3OUdS (F53B Major)	ND	1.8	0.51	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
9Cl-PF3ONS (F53B Minor)	ND	1.8	0.55	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.8	0.55	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:25	JR2

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	115	70-130	5/3/25 0:25
M3HFPO-DA	114	70-130	5/3/25 0:25
13C-PFDA	124	70-130	5/3/25 0:25
D5-NEtFOSAA	105	70-130	5/3/25 0:25



Project Location: 2261156

Sample Description:

Work Order: 25D1928

Date Received: 4/24/2025

Field Sample #: 478978 FB

Sampled: 4/22/2025 16:12

Sample ID: 25D1928-02

Sample Matrix: Field Blank

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	RL	DL	Units	DF	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	2.0	0.52	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorohexanoic acid (PFHxA)	ND	2.0	0.66	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorohexanesulfonic acid (PFHxS)	1.2	2.0	0.71	ng/L	1	B-09, J	EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluoroheptanoic acid (PFHpA)	ND	2.0	0.66	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorooctanoic acid (PFOA)	ND	2.0	0.65	ng/L	1	L-01	EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorooctanesulfonic acid (PFOS)	1.4	2.0	0.66	ng/L	1	B-09, J	EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorononanoic acid (PFNA)	ND	2.0	0.60	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorodecanoic acid (PFDA)	ND	2.0	0.68	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
N-EtFOSAA (NEtFOSAA)	ND	2.0	0.63	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluoroundecanoic acid (PFUnA)	ND	2.0	0.68	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
N-MeFOSAA (NMeFOSAA)	ND	2.0	0.59	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorododecanoic acid (PFDoA)	ND	2.0	0.85	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorotridecanoic acid (PFTrDA)	ND	2.0	1.0	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Perfluorotetradecanoic acid (PFTA)	ND	2.0	0.82	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	0.72	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
11Cl-PF3OUdS (F53B Major)	ND	2.0	0.57	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
9Cl-PF3ONS (F53B Minor)	ND	2.0	0.61	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0	0.61	ng/L	1		EPA 537.1	5/1/25	5/3/25 0:33	JR2

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	111	70-130	5/3/25 0:33
M3HFPO-DA	110	70-130	5/3/25 0:33
13C-PFDA	121	70-130	5/3/25 0:33
D5-NEtFOSAA	104	70-130	5/3/25 0:33



Pace Analytical Services, LLC - East Longmeadow, Ma

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**Sample Extraction Data**

**Prep Method: EPA 537.1-EPA 537.1**

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
25D1928-01 [478978]	B403816	274	1.00	05/01/25
25D1928-02 [478978 FB]	B403816	246	1.00	05/01/25



QUALITY CONTROL

Semivolatle Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting Limit	DL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B403816 - EPA 537.1

Blank (B403816-BLK1)

Prepared: 05/01/25 Analyzed: 05/02/25

Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.48	ng/L							
Perfluorohexanoic acid (PFHxA)	ND	1.9	0.60	ng/L							
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.65	ng/L							
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.61	ng/L							
Perfluorooctanoic acid (PFOA)	ND	1.9	0.60	ng/L							
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.61	ng/L							
Perfluorononanoic acid (PFNA)	ND	1.9	0.55	ng/L							
Perfluorodecanoic acid (PFDA)	ND	1.9	0.62	ng/L							
N-EtFOSAA (NEtFOSAA)	ND	1.9	0.58	ng/L							
Perfluoroundecanoic acid (PFUnA)	ND	1.9	0.62	ng/L							
N-MeFOSAA (NMeFOSAA)	ND	1.9	0.54	ng/L							
Perfluorododecanoic acid (PFDoA)	ND	1.9	0.78	ng/L							
Perfluorotridecanoic acid (PFTriDA)	ND	1.9	0.92	ng/L							
Perfluorotetradecanoic acid (PFTA)	ND	1.9	0.75	ng/L							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.9	0.66	ng/L							
11Cl-PF3OUdS (F53B Major)	ND	1.9	0.53	ng/L							
9Cl-PF3ONS (F53B Minor)	ND	1.9	0.56	ng/L							
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.9	0.56	ng/L							
Surrogate: 13C-PFHxA	39.5			ng/L	37.33		106	70-130			
Surrogate: M3HFPO-DA	36.8			ng/L	37.33		98.5	70-130			
Surrogate: 13C-PFDA	39.8			ng/L	37.33		107	70-130			
Surrogate: D5-NEtFOSAA	154			ng/L	149.3		103	70-130			

LCS (B403816-BS1)

Prepared: 05/01/25 Analyzed: 05/02/25

Perfluorobutanesulfonic acid (PFBS)	20.8	1.9	0.48	ng/L	16.62		125	70-130			
Perfluorohexanoic acid (PFHxA)	23.7	1.9	0.60	ng/L	18.74		126	70-130			
Perfluorohexanesulfonic acid (PFHxS)	20.6	1.9	0.66	ng/L	17.13		120	70-130			
Perfluoroheptanoic acid (PFHpA)	23.4	1.9	0.61	ng/L	18.74		125	70-130			
Perfluorooctanoic acid (PFOA)	24.1	1.9	0.60	ng/L	18.74		129	70-130			
Perfluorooctanesulfonic acid (PFOS)	22.6	1.9	0.61	ng/L	17.39		130	70-130			
Perfluorononanoic acid (PFNA)	23.6	1.9	0.55	ng/L	18.74		126	70-130			
Perfluorodecanoic acid (PFDA)	23.1	1.9	0.62	ng/L	18.74		123	70-130			
N-EtFOSAA (NEtFOSAA)	22.4	1.9	0.58	ng/L	18.74		119	70-130			
Perfluoroundecanoic acid (PFUnA)	21.5	1.9	0.63	ng/L	18.74		115	70-130			
N-MeFOSAA (NMeFOSAA)	22.9	1.9	0.54	ng/L	18.74		122	70-130			
Perfluorododecanoic acid (PFDoA)	21.6	1.9	0.78	ng/L	18.74		115	70-130			
Perfluorotridecanoic acid (PFTriDA)	20.5	1.9	0.92	ng/L	18.74		109	70-130			
Perfluorotetradecanoic acid (PFTA)	21.9	1.9	0.75	ng/L	18.74		117	70-130			
Hexafluoropropylene oxide dimer acid (HFPO-DA)	22.6	1.9	0.66	ng/L	18.74		120	70-130			
11Cl-PF3OUdS (F53B Major)	20.4	1.9	0.53	ng/L	17.67		115	70-130			
9Cl-PF3ONS (F53B Minor)	22.2	1.9	0.56	ng/L	17.48		127	70-130			
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	21.6	1.9	0.56	ng/L	17.71		122	70-130			
Surrogate: 13C-PFHxA	41.5			ng/L	37.48		111	70-130			
Surrogate: M3HFPO-DA	37.4			ng/L	37.48		99.9	70-130			
Surrogate: 13C-PFDA	43.5			ng/L	37.48		116	70-130			
Surrogate: D5-NEtFOSAA	154			ng/L	149.9		102	70-130			



QUALITY CONTROL

Semivolatle Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting Limit	DL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B403816 - EPA 537.1

LCS Dup (B403816-BSD1)

Prepared: 05/01/25 Analyzed: 05/02/25

Perfluorobutanesulfonic acid (PFBS)	20.7	1.9	0.48	ng/L	16.49		126	70-130	0.327	30	
Perfluorohexanoic acid (PFHxA)	24.0	1.9	0.60	ng/L	18.59		129	70-130	1.19	30	
Perfluorohexanesulfonic acid (PFHxS)	21.5	1.9	0.65	ng/L	16.99		127	70-130	4.35	30	
Perfluoroheptanoic acid (PFHpA)	23.1	1.9	0.60	ng/L	18.59		124	70-130	1.21	30	
Perfluorooctanoic acid (PFOA)	24.7	1.9	0.59	ng/L	18.59		133 *	70-130	2.38	30	L-07
Perfluorooctanesulfonic acid (PFOS)	21.3	1.9	0.61	ng/L	17.25		124	70-130	5.75	30	
Perfluorononanoic acid (PFNA)	23.9	1.9	0.55	ng/L	18.59		129	70-130	1.26	30	
Perfluorodecanoic acid (PFDA)	23.8	1.9	0.62	ng/L	18.59		128	70-130	3.11	30	
N-EtFOSAA (NEtFOSAA)	23.4	1.9	0.58	ng/L	18.59		126	70-130	4.73	30	
Perfluoroundecanoic acid (PFUnA)	21.2	1.9	0.62	ng/L	18.59		114	70-130	1.58	30	
N-MeFOSAA (NMeFOSAA)	23.7	1.9	0.53	ng/L	18.59		127	70-130	3.40	30	
Perfluorododecanoic acid (PFDoA)	22.6	1.9	0.78	ng/L	18.59		122	70-130	4.63	30	
Perfluorotridecanoic acid (PFTrDA)	22.5	1.9	0.91	ng/L	18.59		121	70-130	9.58	30	
Perfluorotetradecanoic acid (PFTA)	22.7	1.9	0.75	ng/L	18.59		122	70-130	3.28	30	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	22.9	1.9	0.65	ng/L	18.59		123	70-130	1.25	30	
11Cl-PF3OUdS (F53B Major)	20.7	1.9	0.52	ng/L	17.53		118	70-130	1.33	30	
9Cl-PF3ONS (F53B Minor)	21.6	1.9	0.56	ng/L	17.34		124	70-130	2.76	30	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	22.3	1.9	0.56	ng/L	17.57		127	70-130	3.44	30	
Surrogate: 13C-PFHxA	40.5			ng/L	37.18		109	70-130			
Surrogate: M3HFPO-DA	39.0			ng/L	37.18		105	70-130			
Surrogate: 13C-PFDA	40.2			ng/L	37.18		108	70-130			
Surrogate: D5-NEtFOSAA	156			ng/L	148.7		105	70-130			

Batch B404428 - EPA 537.1

Blank (B404428-BLK1)

Prepared: 05/06/25 Analyzed: 05/07/25

Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.48	ng/L							
Perfluorohexanoic acid (PFHxA)	ND	1.9	0.60	ng/L							
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.65	ng/L							
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.60	ng/L							
Perfluorooctanoic acid (PFOA)	ND	1.9	0.59	ng/L							
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.61	ng/L							
Perfluorononanoic acid (PFNA)	ND	1.9	0.55	ng/L							
Perfluorodecanoic acid (PFDA)	ND	1.9	0.62	ng/L							
N-EtFOSAA (NEtFOSAA)	ND	1.9	0.58	ng/L							
Perfluoroundecanoic acid (PFUnA)	ND	1.9	0.62	ng/L							
N-MeFOSAA (NMeFOSAA)	ND	1.9	0.54	ng/L							
Perfluorododecanoic acid (PFDoA)	ND	1.9	0.78	ng/L							
Perfluorotridecanoic acid (PFTrDA)	ND	1.9	0.92	ng/L							
Perfluorotetradecanoic acid (PFTA)	ND	1.9	0.75	ng/L							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.9	0.66	ng/L							
11Cl-PF3OUdS (F53B Major)	ND	1.9	0.53	ng/L							
9Cl-PF3ONS (F53B Minor)	ND	1.9	0.56	ng/L							
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.9	0.56	ng/L							
Surrogate: 13C-PFHxA	32.9			ng/L	37.26		88.3	70-130			
Surrogate: M3HFPO-DA	38.5			ng/L	37.26		103	70-130			
Surrogate: 13C-PFDA	35.3			ng/L	37.26		94.7	70-130			
Surrogate: D5-NEtFOSAA	149			ng/L	149.0		100	70-130			



Pace Analytical Services, LLC - East Longmeadow, Ma

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Semivolatle Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting Limit	DL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B404428 - EPA 537.1</b>											
<b>LCS (B404428-BS1)</b>											
					Prepared: 05/06/25 Analyzed: 05/07/25						
Perfluorobutanesulfonic acid (PFBS)	7.77	1.9	0.49	ng/L	8.379		92.7	70-130			
Perfluorohexanoic acid (PFHxA)	8.67	1.9	0.61	ng/L	9.446		91.8	70-130			
Perfluorohexanesulfonic acid (PFHxS)	7.77	1.9	0.66	ng/L	8.634		90.0	70-130			
Perfluoroheptanoic acid (PFHpA)	8.13	1.9	0.61	ng/L	9.446		86.1	70-130			
Perfluorooctanoic acid (PFOA)	8.11	1.9	0.60	ng/L	9.446		85.8	70-130			
Perfluorooctanesulfonic acid (PFOS)	8.27	1.9	0.62	ng/L	8.766		94.4	70-130			
Perfluorononanoic acid (PFNA)	8.73	1.9	0.55	ng/L	9.446		92.4	70-130			
Perfluorodecanoic acid (PFDA)	8.95	1.9	0.63	ng/L	9.446		94.8	70-130			
N-EtFOSAA (NEtFOSAA)	8.34	1.9	0.59	ng/L	9.446		88.2	70-130			
Perfluoroundecanoic acid (PFUnA)	8.73	1.9	0.63	ng/L	9.446		92.4	70-130			
N-MeFOSAA (NMeFOSAA)	8.00	1.9	0.54	ng/L	9.446		84.7	70-130			
Perfluorododecanoic acid (PFDoA)	8.65	1.9	0.79	ng/L	9.446		91.6	70-130			
Perfluorotridecanoic acid (PFTrDA)	8.95	1.9	0.93	ng/L	9.446		94.8	70-130			
Perfluorotetradecanoic acid (PFTA)	8.74	1.9	0.76	ng/L	9.446		92.5	70-130			
Hexafluoropropylene oxide dimer acid (HFPO-DA)	6.63	1.9	0.66	ng/L	9.446		70.1	70-130			
11Cl-PF3OUdS (F53B Major)	8.32	1.9	0.53	ng/L	8.908		93.4	70-130			
9Cl-PF3ONS (F53B Minor)	8.11	1.9	0.57	ng/L	8.814		92.0	70-130			
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	7.48	1.9	0.57	ng/L	8.927		83.8	70-130			
Surrogate: 13C-PFHxA	33.4			ng/L	37.79		88.3	70-130			
Surrogate: M3HFPO-DA	36.3			ng/L	37.79		96.0	70-130			
Surrogate: 13C-PFDA	34.1			ng/L	37.79		90.3	70-130			
Surrogate: D5-NEtFOSAA	148			ng/L	151.1		97.6	70-130			
<b>LCS Dup (B404428-BSD1)</b>											
					Prepared: 05/06/25 Analyzed: 05/07/25						
Perfluorobutanesulfonic acid (PFBS)	8.24	1.8	0.47	ng/L	8.182		101	70-130	5.86	30	
Perfluorohexanoic acid (PFHxA)	9.20	1.8	0.59	ng/L	9.224		99.7	70-130	5.89	30	
Perfluorohexanesulfonic acid (PFHxS)	8.46	1.8	0.65	ng/L	8.431		100	70-130	8.53	30	
Perfluoroheptanoic acid (PFHpA)	8.77	1.8	0.60	ng/L	9.224		95.1	70-130	7.58	30	
Perfluorooctanoic acid (PFOA)	8.80	1.8	0.59	ng/L	9.224		95.4	70-130	8.19	30	
Perfluorooctanesulfonic acid (PFOS)	8.87	1.8	0.60	ng/L	8.560		104	70-130	7.01	30	
Perfluorononanoic acid (PFNA)	9.73	1.8	0.54	ng/L	9.224		105	70-130	10.8	30	
Perfluorodecanoic acid (PFDA)	10.1	1.8	0.61	ng/L	9.224		110	70-130	12.2	30	
N-EtFOSAA (NEtFOSAA)	8.34	1.8	0.58	ng/L	9.224		90.4	70-130	0.0162	30	
Perfluoroundecanoic acid (PFUnA)	9.35	1.8	0.62	ng/L	9.224		101	70-130	6.83	30	
N-MeFOSAA (NMeFOSAA)	8.20	1.8	0.53	ng/L	9.224		88.9	70-130	2.55	30	
Perfluorododecanoic acid (PFDoA)	9.17	1.8	0.77	ng/L	9.224		99.4	70-130	5.76	30	
Perfluorotridecanoic acid (PFTrDA)	9.70	1.8	0.91	ng/L	9.224		105	70-130	8.01	30	
Perfluorotetradecanoic acid (PFTA)	9.37	1.8	0.74	ng/L	9.224		102	70-130	6.92	30	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	9.56	1.8	0.65	ng/L	9.224		104	70-130	36.2	*	30 R-06
11Cl-PF3OUdS (F53B Major)	8.70	1.8	0.52	ng/L	8.699		100	70-130	4.46	30	
9Cl-PF3ONS (F53B Minor)	8.77	1.8	0.55	ng/L	8.606		102	70-130	7.80	30	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	8.27	1.8	0.55	ng/L	8.717		94.9	70-130	10.1	30	
Surrogate: 13C-PFHxA	36.5			ng/L	36.90		98.9	70-130			
Surrogate: M3HFPO-DA	43.9			ng/L	36.90		119	70-130			
Surrogate: 13C-PFDA	38.3			ng/L	36.90		104	70-130			
Surrogate: D5-NEtFOSAA	163			ng/L	147.6		111	70-130			



**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
  - ND Not Detected
  - RL Reporting Limit
  - DL Method Detection Limit
  - MCL Maximum Contaminant Level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- No results have been blank subtracted unless specified in the case narrative section.
- B-09 Detection in Field Blank is  $>1/3$  MRL. Detections for this analyte in associated sample should be considered suspect.
  - J Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated concentration (CLP J-Flag).
  - L-01 Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
  - L-07 Either laboratory fortified blank/laboratory control sample or duplicate recovery is outside of control limits, but the other is within limits. RPD between the two LFB/LCS results is within method specified criteria.
  - R-06 Matrix spike duplicate RPD is outside of control limits. Reduced precision is anticipated for reported result for this compound in this sample.



**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 537.1 in Drinking Water</b>	
Perfluorobutanesulfonic acid (PFBS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorohexanoic acid (PFHxA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorohexanesulfonic acid (PFHxS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluoroheptanoic acid (PFHpA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorooctanoic acid (PFOA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorooctanesulfonic acid (PFOS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorononanoic acid (PFNA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorodecanoic acid (PFDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-EtFOSAA (NEtFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluoroundecanoic acid (PFUnA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-MeFOSAA (NMeFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorododecanoic acid (PFDoA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotridecanoic acid (PFTrDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotetradecanoic acid (PFTA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Hexafluoropropylene oxide dimer acid (HFPO-DA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
11Cl-PF3OUdS (F53B Major)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
9Cl-PF3ONS (F53B Minor)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH

Pace Analytical Services, LLC - East Longmeadow, Ma, operates under the following certifications and accreditations:

Code	Description	Number	Expires
MA	Massachusetts DEP	M-MA100	06/30/2025
CT	Connecticut Department of Public Health	PH-0821	12/31/2026
NY	New York State Department of Health	10899 NELAP	04/1/2026
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2026
NJ	New Jersey DEP	MA007 NELAP	06/30/2025
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2025
ME	State of Maine	MA00100	06/9/2025
VA	Commonwealth of Virginia	460217	12/14/2025
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2026
MI	Dept. of Env, Great Lakes, and Energy	9100	06/30/2025
OH	Ohio Environmental Protection Agency	87781	04/1/2026



DC#\_Title: ENV-FRM-ELON-0001 v08\_Sample Receiving Checklist

Effective Date: 06/11/2024

### Log In Back-Sheet

Login Sample Receipt Checklist – (Rejection Criteria Listing – Using Acceptance Policy) Any False statement will be brought to the attention of the Client – True or False

Client Nutrena 1 festney

Project 226450

MCP/RCP Required NA

Deliverable Package Requirement NA

Location Indian Spring

PWSID# (When Applicable) NA

Arrival Method:

Courier  Fed Ex  Walk In  Other  UPS

Received By / Date / Time ER 4/14/15 05:15

Back-Sheet By / Date / Time LA 4/24/15 1301

Temperature Method gm # 6

WV samples: Yes (see note\*) /  No (follow normal procedure)

Temp  < 6° C Actual Temperature 0.2

Rush Samples: Yes  No  Notify

Short Hold: Yes  No  Notify

	True	False
Received on Ice	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Received in Cooler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Custody Seal: DATE TIME	<input type="checkbox"/>	<input checked="" type="checkbox"/>
COC Relinquished	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COC/Samples Labels Agree	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All Samples in Good Condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Samples Received within Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Is there enough Volume	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Proper Media/Container Used	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splitting Samples Required	<input type="checkbox"/>	<input checked="" type="checkbox"/>
MS/MSD	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Trip Blanks	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Lab to Filters	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COC Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COC Included: (Check all included)		
Client <input checked="" type="checkbox"/>	Analysis <input checked="" type="checkbox"/>	Sampler Name <input type="checkbox"/>
Project <input checked="" type="checkbox"/>	IDs <input checked="" type="checkbox"/>	Collection Date/Time <input checked="" type="checkbox"/>
All Samples Proper pH: <u>N/A</u>	<input type="checkbox"/>	<input type="checkbox"/>

**Notes regarding Samples/COC outside of SOP:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Additional Container Notes**

*\*Note: West Virginia requires all samples to have their temperature taken. Note any outliers.*

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



DC#\_Title: ENV-FRM-ELON-0001 v08\_Sample Receiving Checklist

Effective Date: 06/11/2024

Sample	Soils Jars				Ambers				Plastics				VOA Vials				Other / Fill in			
	16oz Amb/Clear	8oz Amb/Clear	4oz Amb/Clear	2oz Amb/Clear	1 Liter	250ml	100ml	1 Liter	500ml	250ml	250ml	250ml	250ml	250ml	250ml	250ml	250ml	250ml	250ml	
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				
13																				
14																				
15																				
16																				
17																				
18																				
19																				
20																				